

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Papa John's Pizza	Facility Type Food Service Establishment	
Licensee Name PJKA, LLC	Facility Telephone # 304 260-0800	
Facility Address 978 Foxcroft Ave Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 07/05/2018	Total Time Spent 1.57

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Walk in cooler	37
Pizza cooler	36
Soda cooler	41
Pizza hot hold	

<i>Warewashing Info</i>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysink	chem		300		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
<p>Total # 1 Repeated # 4</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation REPEAT OBSERVATION Mouse feces found under side storage/ dishroom area</p>

Observed Non-Critical Violations

Total # 8

Repeated # 4

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

REPEAT OBSERVATION Outside of the oven needs dusted

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: All stainless steel shelves, and tables need dusted in the kitchen

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Can rack needs dusted

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION 3 bay faucet needs repaired, leaking water at a connection

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Light shield in the cooler needs replaced, cracked

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Screens, computers wires need cleaned, dust

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Hood filters need cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor fan needs cleaned.

Inspection Outcome

Comments

Disclaimer

Person in Charge



prom son

Sanitarian



Glenn GCO Ondick