

CASE-MIX ADJUSTMENT VARIABLES AND SCORES 2016

	Episode number within sequence of adjacent episodes	1 or 2	1 or 2	3+	3+
	Therapy visits	0-13	14+	0-13	14+
	EQUATION	1	2	3	4
	CLINICAL DIMENSION				
1	Primary or Other Diagnosis = Blindness/Low Vision				
2	Primary or Other Diagnosis = Blood disorders		6		2
3	Primary or Other Diagnosis = Cancer, selected benign neoplasms		7		7
4	Primary Diagnosis = Diabetes		7		4
5	Other Diagnosis = Diabetes	1			
6	Primary or Other Diagnosis = Dysphagia AND Primary or Other Diagnosis = Neuro 3-Stroke	3	16	1	9
7	Primary or Other Diagnosis = Dysphagia AND M1030 (Therapy at home) =3(Enteral)	1	10	1	10
8	Primary or Other Diagnosis = Gastrointestinal disorders				
9	Primary or Other Diagnosis = Gastrointestinal disorders AND M1630 (ostomy)=1 or 2		6		6
10	Primary or Diagnosis = Gastrointestinal disorders AND Primary or Other Diagnosis = Neuro 1-Brain disorders and paralysis, OR Neuro 2-Peripheral neurological disorders OR Neuro 3-Stroke, OR Neuro 4-Multiple Sclerosis			1	
11	Primary or Other Diagnosis = Heart Disease OR Hypertension	1			
12	Primary Diagnosis = Neuro 1-Brain disorders and paralysis	3	11	6	11
13	Primary or Other Diagnosis = Neuro 1-Brain disorders and paralysis AND M1840 (toilet transfer)=2 or more		2		2
14	Primary or Other Diagnosis = Neuro 1-Brain disorders and paralysis OR Neuro 2- Peripheral neurological disorders AND M1810 or M1820 (Dressing upper or lower body)= 1, 2, or 3	2	7	1	6
15	Primary or Other Diagnosis = Neuro 3- Stroke	3	9	2	7
16	Primary or Other Diagnosis = Neuro 3- Stroke AND M1810 or M1820 (Dressing upper or lower body)=1,2 or 3		5		
17	Primary or Other Diagnosis = Neuro 3-Stroke AND M1860 (Ambulation)= 4 or more				
18	Primary or Other Diagnosis = Neuro 4-Multiple Sclerosis AND AT LEAST ONE OF THE FOLLOWING: M1830 (Bathing)=2 or more OR M1840 (Toilet transfer)=2 or more OR M1850 (transferring)=2 or more OR M1860 (Ambulation)=4 or more	3	10	7	10
19	Primary or Other Diagnosis = Ortho 1-Leg Disorders or Gait Disorders AND M1324 (most problematic pressure ulcer stage)=1,2,3,4	8	1	8	1
20	Primary or Other Diagnosis = Ortho 1-Leg OR Ortho 2-Other Orthopedic disorders AND M1030 (Therapy at home)=1(IV/infusion) or 2 (Parenteral)	3		3	
21	Primary or Other Diagnosis = Psych 1-Affective and other psychoses, depression				
22	Primary or Other Diagnosis = Psych 2-Degenerative and other organic psychiatric disorders				
23	Primary or Other Diagnosis = Pulmonary disorders				
24	Primary or Other Diagnosis = Pulmonary disorders AND M1860 (Ambulation)=1 or more				
25	Primary Diagnosis = Skin 1-Traumatic wounds, burns, post-operative complications	3	19	8	19
26	Other Diagnosis = Skin 1-Traumatic wounds, burns, post-operative complications	6	16	8	13
27	Primary or Other Diagnosis = Skin 1-Traumatic wounds, burns and post-operative complications OR Skin 2-Ulcers and other skin conditions AND M1030 (therapy at home)=1 (IV/Infusion) or 2 (Parenteral)	4			
28	Primary or Other Diagnosis = Skin 2-Ulcers and other skin conditions	2	17	9	17

CASE-MIX ADJUSTMENT VARIABLES AND SCORES 2016

	Episode number within sequence of adjacent episodes	1 or 2	1 or 2	3+	3+
	Therapy visits	0-13	14+	0-13	14+
29	Primary or Other Diagnosis = Tracheostomy (Z43.0)	3	17	3	17
30	Primary or Other Diagnosis = Urostomy/Cystostomy (Z43.5, Z43.6)		19		12
31	M1030 (Therapy at home) =1 (IV/Infusion) or 2 (Parenteral)		17	6	17
32	M1030 (Therapy at home) =3 (Enteral)		15		5
33	M1200 (Vision) =1 or more				
34	M1242 (Pain) =3 or 4	2		1	
35	M1308 = Two or more pressure ulcers at stage 3 or 4	5	5	5	14
36	M1324 =(Most problematic pressure ulcer stage)=1 or 2	4	19	7	17
37	M1324 =(Most problematic pressure ulcer stage)=3 or 4	8	33	11	27
38	M1334 (Stasis ulcer status)=2	4	13	8	13
39	M1334 (Stasis ulcer status)=3	7	17	10	17
40	M1342 (Surgical wound status)=2	2	8	5	13
41	M1342 (Surgical wound status)=3	1	7	5	8
42	M1400 (Dyspnea)=2, 3 or 4		1		1
43	M1620 (Bowel incontinence)=2 to 5		4		4
44	M1630 (Ostomy)= 1 or 2	4	12	2	7
45	M2030 (Injectable Drug Use)= 0, 1, 2 or 3				
	FUNCTIONAL DIMENSION				
46	M1810 or M1820 (Dressing upper or lower body)= 1, 2, or 3	2		1	
47	M1830 (Bathing)=2 or more	6	2	5	
48	M1840 (Toilet training)=2 or more	1	4	1	1
49	M1850 (Transferring)=2 or more	3	2	1	
50	M1860 (Ambulation)=1,2, or 3	7		4	
51	M1860 (Ambulation)=4 or more	7	9	6	7

		1 st and 2 nd Episodes		3 rd + Episodes		All Episodes
		0 to 13 Therapy visits	14 to 19 Therapy visits	0 to 13 Therapy visits	14 to 19 Therapy visits	20+ Therapy Visits
Grouping Step: Equation(s) used to calculate points (see Table 3)		1 1	2.1 2	3 3	2.2 4	4 (284)
Dimension	Severity Level					
Clinical	C1	0 to 1	0 to 1	0	0 to 3	0 to 3
	C2	2 to 3	2 to 7	1	4 to 12	4 to 16
	C3	4+	8+	2+	13+	17+
Functional	F1	0 to 14	0 to 6	0 to 6	0	0 to 2
	F2	15	7 to 13	7 to 10	1 to 7	3 to 6
	F3	16+	14+	11+	8+	7+
Service	S1	0 to 5	14 to 15	0 to 5	14 to 15	20+
	S2	6	16 to 17	6	16 to 17	
	S3	7 to 9	18 to 19	7 to 9	18 to 19	
	S4	10		10		
	S5	11 to 13		11 to 13		