


# HEX HEAD CAP SCREWS

## SMALL PACKS

Grade 5



- Duraplate finish protects against rust and corrosion.
- 1038 Steel - double heat treated.
- Headmarked for complete traceability.

| 1/4" DIAMETER |      |        |     |
|---------------|------|--------|-----|
| J&B #         | SAE  | LENGTH | QTY |
| 3006          | 3506 | 1/2    | 50  |
| 3010          | 3510 | 3/4    | 50  |
| 3012          | 3512 | 1      | 50  |
| 3014          | 3514 | 1-1/4  | 25  |
| 3016          | 3516 | 1-1/2  | 25  |
| 3018          |      | 1-3/4  | 25  |
| 3020          | 3520 | 2      | 25  |
| 3022          |      | 2-1/4  | 25  |
| 3024          | 3524 | 2-1/2  | 25  |
| 3026          |      | 2-3/4  | 20  |
| 3028          | 3528 | 3      | 20  |
| 3032          | 3532 | 3-1/2  | 20  |
|               | 3536 | 4      | 20  |


| 3/8" DIAMETER |      |        |     |
|---------------|------|--------|-----|
| J&B #         | SAE  | LENGTH | QTY |
| 3106          |      | 1/2    | 25  |
| 3110          | 3610 | 3/4    | 25  |
| 3112          | 3612 | 1      | 25  |
| 3114          |      | 1-1/4  | 25  |
| 3116          | 3616 | 1-1/2  | 20  |
| 3118          |      | 1-3/4  | 20  |
| 3120          | 3620 | 2      | 20  |
| 3122          |      | 2-1/4  | 15  |
| 3124          | 3624 | 2-1/2  | 15  |
| 3126          |      | 2-3/4  | 15  |
| 3128          | 3628 | 3      | 15  |
| 3132          | 3632 | 3-1/2  | 15  |
| 3136          | 3636 | 4      | 10  |
| 3138          |      | 4-1/2  | 10  |
| 3140          |      | 5      | 10  |
| 3142          |      | 5-1/2  | 10  |
| 3144          |      | 6      | 10  |

| 5/16" DIAMETER |      |        |     |
|----------------|------|--------|-----|
| J&B #          | SAE  | LENGTH | QTY |
| 3056           | 3556 | 1/2    | 50  |
| 3060           | 3560 | 3/4    | 50  |
| 3062           | 3562 | 1      | 25  |
| 3064           |      | 1-1/4  | 25  |
| 3066           | 3566 | 1-1/2  | 25  |
| 3068           |      | 1-3/4  | 25  |
| 3070           | 3570 | 2      | 25  |
| 3072           |      | 2-1/4  | 20  |
| 3074           | 3574 | 2-1/2  | 20  |
| 3076           |      | 2-3/4  | 20  |
| 3078           | 3578 | 3      | 15  |
| 3082           | 3582 | 3-1/2  | 15  |
| 3086           | 3586 | 4      | 15  |
| 3088           |      | 4-1/2  | 10  |
| 3090           |      | 5      | 10  |

# HEX HEAD CAP SCREWS

## SMALL PACKS

Grade 5



- Duraplate finish protects against rust and corrosion.
- 1038 Steel - double heat treated.
- Headmarked for complete traceability.

| 7/16" DIAMETER |      |        |     |
|----------------|------|--------|-----|
| J&B #          | SAE  | LENGTH | QTY |
| 3160           |      | 3/4    | 25  |
| 3162           | 3662 | 1      | 25  |
| 3164           |      | 1-1/4  | 20  |
| 3166           | 3666 | 1-1/2  | 20  |
| 3168           |      | 1-3/4  | 20  |
| 3170           | 3670 | 2      | 15  |
| 3172           |      | 2-1/4  | 15  |
| 3174           | 3674 | 2-1/2  | 15  |
| 3176           |      | 2-3/4  | 15  |
| 3178           | 3678 | 3      | 10  |
| 3182           | 3682 | 3-1/2  | 10  |
| 3186           | 3686 | 4      | 10  |
| 3188           | 3688 | 4-1/2  | 5   |
| 3190           | 3690 | 5      | 5   |
| 3192           |      | 5-1/2  | 5   |
| 3194           |      | 6      | 5   |

| 1/2" DIAMETER |      |        |     |
|---------------|------|--------|-----|
| J&B #         | SAE  | LENGTH | QTY |
| 3210          |      | 3/4    | 20  |
| 3212          | 3712 | 1      | 20  |
| 3214          |      | 1-1/4  | 20  |
| 3216          | 3716 | 1-1/2  | 20  |
| 3218          |      | 1-3/4  | 15  |
| 3220          | 3720 | 2      | 15  |
| 3222          |      | 2-1/4  | 15  |
| 3224          | 3724 | 2-1/2  | 15  |
| 3226          |      | 2-3/4  | 10  |
| 3228          | 3728 | 3      | 10  |
| 3232          | 3732 | 3-1/2  | 10  |
| 3236          | 3736 | 4      | 5   |
| 3238          | 3738 | 4-1/2  | 5   |
| 3240          | 3740 | 5      | 5   |
| 3242          |      | 5-1/2  | 5   |
| 3244          |      | 6      | 5   |


# BUMPER BOLTS

---

## ROUND HEAD

- Stainless steel capped for positive protection against weather.

| J&B # | SIZE            | QTY |
|-------|-----------------|-----|
| 10662 | 3/8-16 x 1      | 25  |
| 10665 | 7/16-14 x 1-1/4 | 25  |
| 10672 | 1/2-13 x 1-1/2  | 25  |



---


## PAN HEAD

- Stainless steel capped for positive protection against weather.

| J&B # | SIZE       | QTY |
|-------|------------|-----|
| 11860 | 3/8-16 x 1 | 25  |



| J&B # | SIZE            | QTY |
|-------|-----------------|-----|
| 11839 | 7/16-14 x 1-1/4 | 25  |




# BODY BOLTS

BLACK FINISH

## HEX SPIN LOCK


W/ Dog Point



| J&B#  | SIZE            | WASH.<br>O.D. | QTY |
|-------|-----------------|---------------|-----|
| 12845 | 5/16-18 x 1     | 13/16         | 25  |
| 12847 | 5/16-18 x 1-1/4 | 13/16         | 25  |
| 12844 | 5/16-24 x 1     | 13/16         | 25  |

## HEX HEAD SEMS


W/ Dog Point



| J&B#  | SIZE         | WASH.<br>O.D. | QTY |
|-------|--------------|---------------|-----|
| 13402 | 1/4-20 x 7/8 | 3/4           | 25  |
| 12504 | 1/4-20 x 1   | 5/8           | 25  |


## HEX SPIN LOCK

Without Dog Point




| J&B#  | SIZE         | WASH.<br>O.D. | QTY |
|-------|--------------|---------------|-----|
| 12841 | 1/4-20 x 5/8 | 5/8           | 25  |

## HEX HEAD SEMS



| J&B#  | SIZE           | WASH.<br>O.D. | QTY |
|-------|----------------|---------------|-----|
| 38468 | 3/8-16 x 1     | 1"            | 25  |
| 10377 | 3/8-16 x 1-1/2 | 1-1/8         | 25  |


## HEX HEAD SEMS



| J&B#  | SIZE        | WASH.<br>O.D. | QTY |
|-------|-------------|---------------|-----|
| 10567 | 5/16-18 x 1 | 7/8           | 25  |


## HEX HEAD SEMS

W/ Dog Point



| J&B#  | SIZE            | WASH.<br>O.D. | QTY |
|-------|-----------------|---------------|-----|
| 10570 | 5/16-18 x 1-1/4 | 7/8           | 25  |

## HEX WASHER HEAD



| J&B#  | SIZE            | WASH.<br>O.D. | QTY |
|-------|-----------------|---------------|-----|
| 12060 | 5/16-18 x 13/16 | 41/64         | 20  |
| 38499 | 5/16-18 x 3/4   | 21/32         | 100 |






# METRIC BODY BOLTS

---

## BLACK FINISH METRIC HEX HEAD SEMS




| J&B # | SIZE            | MATERIAL       | WASH. OD | QTY |
|-------|-----------------|----------------|----------|-----|
| 45410 | M6-1.00 x 20mm  | Phosphate      | 17mm     | 25  |
| 41841 | M6-1.00 x 25mm  | Phosphate      | 17mm     | 50  |
| 45418 | M6-1.00 x 25mm  | Phosphate      | 24mm     | 50  |
| 45888 | M6-1.00 x 35mm  | Phosphate      | 17mm     | 50  |
| 42004 | M6-1.00 x 25mm  | Black Polyseal | 24mm     | 25  |
| 42008 | M8-1.25 x 25mm  | Phosphate      | 24mm     | 25  |
| 41882 | M8-1.25 x 30mm  | Phosphate      | 24mm     | 25  |
| 45802 | M10-1.50 x 40mm | Phosphate      | 29mm     | 25  |

---

## METRIC HEX HEAD SEMS


W/ Dog Point



| J&B # | SIZE           | WASH. OD | QTY |
|-------|----------------|----------|-----|
| 42090 | M6-1.00 x 22mm | 19mm     | 25  |
| 45425 | M6-1.00 x 28mm | 19mm     | 25  |

---

## HEX WASHER HEAD




| J&B # | SIZE           | MATERIAL       | WASH. OD | QTY |
|-------|----------------|----------------|----------|-----|
| 45814 | M8-1.25 x 25mm | Black Polyseal | 17mm     | 25  |

# BODY SHOP NUTS


## EXTRUDED "U" NUTS Standard

- Treated for corrosion resistance.
- High quality annealed steel.



| J&B # | THREAD  | FOLDOVER<br>CLEARANCE | PANEL<br>RANGE | QTY |
|-------|---------|-----------------------|----------------|-----|
| 10525 | 1/4-20  | 1/2                   | .080 - .090    | 25  |
| 10527 | 1/4-20  | 3/4                   | .140 - .170    | 25  |
| 10530 | 5/16-18 | 9/16                  | .025 - .150    | 25  |
| 10556 | 5/16-18 | 9/16                  | .120 - .150    | 25  |
| 10536 | 5/16-18 | 27/32                 | .025 - .150    | 25  |
| 10533 | 3/8-16  | 1-1/8                 | .050 - .200    | 15  |

## EXTRUDED "U" NUTS Metric



| J&B # | THREAD       | FOLDOVER<br>CLEARANCE | PANEL<br>RANGE | QTY |
|-------|--------------|-----------------------|----------------|-----|
| 41876 | 6-1.0 mm     | 13.5 mm               | .8 - 4.0 mm    | 50  |
| 42094 | 6-1.0 mm     | 13.5 mm               | .8 - 4.0 mm    | 25  |
| 41878 | 6-1.0 mm     | 19.5 mm               | .34 - 4.0 mm   | 25  |
| 42102 | 6-1.0 mm     | 19.5 mm               | 1.0 - 2.5 mm   | 50  |
| 10691 | 6.3 - 1.0 mm | 13.5 mm               | .8 - 4.0 mm    | 25  |
| 42000 | 8-1.25 mm    | 14.5 mm               | .8 - 4.0 mm    | 25  |
| 41874 | 8-1.25 mm    | 20.0 mm               | 8 - 4.5 mm     | 25  |
| 42086 | 10-1.50 mm   | 19 mm                 | 1.0 - 6.0 mm   | 25  |

## "J" TYPE CAGE NUTS

- High quality selected annealed steel.
- Heat treated at exacting temperatures to give maximum holding power and "spring back" action even after continuous use.



| J&B # | THREAD                   | FOLDOVER<br>CLEARANCE | PANEL<br>RANGE | QTY |
|-------|--------------------------|-----------------------|----------------|-----|
| 11654 | 1/4-20<br>(W/Square Nut) | 1/2                   | .032 - .100    | 25  |
| 11610 | 5/16-18                  | 15/32                 | .087 - .093    | 25  |
| 11637 | 3/8-16                   | 9/16                  | .050 - .090    | 15  |

# BODY SHOP NUTS

## "U" & "J" TYPE NUTS

(Illustrations Actual Size)

- High quality selected annealed steel.
- Heat treated at exacting temperatures to give maximum holding power and "spring back" action.

| J&B # | SCREW SIZE | PANEL RANGE | FOLDOVER CLEARANCE | QTY |                                                                                       |
|-------|------------|-------------|--------------------|-----|---------------------------------------------------------------------------------------|
| 10414 | # 8        | .025 - .035 | 3/8                | 25  |    |
| 10420 | # 8        | .025 - .040 | 3/8                | 25  |    |
| 10327 | # 6        | .090 - .110 | 9/32               | 25  |    |
| 10343 | #10        | .025 - .060 | 11/32              | 100 |    |
| 11027 | # 8        | .025 - .040 | 9/32               | 25  |    |
| 12082 | # 8        | 3/16        | 9/32               | 25  |   |
| 10421 | # 8        |             |                    | 25  |  |
| 10347 | 1/4-20     | .064 - .125 | 9/16               | 25  |  |
| 10422 | # 8        | .025 - .150 | 3/8                | 25  |  |
| 11705 | #10        | .045 - .062 | 13/32              | 25  |  |
| 10425 | #10        | .025 - .064 | 3/8                | 25  |  |
| 11024 | #10        | .025 - .062 | 9/32               | 25  |  |
| 11034 | #10        | .030 - .037 | 3/8                | 25  |  |

# BODY SHOP NUTS

## “U” & “J” TYPE NUTS

(Illustrations Actual Size)

- High quality selected annealed steel.
- Heat treated at exacting temperatures to give maximum holding power and “spring back” action.

| J&B # | SCREW SIZE | PANEL RANGE | FOLDOVER CLEARANCE | QTY |                                                                                     |
|-------|------------|-------------|--------------------|-----|-------------------------------------------------------------------------------------|
| 10329 | # 8        | .025 - .035 | 11/32              | 25  |  |
| 45522 | # 8        | .025 - .150 | 5/8                | 25  |  |
| 45800 | # 8        | .025 - .150 | 3/8                | 100 |  |

## SHOCK ABSORBER NUT

| J&B # | THREAD  | THROAT DEPTH | PANEL RANGE | QTY |                                                                                       |
|-------|---------|--------------|-------------|-----|---------------------------------------------------------------------------------------|
| 42003 | 5/16-18 | .370-.409    | .154-.173   | 25  |  |

## JACK NUT

- Zinc plated with raintite sealer.

| J&B # | THREAD | GRIP RANGE  | REQUIRED HOLE DIA. | QTY |                                                                                       |
|-------|--------|-------------|--------------------|-----|---------------------------------------------------------------------------------------|
| 4235  | 1/4-20 | 1/64”-3/16” | .434-.450          | 15  |  |

# BODY SHOP NUTS

## FLAT NUTS

(Illustrations Actual Size)

- High quality selected annealed steel.
- Heat treated at exacting temperatures to give maximum holding power and “spring back” action even after continuous use.

| J&B # | STUD SIZE | QTY |                                                                                       |
|-------|-----------|-----|---------------------------------------------------------------------------------------|
| 11036 | 1/16      | 50  |    |
| 10485 | 5/64      | 50  |    |
| 11037 | 3/32      | 50  |    |
| 11038 | 7/64      | 50  |    |
| 11039 | 1/8       | 50  |   |
| 11040 | 5/32      | 50  |  |
| 11042 | 3/16      | 50  |  |
| 11041 | 5/32      | 50  |  |

## CAGE NUTS

- Phosphatate plated.

| J&B # | THREAD  | PANEL RANGE | QTY |
|-------|---------|-------------|-----|
| 86065 | 1/4-20  | .064 - .105 | 50  |
| 86066 | 5/16-18 | .023 - .063 | 50  |



# BODY SHOP NUTS

## BARREL NUTS

(Illustrations Actual Size)

| J&B # | STUD SIZE | PANEL RANGE | HOLE SIZE   | QTY |                                                                                       |
|-------|-----------|-------------|-------------|-----|---------------------------------------------------------------------------------------|
| 10393 | 1/8       | .025 - .045 | 3/16        | 50  |    |
| 11053 | 1/8       | .030 - .036 | 5/32        | 50  |    |
| 11006 | 1/8       | .040 - .045 | 3/16        | 50  |    |
| 11004 | 1/8       | .038 - .044 | 5/32        | 50  |    |
| 10492 | 3/16      | .036 - .046 | 1/4         | 50  |    |
| 10484 | 3/32      | .032 - .040 | 1/8         | 50  |    |
| 10482 | 3/16      | .040 - .055 | 19/64       | 50  |   |
| 11009 |           | .039 - .045 | .267 x .116 | 50  |  |
| 10496 | 1/4       | .034 - .040 | 9/32        | 50  |  |
| 11008 | 1/8       | .035 - .100 | 3/16        | 50  |  |
| 11605 | 3/32      | .031 - .041 | 1/8 x 5/32  | 50  |  |


# BODY SHOP

---

## WELL NUT

Neoprene with Captive Brass Nut

| J&B # | SIZE   | OVERALL LENGTH | HOLE SIZE | QTY |
|-------|--------|----------------|-----------|-----|
| 55892 | 6-32   | .981           | 1/4       | 25  |
| 55893 | 8-32   | .499           | 5/16      | 25  |
| 55894 | 10-24  | .767           | 3/8       | 25  |
| 55895 | 10-32  | .807           | 3/8       | 25  |
| 55896 | 1/4-20 | 1.051          | 1/2       | 25  |
| 40908 | M6-1.0 | .630           | 1/2       | 25  |



---

## DOOR HINGE REPAIR KIT

For GM,C/K Trucks & Full Size SUV '99 & up

- Economically repair worn out door hinge pins on vehicles with welded hinges without removing the hinge.
- Case hardened forged pins with dacromet (500 hour salt spray) finish.
- Bronze bushings, thru hardened washers and prevailing torq lock nuts.

\*\* Each kit contains...

2 pins  
2 bushings  
2 washers  
2 locknuts



| J&B # | QTY   |
|-------|-------|
| 4238  | 1/KIT |

# BODY SHOP NUTS

## SELF-THREADING NUTS

Zinc

| J&B # | SIZE      | WASHER O.D. | QTY |
|-------|-----------|-------------|-----|
| 11534 | 1/8 Stud  | 17/32       | 100 |
| 12199 | 5/32 Stud | 9/16        | 100 |
| 11535 | 3/16 Stud | 5/8         | 100 |
| 11536 | 1/4 Stud  | 7/16        | 100 |
| 12217 | 5/16 Stud | 7/8         | 50  |



## FLANGED PAL NUTS

Zinc

| J&B # | SIZE   | FLANGE | QTY |
|-------|--------|--------|-----|
| 10623 | 10-24  | 3/4    | 100 |
| 10634 | 1/4-20 | 19/32  | 100 |
| 10719 | 1/4-20 | 13/16  | 100 |



## PUSHNUT BOLT RETAINER

For Threaded Fasteners

Phosphate

- Prevents screw or bolt from spinning.



| J&B # | SIZE | O.D.  | QTY |
|-------|------|-------|-----|
| 10370 | 1/4  | 1/2   | 100 |
| 10371 | 5/16 | 5/8   | 100 |
| 10372 | 3/8  | 25/32 | 100 |
| 10373 | 7/16 | 27/32 | 50  |
| 10374 | 1/2  | 15/16 | 50  |

## FLAT PUSH-ON RETAINER

For Non-Threaded Fasteners

Zinc

- No threads, notches or grooves required.



| J&B # | SIZE | O.D. | QTY |
|-------|------|------|-----|
| 10501 | 1/8  | 3/8  | 50  |

## PUSHNUT BOLT RETAINER

- \* Prevents screw or bolt from spinning.

For Threaded Fasteners

Dacromate



| J&B # | SIZE    | O.D. | QTY |
|-------|---------|------|-----|
| 42064 | M8-1.25 | 24mm | 50  |



# METRIC BODY NUTS

---

## HEX FLANGE NUT



| J&B # | SIZE     | FLANGE O.D. | QTY |
|-------|----------|-------------|-----|
| 42060 | M8-1.25  | 17mm        | 25  |
| 45804 | M10-1.50 | 21mm        | 25  |

## METRIC SPIN LOCK NUTS

With Serrations




| J&B # | SIZE     | O.D. | QTY |
|-------|----------|------|-----|
| 45852 | M10-1.25 | 19mm | 25  |

---

## FREE SPINNING WASHER NUT

Phosphate



| J&B # | SIZE      | WASHER O.D. | HEX SIZE | QTY |
|-------|-----------|-------------|----------|-----|
| 41861 | M6-1.0    | 16mm        | 10mm     | 25  |
| 10915 | M6-1.0    | 19mm        | 11mm     | 25  |
| 10913 | M6.3-1.0  | 16mm        | 11mm     | 25  |
| 10916 | M8.0-1.25 | 24mm        | 13mm     | 25  |

---

## FREE SPINNING WASHER NUT





| J&B # | SIZE   | WASHER O.D. | HEX SIZE | MATERIAL  | QTY |
|-------|--------|-------------|----------|-----------|-----|
| 45580 | M6-1.0 | 18mm        | 10mm     | PHOSPHATE | 50  |
| 45581 | M6-1.0 | 19mm        | 10mm     | ZINC      | 50  |
| 45842 | M6-1.0 | 20mm        | 10mm     | PHOSPHATE | 50  |

---





# LICENSE PLATE FASTENERS

## ZINC PLATED SCREWS




| J&B # | DESCRIPTION                                                           | QTY  |                                                                                       |
|-------|-----------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|
| 41436 | Hole: M9.5<br>Screw #14                                               | 100  |    |
| 10583 | Hole: 3/8<br>Screw #14                                                | 50   |    |
| 12069 | 14 x 3/4<br>Round Slotted Truss Head                                  | 100  |    |
| 10589 | 1/4-20 x 3/4<br>Slotted Truss Head                                    | 100  |    |
| 11301 | 14 x 3/4<br>Slotted Hex Washer Head                                   | 50   |  |
| 46119 | 6-1.00 x 12mm<br>Pan Head Phillips Black<br>Nylon License Plate Screw | 100  |  |
| 46120 | 6-1.00 x 16mm<br>Pan Head Phillips Black<br>Nylon License Plate Screw | 100  |  |
| 46121 | 6-1.00 x 16mm<br>Pan Head Phillips Black<br>Nylon License Plate Screw | 1000 |  |
| 46122 | 6-1.00 x 20mm<br>Pan Head Phillips Black<br>Nylon License Plate Screw | 100  |  |
| 46123 | 6-1.00 x 20mm<br>Pan Head Phillips Black<br>Nylon License Plate Screw | 1000 |  |
| 46124 | 6-1.00<br>Nylon Hex Nut Black                                         | 100  |  |

# LICENSE PLATE FASTENERS

## ZINC PLATED SCREWS


| J&B # | DESCRIPTION                                                                     | QTY |                                                                                       |
|-------|---------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 12906 | 1/4-20 x 5/8<br>Slotted Pan Head                                                | 100 |    |
| 10360 | #8                                                                              | 25  |    |
| 10768 | #10 x 5/8<br>Slotted Truss Washer Head                                          | 100 |    |
| 10474 | #14 x 5/8<br>Slotted Truss Head with<br>Dog Point                               | 50  |    |
| 11120 | 6mm - 1.00 x 20mm<br>Phillips Pan Machine Screw                                 | 100 |   |
| 40909 | #14 x 5/8<br>Slotted Hex Washer Head                                            | 50  |  |
| 40913 | 6 - 1.81 x 20mm<br>Phil Hex wash hd<br>12mm Wshr Hd. O.D.<br>10mm Hex Zinc Plt. | 50  |  |
| 40916 | #14 x 3/4<br>Slit. Hex Wash Hd.<br>1/2 wash hd O.D.<br>3/8 Hex Black E-Coat     | 50  |  |
| 59130 | M6-1.0 x 20mm<br>Slit. Hex Wash Hd.<br>13mm (1/2") Wshr Hd. O.D.<br>10mm Hex    | 50  |  |
| 59132 | #10 x 3/4"<br>Phil Flt Wash Hd.<br>15/32 Wash Hd. O.D.<br>Black E-Coat          | 100 |  |

# HEADLIGHT ASSEMBLIES

| J&B # | SIZE                                     | TYPE               | QTY |                                                                                       |
|-------|------------------------------------------|--------------------|-----|---------------------------------------------------------------------------------------|
| 11888 | 12-28 x 1-3/8                            | Screw & Nut        | 5   |     |
| 11660 | 12-28 x 1-1/2                            | Screw & Nut        | 10  |    |
| 13461 | 1/4-28 x 2                               | Screw & Nut        | 10  |    |
| 13462 |                                          | Nut                | 25  |    |
| 13680 | 1/4-28                                   | Nut                | 25  |   |
| 11656 |                                          | Nut                | 20  |  |
| 10498 | 1/4-28 x 1-1/2                           | Screw              | 25  |  |
| 10590 | #8 Screw size<br>5/16 hole<br>GM 1967-On | Nylon<br>bezel nut | 50  |  |

# NYLON NUTS


(Illustrations Actual Size)

| J&B # | SIZE                        | DESCRIPTION                                       | QTY |                                                                                       |
|-------|-----------------------------|---------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 10583 | 1/4" Screw                  | GM<br>License Plate                               | 50  |    |
| 10360 | # 8 Screw                   | CHRYSLER<br>Headlamp Door &<br>Rear License Plate | 25  |    |
| 11927 | # 8 Screw                   | GM<br>Front End & Panel                           | 25  |    |
| 11842 | # 8 - #10 Screw<br>1/4 Hole | FORD<br>Universal Use                             | 25  |    |
| 12038 | # 6 or # 8 Screw            | AMC                                               | 25  |  |
| 11702 |                             | GM<br>Door Trim Pad                               | 25  |  |
| 25119 |                             | CHEVROLET<br>Headlamp Bezel                       | 25  |  |
| 11670 |                             | BUICK<br>Grill Nut                                | 25  |  |
| 11742 | #10 Screw<br>5/16 Hole      |                                                   | 25  |  |





# TRIM CLIPS

| J&B # | SIZE | DESCRIPTION                                                                                    | QTY |                                                                                       |
|-------|------|------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 45896 | 8mm  | Push type Retainer<br>Front Fender<br>Civic & Del Sol<br>93' - On                              | 15  |    |
| 45900 | 8mm  | Front Fender Push-Type Retainer<br>Acura 3.5RL, Honda<br>Accord, Prelude &<br>Odyssey 94' – On | 25  |    |
| 45898 | 10mm | Front Bumper Push-type Retainer<br>3.5RL Sedan<br>96' - On                                     | 15  |    |
| 45880 | 6mm  | Hood Insulation<br>Retaining Clip<br>Honda & Accura<br>90' - On                                | 25  |    |
| 45890 | 9mm  | Rear Bumper Cover<br>Push-type Retainer<br>Tercel 88' - On                                     | 4   |   |
| 45894 | 6mm  | Hood & Trunk<br>Moulding Retaining<br>Clip<br>Acura Integra &<br>Honda Civic 94' – On          | 10  |  |
| 45892 | 6mm  | Weatherstrip Retainer<br>Acura 3.5 RL &<br>Honda Accord, Civic<br>& Odyssey 92' - On           | 25  |  |

# TRIM CLIPS


| J&B # | SIZE | DESCRIPTION                                                                                              | QTY |                                                                                       |
|-------|------|----------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 40911 | 6mm  | Screw grommet<br>Lexus & Toyota<br>Fits into 8mm hole                                                    | 25  |    |
| 40927 | 9mm  | Bumper push-type<br>Retainer<br>Honda & Mitsubishi<br>98-On.                                             | 15  |    |
| 40928 | 8mm  | Push-type Retainer<br>Maxima<br>94-On                                                                    | 15  |    |
| 40929 | 9mm  | Hood & Fender<br>Screw grommet<br>Camry & RAV 4<br>Fits into 9mm hole                                    | 15  |    |
| 40931 | 10mm | Front & Rear<br>bumper retainer<br>Honda Accord &<br>Odyssey 96-on                                       | 15  |   |
| 59140 | 10mm | Bumper Cover &<br>grille retainer<br>19.5mm Head<br>Mazda 99-on                                          | 10  |  |
| 59141 | 7mm  | Front Fender Liner<br>18mm Head<br>Celica, Corolla,<br>Matrix & Solara,<br>Lexus & Pontiac<br>Vibe 99-on | 10  |  |
| 59142 | 10mm | Front Bumper<br>Retainer w/ metal<br>insert<br>20mm Head<br>Civic 2006-on                                | 10  |  |

# TRIM CLIPS




| J&B # | SIZE | DESCRIPTION                                                         | QTY |                                                                                       |
|-------|------|---------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 45850 | 8mm  | Push type Retainer                                                  | 25  |    |
| 45856 | 8mm  | Inner Fender Retainer<br>Nissan 80' - On                            | 25  |    |
| 45902 | 10mm | Bumper Push-type Retainer<br>240SX & Maxima<br>94-On                | 15  |    |
| 45862 | 10mm | Push -type Retainer<br>Accord 90' - On<br>Bumper Fascia             | 10  |    |
| 45870 | 8mm  | Fender Splash Shield Push-type Retainer<br>Accord 90' - On          | 10  |   |
| 45872 | 8mm  | Push-type Retainer<br>Mazda & Ford<br>Aspire                        | 10  |  |
| 45882 | 10mm | Front & Rear Bumper Push-type Retainer<br>Honda 90' - On            | 10  |  |
| 59138 | 8mm  | Front & Rear Bumper Cover Retainer<br>Maxima & Infiniti<br>90' - On | 15  |  |
| 40397 | 8mm  | Push-type Retainer<br>Maxima & 300ZX<br>94' - On                    | 15  |  |



# TRIM CLIPS

| J&B #          | DESCRIPTION                           | MAKE & YEAR             | QTY       |                                                                                       |
|----------------|---------------------------------------|-------------------------|-----------|---------------------------------------------------------------------------------------|
| 11270          | Hood Retainer                         | GM '64 - On             | 25        |    |
| 40090          | Front Fender Mud Skirt                | GM '81 - On             | 25        |    |
| 11387<br>41840 | Radiator Yoke, Fender & Bumper Shield | GM, FORD, CHRYSLER      | 25<br>100 |    |
| 11581<br>13397 | Black Shield Retainer                 | GM, FORD, CHRYSLER, AMC | 25<br>50  |  |
| 13406          | Gray Shield Retainer                  | GM '73 - On             | 25        |  |
| 11989          | Door Trim Panel & Headliner           | GM '71 - On             | 25        |  |
| 45876          | Shield Retainer                       | GM '89 - On             | 50        |  |


# TRIM CLIPS

| J&B # | DESCRIPTION                                         | MAKE & YEAR                                     | QTY |                                                                                       |
|-------|-----------------------------------------------------|-------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 42066 | Fascia Retainer                                     | GM '79 - On                                     | 15  |    |
| 42068 | Front End Stone Retainer                            | GM '81 - On                                     | 25  |    |
| 45810 | Radiator Apron Panel Retainer                       | GM '77 - On                                     | 25  |   |
| 42100 | Nylon Radiator Shroud Retainer                      | GM '82 - On<br>Ford '86 - On                    | 25  |  |
| 45430 | Fascia Retainer                                     | GM '82 - On                                     | 25  |  |
| 45436 | Door Trim Panel Retainer                            | GM '78 - On                                     | 50  |  |
| 40917 | Radiator, Wheel-House, Fender, & front bumper cover | GM C & K Trucks 99 - On<br>Jeep Liberty 02 - On | 25  |                                                                                       |


# TRIM CLIPS

| J&B # | DESCRIPTION                                                                 | MAKE & YEAR                                                                                                                         | QTY |                                                                                       |
|-------|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-----|---------------------------------------------------------------------------------------|
| 45864 | Air Baffle to Under Carriage Push-type Retainer                             | GM '91 - On                                                                                                                         | 25  |    |
| 45866 | Push-type Retainer 8mm hole                                                 | GM '91 - On                                                                                                                         | 25  |    |
| 45878 | Push-type Retainer 1/4 hole                                                 | GM '92 - On<br>Dodge '93 - On                                                                                                       | 25  |    |
| 45794 | Trim Panel<br>Trunk Lid Latch                                               | 1993 - On<br>Ford Explorer<br>1996 - On<br>Chrysler                                                                                 | 50  |   |
| 45796 | Fascia to Bumper Retainer                                                   | Ford 81 - On                                                                                                                        | 25  |  |
| 45798 | Trunk Trim Retainer                                                         | GM                                                                                                                                  | 25  |  |
| 59143 | Air inlet grille, bumper fascia & front brake caliper cooling duct 6.5 Hole | Buick enclave, Cadillac CTS & STS, Chevy cobalt, Equinox & SSR GM trucks & Pontiac G5 & torrent 2002-on                             | 50  |  |
| 59144 | Cowl vent & fender push-type retainer 8.5mm Hole                            | Buick century, LaCrosse & Regal, Cadillac, chevy equinox, GM trucks, Hummer H3 & pontiac grand prix & torrent 97-on<br>Ford 2006-on | 25  |  |

# TRIM CLIPS

| J&B # | DESCRIPTION              | MAKE & YEAR                   | QTY |                                                                                      |
|-------|--------------------------|-------------------------------|-----|--------------------------------------------------------------------------------------|
| 11946 | Trim Panel               | FORD '76 - On                 | 25  |  |
| 10396 | Door Weatherstrip        | FORD                          | 25  |                                                                                      |
| 11310 | Hood Insulation          | FORD,<br>CHRYSLER<br>'73 - On | 25  |                                                                                      |
| 11408 | Headliner Clip           | GM '73 - On                   | 8   |                                                                                      |
| 12669 | Door Trim Panel Fastener | FORD                          | 25  |                                                                                      |
| 11056 | Door Trim Panel Fastener | FORD                          | 25  |                                                                                      |
| 45868 | Weatherstrip Retainer    | LINCOLN<br>89' - On           | 50  |                                                                                      |

# TRIM CLIPS

| J&B # | DESCRIPTION                     | MAKE & YEAR             | QTY |                                                                                       |
|-------|---------------------------------|-------------------------|-----|---------------------------------------------------------------------------------------|
| 45818 | Door Trim Panel Retainer        | FORD '81 - On           | 25  |    |
| 45822 | Trim Panel Retainer Black Nylon | FORD 80' - On           |     |    |
| 45838 | Splash Shield & Facia Retainer  | GM, Ford                | 25  |    |
| 45843 | Hood Insulation Retainer        | GM 80' On               | 25  |   |
| 45854 | Front Door Trim Panel Retainer  | GM 82' On               | 25  |  |
| 45906 | Push type Retainer              | INTREPID & EAGLE 98' On | 25  |  |
| 45826 | Door Trim Panel Retainer        | GM '83 - On             | 25  |  |

# MOULDING FASTENERS

## NYLON


(Illustrations Actual Size)

| J&B # | DESCRIPTION                             | QTY |  |
|-------|-----------------------------------------|-----|--|
| 10315 | Front & Rear Door Mould                 | 25  |  |
| 10316 | Front & Rear Door & Quarter Panel Mould | 25  |  |
| 10317 | Rear Fender Lower Mould                 | 20  |  |
| 10318 | Rear Fender Lower Mould                 | 15  |  |
| 10319 | For 1-1/4 to 1-3/4 Mould                | 12  |  |
| 11952 | Fits 1/2 to 5/8 Moulding                | 25  |  |
| 10320 | Mould Fast Break off Plate              | 10  |  |

# MOULDING FASTENERS

## METAL

(Illustrations Actual Size)

| J&B # | DESCRIPTION      | QTY |                                                                                       |
|-------|------------------|-----|---------------------------------------------------------------------------------------|
| 10303 | 10-24 x 5/8 Bolt | 25  |     |
| 10307 | 10-24 x 3/4 Bolt | 25  |    |
| 10365 | General Purpose  | 15  |    |
| 11638 |                  | 10  |  |

# MOULDING FASTENERS

## REVEAL CLIPS

(Illustrations Actual Size)

| J&B # | DESCRIPTION                | MAKE & YEAR   | QTY |                                                                                       |
|-------|----------------------------|---------------|-----|---------------------------------------------------------------------------------------|
| 11809 | Rear Window                | GM '65 - On   | 25  |    |
| 12087 | Windshield - Upper & Lower | GM '67 - On   | 25  |    |
| 12058 | Rear Window                | GM '69 - On   | 25  |    |
| 11811 | Rear Window                | GM '69 - On   | 25  |    |
| 10696 | Windshield & Rear Window   | Ford '68 - On | 25  |  |
| 13662 | Belt Reveal Moulding       | GM '76 - On   | 25  |  |

## ROCKER PANEL

| J&B # | MAKE & YEAR | QTY |                                                                                       |
|-------|-------------|-----|---------------------------------------------------------------------------------------|
| 11968 | GM '80 - On | 25  |  |



# BODY SHOP

## THROTTLE CLIPS




| LEFT HAND TYPE |      |           |     |
|----------------|------|-----------|-----|
| J&B #          | DIA. | IND. STD. | QTY |
| 10937          | 5/32 | # 2L      | 25  |
| 10939          | 3/16 | # 4L      | 25  |


| RIGHT HAND TYPE |      |           |     |
|-----------------|------|-----------|-----|
| J&B #           | DIA. | IND. STD. | QTY |
| 10938           | 5/32 | # 2R      | 25  |

## REMOTE CONTROL ROD TO DOOR LOCK CLIP

| J&B # | QTY |
|-------|-----|
| 40125 | 50  |



## ADJUSTING SPRINGS



| J&B # | DESCRIPTION | QTY |
|-------|-------------|-----|
| 10577 | OLDS        | 10  |

## DOOR HANDLE CLIP



| J&B # | QTY |
|-------|-----|
| 10922 | 50  |

## HOG RING (Medium)



| J&B # | QTY |
|-------|-----|
| 10923 | 100 |

# BODY SHOP

---

## ROUTING CLIPS



| J&B # | ID  | OD.   | QTY |
|-------|-----|-------|-----|
| 45840 | 1/2 | 11/16 | 25  |

## RADIATOR GRILLE RETAINER




- GM Pickup, Van, Blazer, Jimmy 94- On

| J&B # | QTY |
|-------|-----|
| 45886 | 25  |

---

## HEADLIGHT COMPONENT RETAINING CLIP



- Ford Taurus, T-Bird, Mercury Cougar & Sable 89'- On

| J&B # | QTY |
|-------|-----|
| 45848 | 25  |

## RADIATOR GRILLE NUT



- #8 Grille Nut #8 Screw Size GM Trucks C & K, 1, 2 & 3 1993-On

| J&B # | QTY |
|-------|-----|
| 59139 | 25  |

# PLUGS

## DRAIN PLUGS W/GASKET



| 1/2-20 DOUBLE OVERSIZE |     |
|------------------------|-----|
| J&B#                   | QTY |
| 20021                  | 10  |

| 1/2-20 OVERSIZE |     |
|-----------------|-----|
| J&B #           | QTY |
| 20022           | 10  |

| 1/2-20 STANDARD |     |
|-----------------|-----|
| J&B #           | QTY |
| 20023           | 10  |

## PLUG BUTTONS

| J&B # | HOLE SIZE | HEAD DIA | QTY |
|-------|-----------|----------|-----|
| 11161 | 1/4       | 13/32    | 50  |
| 11162 | 3/8       | 1/2      | 50  |
| 11163 | 1/2       | 21/32    | 25  |
| 11164 | 5/8       | 13/16    | 25  |
| 11165 | 3/4       | 15/16    | 20  |
| 11166 | 7/8       | 1-1/16   | 15  |
| 11167 | 1         | 1-1/8    | 10  |



- Nickel Plated

# INSULATED TUBING CLAMPS

## STANDARD TYPE

Zinc Plated

- 1/32" thick black vinyl plastic coating.
- Resists abrasions and chemical action.



| J&B # | D           | H         | L                | W     | G     | S           | QTY |
|-------|-------------|-----------|------------------|-------|-------|-------------|-----|
|       | INSIDE DIA. | HOLE DIA. | CENTER TO CENTER | WIDTH | GAUGE | SLOT LENGTH |     |
| 13357 | 1/4         | 9/32      | 17/32            | 1/2   | .032  | 3/8         | 25  |
| 13358 | 5/16        | 9/32      | 9/16             | 1/2   | .032  | 3/8         | 25  |
| 13359 | 3/8         | 9/32      | 19/32            | 1/2   | .032  | 3/8         | 25  |
| 13360 | 1/2         | 9/32      | 21/32            | 1/2   | .048  | 3/8         | 25  |
| 13361 | 5/8         | 9/32      | 23/32            | 1/2   | .048  | 3/8         | 15  |
| 13362 | 3/4         | 9/32      | 25/32            | 1/2   | .048  | 3/8         | 10  |

## EXTRA HEAVY DUTY TYPE

Zinc Plated

| J&B # | D           | H         | L                | W     | G     | S           | QTY |
|-------|-------------|-----------|------------------|-------|-------|-------------|-----|
|       | INSIDE DIA. | HOLE DIA. | CENTER TO CENTER | WIDTH | GAUGE | SLOT LENGTH |     |
| 38720 | 1/4         | 13/32     | 21/32            | 3/4   | .032  | 1/2         | 25  |
| 38722 | 5/16        | 13/32     | 11/16            | 3/4   | .032  | 1/2         | 25  |
| 38724 | 3/8         | 13/32     | 23/32            | 3/4   | .032  | 1/2         | 25  |
| 38726 | 1/2         | 13/32     | 25/32            | 3/4   | .048  | 1/2         | 25  |
| 38728 | 5/8         | 13/32     | 27/32            | 3/4   | .048  | 1/2         | 25  |
| 38730 | 3/4         | 13/32     | 29/32            | 3/4   | .048  | 1/2         | 25  |
| 13363 | 1           | 13/32     | 1-1/32           | 3/4   | .048  | 1/2         | 10  |
| 13364 | 1-1/4       | 13/32     | 1-5/32           | 3/4   | .048  | 1/2         | 10  |
| 38732 | 1-1/2       | 13/32     | 1-9/32           | 3/4   | .048  | 1/2         | 10  |
| 38733 | 1-3/4       | 17/32     | 1-17/32          | 1     | .048  | 5/8         | 10  |
| 38734 | 2           | 9/16      | 2                | 1     | .048  | 5/8         | 10  |

## NYLON TYPE

| J&B#  | WIDTH | TUBE DIA. | QTY |
|-------|-------|-----------|-----|
| 10436 | 3/8   | 1/4       | 20  |
| 10437 | 3/8   | 5/16      | 20  |
| 10438 | 3/8   | 3/8       | 20  |
| 10439 | 3/8   | 1/2       | 20  |
| 10445 | 3/8   | 5/8       | 20  |



- Secure cable, tubing, wires, fiber optics, etc. with these high quality nylon cable clamps.

# CLAMPS

## LOOM CLAMPS Carbon Steel Plated

- Carbon steel loom clamps have a higher ductility and are susceptible to less fatigue than other metal loom clamps.
- Ideal for applications that are constantly in high vibration and harsh environments.
- Plated with zinc/gold chromate; Removable EPDM jacket.

| J&B # | INSIDE DIA. | MOUNTING HOLE DIA. | BOLT SIZE | QTY |
|-------|-------------|--------------------|-----------|-----|
| 45240 | 1/4         | .406               | 3/8       | 10  |
| 45241 | 3/8         | .406               | 3/8       | 10  |
| 45242 | 1/2         | .406               | 3/8       | 10  |
| 45243 | 5/8         | .406               | 3/8       | 10  |
| 45244 | 3/4         | .406               | 3/8       | 10  |
| 45246 | 1"          | .406               | 3/8       | 10  |
| 45248 | 1-1/4       | .406               | 3/8       | 10  |
| 45250 | 1-1/2       | .406               | 3/8       | 10  |



## LOOM CLAMPS Stainless Steel

- Stainless steel loom clamps have a removable EPDM cushion which helps cut vibration while protecting the loom or cables.
- Typical applications include holding hydraulic hoses, wire harnesses and cables.


| J&B # | INSIDE DIA. | MOUNTING HOLE DIA. | BOLT SIZE | QTY |
|-------|-------------|--------------------|-----------|-----|
| 45225 | 1/4         | 17/64              | 1/4       | 10  |
| 45226 | 3/8         | 17/64              | 1/4       | 10  |
| 45227 | 1/2         | 17/64              | 1/4       | 10  |
| 45228 | 5/8         | 17/64              | 1/4       | 10  |
| 45229 | 3/4         | 17/64              | 1/4       | 10  |
| 45230 | 1"          | 17/64              | 1/4       | 10  |
| 45232 | 1-1/4       | 17/64              | 1/4       | 10  |
| 45234 | 1-1/2       | 17/64              | 1/4       | 10  |




# SHIMS

## BODY ALIGNING SHIMS


| J&B # | DIMENSION<br>S | SLOT | THICK-<br>NESS | QTY |
|-------|----------------|------|----------------|-----|
| 10469 | 1-1/4 x 1-1/8  | 3/8  | 1/16           | 50  |
| 10470 | 1-1/4 x 1-1/8  | 3/8  | 1/8            | 50  |



| J&B # | DIMENSION<br>S | SLOT | THICK-<br>NESS | QTY |
|-------|----------------|------|----------------|-----|
| 10471 | 1-3/4 x 1-1/4  | 1/2  | 1/16           | 50  |
| 10472 | 1-3/4 x 1-1/4  | 1/2  | 1/8            | 50  |



| J&B # | DIMENSION<br>S | SLOT | THICK-<br>NESS | QTY |
|-------|----------------|------|----------------|-----|
| 20101 | 1-1/8 x 1-1/8  | 1/2  | 1/16           | 50  |
| 20102 | 1-1/8 x 1-1/8  | 1/2  | 1/8            | 50  |




# SHIMS

---

## UNIVERSAL ALIGNMENT SHIMS


| J&B # | DIMENSIONS       | SLOT | THICK-<br>NESS | QTY |
|-------|------------------|------|----------------|-----|
| 40625 | 1-3/16 x 1-15/32 | 5/8  | 1/64           | 25  |
| 40626 | 1-3/16 x 1-15/32 | 5/8  | 1/32           | 25  |
| 40627 | 1-3/16 x 1-15/32 | 5/8  | 1/16           | 25  |
| 40628 | 1-3/16 x 1-15/32 | 5/8  | 1/8            | 25  |




---

## CASTERS & CHAMBER SHIMS GM

| J&B # | DIMENSION<br>S | BOLT<br>OPENING | THICK-<br>NESS | QTY |
|-------|----------------|-----------------|----------------|-----|
| 20204 | 1 x 1-11/16    | 37/64           | 1/32           | 50  |




# UNIVERSAL SPRINGS




J&B #41350



J&B #41351



J&B #41353



J&B #41354



J&B #41356



J&B #41360



J&B #41357





J&B #41359

| J&B # | LENGTH<br>OVERALL | COIL<br>LENGTH | O.D.  | WIRE<br>SIZE | QTY |
|-------|-------------------|----------------|-------|--------------|-----|
| 41350 | 18-1/2            | 2              | 13/16 | 3/32         | 10  |
| 41351 | 17-1/2            | 3-1/2          | 3/4   | 1/16         | 10  |
| 41353 | 11-1/2            | 1-7/8          | 13/32 | 1/32         | 10  |
| 41354 | 8-1/2             | 1-7/8          | 3/4   | 3/32         | 10  |
| 41356 | 8-1/4             | 2              | 7/16  | 1/16         | 10  |
| 41357 | 5-3/4             | 2-3/8          | 25/32 | 3/64         | 10  |
| 41359 | 1-13/16           | 1-1/2          | 3/8   | 1/32         | 10  |
| 41360 | 4-3/8             | 2-1/2          | 1/2   | 1/16         | 10  |







**J&B Fleet - Industrial Supply**  
22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

## METRIC BODY BOLTS & NUTS

### PART # 2237

|                                                          |                                                          |                                                                            |                                                                           |
|----------------------------------------------------------|----------------------------------------------------------|----------------------------------------------------------------------------|---------------------------------------------------------------------------|
| <br><b>45410</b><br>M6-1.00 x 20<br>WASHER OD 17MM<br>10 | <br><b>42008</b><br>M8-1.25 x 25<br>WASHER OD 24MM<br>5  | <br><b>42094</b><br>6-1.0MM<br>CLEARANCE 13.5MM<br>RANGE .8 – 4.0MM<br>10  | <br><b>42000</b><br>8-1.25MM<br>CLEARANCE 14.5MM<br>RANGE .8 – 4.0MM<br>5 |
| <br><b>41841</b><br>M6-1.00 x 25<br>WASHER OD 17MM<br>10 | <br><b>41882</b><br>M8-1.25 x 30<br>WASHER OD 24MM<br>5  | <br><b>41878</b><br>6-1.0MM<br>CLEARANCE 19.5MM<br>RANGE .34 – 4.0MM<br>10 | <br><b>41874</b><br>8-1.25MM<br>CLEARANCE 20.0MM<br>RANGE .8 – 4.5MM<br>5 |
| <br><b>45418</b><br>M6-1.00 x 25<br>WASHER OD 24MM<br>10 | <br><b>45802</b><br>M10-1.50 x 40<br>WASHER OD 29MM<br>5 | <br><b>42102</b><br>6-1.0MM<br>CLEARANCE 19.5MM<br>RANGE 1.0 – 2.5MM<br>10 | <br><b>42086</b><br>10-1.50MM<br>CLEARANCE 19MM<br>RANGE 1.0 – 6.0MM<br>5 |
| <br><b>42004</b><br>M6-1.00 x 25<br>WASHER OD 24MM<br>10 |                                                          |                                                                            |                                                                           |



LET US HELP YOU MAKE THE CONNECTION

**PART# 3098**



**WELL NUTS**



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

**55892**

**6 - 32**

**1/4  
HOLE**

10

**55893**

**8 - 32**

**5/16  
HOLE**

10

**55894**

**10 - 24**

**3/8  
HOLE**

10

**55895**

**10 - 32**

**3/8  
HOLE**

10

**55896**

**1/4 - 20**

**1/2  
HOLE**

10

**40908**

**M6 - 1.0**

**1/2  
HOLE**

10

PART # 3041

LET US HELP YOU MAKE THE CONNECTION



# SELF-THREADING NUTS



J & B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

**11534**

**1/8 STUD  
17/32 OD**

50

**12199**

**5/32 STUD  
9/16 OD**

50

**11535**

**3/16 STUD  
5/8 OD**

50

**11536**

**1/4 STUD  
7/16 OD**

50

**12217**

**5/16 STUD  
7/8 OD**

25

**10623**

**10-24  
3/4 FLANGE**

50

**10634**

**1/4-20  
19/32 FLANGE**

50

LET US HELP YOU MAKE THE CONNECTION

PART # 3103



J&B FLEET-INDUSTRIAL SUPPLY  
PHONE: 330-821-6342

## PUSH ON NUTS

**10370**



1/4"

50

**10371**



5/16"

50

**10372**



3/8"

50

**10373**



7/16"

25

**10374**



1/2"



25

**42064**



M8-1.25

25





**J&B Fleet - Industrial Supply**  
 22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

PART # 2212

# RETAINERS

|                                                                                                                                                  |                                                                                                                                                                     |                                                                                                                                                   |                                                                                                                                                       |                                                                                                                                                           |                                                                                                                                                   |
|--------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>11387 1</p>  <p>RADIATOR YOKE</p> <p>15</p>                  | <p>11581 2</p>  <p>BLACK SHIELD RETAINER</p> <p>15</p>                             | <p>11989 3</p>  <p>DOOR TRIM PANEL &amp; HEADLINER</p> <p>15</p> | <p>45876 4</p>  <p>SHIELD RETAINER</p> <p>15</p>                   | <p>42068 5</p>  <p>FRONT END STONE RETAINER</p> <p>10</p>              | <p>45810 6</p>  <p>RADIATOR APRON PANEL RETAINER</p> <p>15</p> |
| <p>45436 7</p>  <p>DOOR TRIM PANEL RETAINER</p> <p>15</p>       | <p>45818 8</p>  <p>DOOR TRIM PANEL RETAINER</p> <p>15</p>                          | <p>45826 9</p>  <p>DOOR TRIM PANEL RETAINER</p> <p>15</p>        | <p>45854 10</p>  <p>FRONT DOOR TRIM PANEL RETAINER</p> <p>10</p>   | <p>45822 11</p>  <p>TRIM PANEL RETAINER BLACK NYLON</p> <p>15</p>      | <p>45843 12</p>  <p>HOOD INSULATION RETAINER</p> <p>10</p>     |
| <p>45794 13</p>  <p>TRIM PANEL RETAINER</p> <p>10</p>          | <p>45796 14</p>  <p>FASCIA TO BUMPER RETAINER</p> <p>10</p>                       | <p>45798 15</p>  <p>BUMPER FASCIA RETAINER</p> <p>5</p>          | <p>45880 16</p>  <p>HOOD INSULATION RETAINING CLIP</p> <p>10</p>  | <p>45838 17</p>  <p>SPLASH SHIELD &amp; FASCIA RETAINER</p> <p>15</p> | <p>45878 18</p>  <p>PUSH TYPE RETAINER 1/4 HOLE</p> <p>10</p> |
| <p>45866 19</p>  <p>PUSH TYPE RETAINER 8MM HOLE</p> <p>10</p> | <p>45864 20</p>  <p>AIR BAFFLE TO UNDERCARRIAGE PUSH-TYPE RETAINER</p> <p>10</p> | <p>45430 21</p>  <p>FASCIA RETAINER</p> <p>10</p>              | <p>42100 22</p>  <p>NYLON RADIATOR SHROUD RETAINER</p> <p>15</p> | <p>40090 23</p>  <p>FRONT FENDER MUD SKIRT</p> <p>15</p>             | <p>24</p>                                                                                                                                         |





## J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)




PART # 2087

## HEAVY DUTY TUBE CLAMPS



|                                                 |           |                                                |           |
|-------------------------------------------------|-----------|------------------------------------------------|-----------|
| <p>38728</p> <p>5/8 (13/32 HOLE)</p> <p>10</p>  | <p>1</p>  | <p>2</p>                                       | <p>3</p>  |
| <p>38726</p> <p>1/2 (13/32 HOLE)</p> <p>10</p>  | <p>4</p>  | <p>13363</p> <p>1" (13/32 HOLE)</p> <p>5</p>   | <p>5</p>  |
| <p>38732</p> <p>1-1/2 (13/32 HOLE)</p> <p>5</p> | <p>6</p>  | <p>38724</p> <p>3/8 (13/32 HOLE)</p> <p>10</p> | <p>7</p>  |
| <p>38722</p> <p>5/16 (13/32 HOLE)</p> <p>10</p> | <p>8</p>  | <p>38730</p> <p>3/4 (13/32 HOLE)</p> <p>5</p>  | <p>9</p>  |
| <p>13364</p> <p>1-1/4 (13/32 HOLE)</p> <p>5</p> | <p>10</p> | <p>11</p>                                      | <p>12</p> |





PART#2827

J&B Fleet - Industrial Supply




22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

www.jbfleet.com

## LOOM CLAMPS - CARBON STEEL

|                                                                                                                       |                                                                                                                         |                                                                                                                           |                                                                                                                          |
|-----------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|
| <p>45240</p>  <p>1/4"</p> <p>5</p>   | <p>45243</p>  <p>5/8"</p> <p>4</p>   | <p>45246</p>  <p>1"</p> <p>3</p>       | <p>45250</p>  <p>1-1/2"</p> <p>2</p> |
| <p>45241</p>  <p>3/8"</p> <p>5</p> | <p>45244</p>  <p>3/4"</p> <p>4</p> | <p>45248</p>  <p>1-1/4"</p> <p>3</p> |                                                                                                                          |
| <p>45242</p>  <p>1/2"</p> <p>5</p> |                                                                                                                         |                                                                                                                           |                                                                                                                          |





PART# 2828

**J&B Fleet - Industrial Supply**  
22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

## LOOM CLAMPS – STAINLESS STEEL

|                                                                                                                                              |                                                                                                                                                |                                                                                                                                                  |                                                                                                                                                  |
|----------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
| <div>45225</div> <div></div> <div>1/4"</div> <div>5</div>   | <div>45228</div> <div></div> <div>5/8"</div> <div>4</div>   | <div>45230</div> <div></div> <div>1"</div> <div>3</div>       | <div>45234</div> <div></div> <div>1-1/2"</div> <div>2</div> |
| <div>45226</div> <div></div> <div>3/8"</div> <div>5</div> | <div>45229</div> <div></div> <div>3/4"</div> <div>4</div> | <div>45232</div> <div></div> <div>1-1/4"</div> <div>3</div> |                                                                                                                                                  |







## J&B Fleet - Industrial Supply

22428 Harrisburg-Westville Rd. Alliance, Ohio 44601 Phone: (330) 821-6342 Fax: (330) 821-0411

[www.jbfleet.com](http://www.jbfleet.com)

PART # 2140

## UNIVERSAL SPRINGS



|   |                                                                                                                                             |   |
|---|---------------------------------------------------------------------------------------------------------------------------------------------|---|
| 5 | <b>41350</b><br><br>18 ½" LONG 13/16" O.D. 3/32" WIRE     | 1 |
| 5 | <b>41351</b><br><br>17 ½" LONG 3/4" O.D. 1/16" WIRE       | 2 |
| 5 | <b>41353</b><br><br>11 ½" LONG 13/32" O.D. 1/32" WIRE     | 3 |
| 5 | <b>41354</b><br><br>8 ½" LONG 1 7/8" O.D. 3/32" WIRE      | 4 |
| 5 | <b>41356</b><br><br>8 ¼" LONG 7/16" O.D. 1/16" WIRE      | 5 |
| 5 | <b>41359</b><br><br>1 13/16" LONG 3/8" O.D. 1/32" WIRE | 6 |
| 5 | <b>41360</b><br><br>4 3/8" LONG ½" O.D 1/16" WIRE        | 7 |
| 5 | <b>41357</b><br><br>5 3/4" LONG 25/32" O.D. 3/64" WIRE | 8 |