

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Potomac Intermediate	Facility Type Food Service Establishment	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304	
Facility Address 5308 Williamsport Pike Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 05/10/2019	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-in	38
Right Milk Cooler	39
Left Milk Cooler	34
Continental Hot Hold	167
Victory Hot Hold	178
Beverage Air refrigerator	39

Food Temperatures	
Description	Temperature (Fahrenheit)
corn	170-195

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
DishmachineKitchenBucket3baysink quatbottles	Heatchemicalchemical	outoforder	lessthan100/300300	multiquatmultiquat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 2

Repeated # 0

3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): partial case of colby cheese sticks with Expiration date of March 2019

4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): 3 bay sanitizer too weak per 150-400ppm Multi quat (tested below 150)-300ppm

Observed Non-Critical Violations

Total # 2

Repeated # 0

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: dishmachine out of order-part to be ordered-Using 3 bay sink

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor in mop room needs cleaned

Inspection Outcome

Comments

Few special diet items with expired Best by dates-taco shells, bars

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards