Rapidam

SANDLESS SANDBAGS

RapiDAM sandless sandbags are the ideal alternative to traditional sandbags. RapiDAM sandless sandbag kits consist of self-inflating flood control bags which provide a quick, easy, low cost solution for containing and diverting water. The process is simple: RapiDAM sandless sandbags absorb, swell, contain and divert water.

- RapiDAM sandless sandbags respond and start working on contact with water.
- Unique super-absorbent liner provides even distribution as bags begin to swell.
- Specially engineered, UV resistant fabric resists the breakdown of SAP.
- Durable outer fabric enables long term use of RapiDAM sandless sandbags. Can be left in place for up to 6-8 months.
- Carefully double stitched edges provide additional protection.
- RapiDAM sandless sandbags are easy to handle, transport and store – even when fully absorbed with water.
- Ship in sealed bags to prevent mistaken absorption.
- RapiDAM sandless sandbags take away the need for storage of sand or labor to fill and prepare.
- RapiDAM sandless sandbags are safe, non-hazardous and non-toxic. Can be disposed of in garbage when no longer needed.
- · Feature a shelf life of over 5 years.
- Custom sizes and custom kitting available.





AVAILABLE IN CONVENIENT, PRE-PACKAGED DOORWAY KITS!







PATENT PENDING

Flooding and flash flooding are some of the most common hazards in the U.S., taking place in all 50 states. Over 300 million people are affected by flooding each year. Anyone can be financially vulnerable to flooding as it only takes an inch of water to cause significant, costly damage to property. The average annual U.S. flood losses recorded

in the past 10 years (2002-2011) totaled to be more than \$2.9 billion.

Rapidam Facility Response Planning Diagram

Walk the perimeter of your building in order to count and measure all door and entryways that water can enter. Use the space provided below to sketch the layout of your building and determine which RapiDAM kits can best meet your needs.



									i i															
																		1						
																							T	
																		Ť						
																	T	T	\neg	T			1	
			T															Ť		T		T		
																		Ť						
																		T						
																		Ť						
			T															T					\top	
Т																	T	Ť		T			T	
																		Ť						
			\top															Ť					\top	
			T															T						
																		T						
																		T					T	
																							T	
																		Ť						
																		1						
																			71					

9' DOORWAY KIT

9' RapiDAM Kit includes:

1 - 9' base layer and 5 - 12" x 24"

secondary layer bags (Fits openings up to 96")

Part # DMT-RPDM-9

OTY	NEEDED:	
Q II	INCEDED:	

WATER DIVERSION PACK

RapiDAM Water Diversion
Pack 1 includes:

2 - 8' long diversion bags (Total 16' long)

Part # DMT-RPDM-16

QTY NEEDED:

7' DOORWAY KIT

7' RapiDAM Kit includes:

1 - 7' base layer and 4 - 12" x 24"

secondary layer bags

(Fits openings up to 72")

Part # DMT-RPDM-7

QTY	NEEDED:	

WATER DIVERSION PACK

RapiDAM Water Diversion

Pack 2 includes:

4 - 8' long diversion bags (Total 32' long)

Part # DMT-RPDM-32

OTY	NEEDED:	
Q II	NEEDED	

5' DOORWAY KIT

5' RapiDAM Kit includes: 1

- 5' base layer and 3 - 12"

x 24" secondary layer bags

(Fits openings up to 48")

Part # DMT-RPDM-5

QTY NEEDED:

STANDARD CASE

Standard Case includes: 4 packs of

5 - 12" x 24" layer bags

Part # DMT-RPDM-20

$\cap TV$	NEEDED	
Q I Y	NEEDED:	

QUICK RESPONSE PACK Quick Response Kit includes:

- 2 5' base layers
- 12 ounces of Liquid Lock
- · mini scoop and scraper
- 1 24" x 86" barrier absorbent sheet
- 1 pair disposable gloves
- 1 pair rubber overboots
- 1 hazardous materials disposal bag

Part # DMT-RPDM-QRP

QTY	NEEDED:	
-----	---------	--

STANDARD PACK

Standard Pack includes:


5 - 12" x 24" layer bags

Part # DMT-RPDM-5PK

QTY NEEDED:

PATENT PENDI

Please fax order form to 480-247-4894	1 or email to jrg@di	sastermedtech.com.
Name:		Date:
Company:	_ Email:	
Telephone:		



PO Box 1531 | Auburn, AL 36831 USA 334-750-6181 | Fax: 480-247-4894