

**JUNE 14, 2016 AMENDMENTS TO
THE BRIDGTON SEWAGE ORDINANCE TO PROMOTE ECONOMIC
DEVELOPMENT IN THE DOWNTOWN AREA BY REVISING THE CURRENT
METHOD OF SEWER ALLOCATION TO FREE UP EXISTING UNUSED CAPACITY
IN THE BRIDGTON SEWER SYSTEM**

*The Bridgton Sewage Ordinance is amended by deleting the words shown below in
strikethrough form and by adding the words shown in underline form:*

**TOWN OF BRIDGTON
SEWAGE ORDINANCE**

TABLE OF CONTENTS

	Page
<u>PREAMBLE</u>	
ARTICLE I. Public Sewage Treatment	
Section 1. Purpose	
Section 2. <u>Authority and</u> Scope	
Section 3. Definitions	
Section 4. Administration	
Section 5. Building Sewers and Connections	
Section 6. Use of Public Sewers	
Section 7. Board of Appeals	
Section 8. Sewer <u>Assessments, Fees and</u> Service Charges	
<u>Section 9. Grandfathered Sewer Allocation Holders</u>	
Section 9 <u>10</u> . Penalties	
Section 11 <u>10</u> . Validity	
<u>Section 12. Retroactivity</u>	
ARTICLE II. <u>Management of</u> Private, Cluster Sewage Systems	
<u>Section 1. Definitions</u>	
<u>Section 2. Cluster Systems Permitted</u>	
<u>Section 3. Establishment of Association</u>	
<u>Section 4. Management by Developer</u>	
<u>Section 5. Association Assets</u>	
<u>Section 6. Association Duties</u>	
<u>Section 7. Charges to Owners</u>	
<u>Section 8. Inspection by the Town</u>	
<u>Section 9. Penalties</u>	

APPENDIX A. ~~(Suggested Standards)~~ Pursuant to Section 5(f)

APPENDIX B. Schedule of Equivalent Uses

PREAMBLE

The Town of Bridgton, Maine, constructed a limited public ~~sewage-sewer~~ system and developed a public program for the replacement of malfunctioning private septic systems after extensive evaluations of the alternatives available to the Town and its citizens to solve ~~then~~-existing sewage treatment problems. The public ~~sewage-sewer~~ system is an expensive and complex system. It is therefore necessary to provide for its proper use, maintenance and administration through an Ordinance delegating powers and establishing standards as appropriate. Private communal ~~sewage sewer~~ systems are also regulated under this Ordinance because the failure of such systems can cause a public nuisance and because it is necessary for the Town to ensure; ~~that~~ stable, effective management and ownership entities ~~in order to~~ control such systems.

~~Both~~ the Bridgton public ~~sewage facilities-sewer system and private sewer systems~~ rely on underground sewage disposal. This Ordinance ~~must~~ therefore ~~incorporate~~ ~~establishes~~ controls appropriate to the management of public ~~and private~~ sewers, ~~including and controls which limit the sorts of flows and wastes which those sewers may carry to those flows and wastes which can be successfully treated and disposed of in the Bridgton facilities. In order to do this, it incorporates~~ construction standards, inspection requirements, waste standards, and management requirements ~~for system users as well as the Town.~~

~~Private sewage treatment and disposal systems in Bridgton also rely exclusively on underground sewage disposal. For that reason this Ordinance makes frequent reference to the Maine Subsurface Wastewater Disposal Rules.~~

ARTICLE I. PUBLIC SEWAGE TREATMENT

SECTION 1. PURPOSE

This Ordinance shall be known and may be cited as the “Bridgton Sewage Ordinance” and is referred to herein as “this Ordinance.”

This Ordinance is enacted to promote the public health, safety and welfare of the citizens of the Town of Bridgton, Maine, (the “Town”) by establishing the administration of and appropriate construction and operating standards for ~~the Bridgton~~ public ~~sewage-sewer~~ system. Such regulation is necessary to remedy existing wastewater treatment problems and to prevent public or communal sewage systems from causing pollution, health hazards or other public nuisances. This Ordinance also provides for the reasonable, just and equitable allocation of capital and operating costs for the ~~Bridgton-public sewage-sewer system and the equitable allocation of sewage system capacity among potential users of the system.~~

SECTION 2. AUTHORITY AND SCOPE

A. Authority. This Ordinance is adopted by the Town, under the authority granted in 30-A M.R.S. §§ 3001, 5401-15 and all other applicable authority. The Board of Selectmen is hereby granted the authority to administer and enforce this Ordinance or any clause or provision thereof, and to promulgate rules and regulations consistent with this Ordinance after holding a public hearing and upon a majority vote of the Board of Selectmen, as may be necessary or desirable in the judgment of the Board of Selectmen to promote the public health, safety and welfare of the citizens of the Town.

B. Acceptance. Pursuant to 30-A M.R.S. §§ 3421 and 3441, the Town hereby accepts the provisions of 30-A M.R.S. §§ 3421, 3441-46.

C. Severability. In the event that any section, subsection or portion of this Ordinance is declared invalid for any reason, such a declaration shall not affect the validity of any other section, subsection or portion of this Ordinance.

D. Compliance with Ordinance. Hereafter, any person owning any building or structure within the Town ~~of Bridgton~~ which is the source of sewage and/or industrial wastes, or who proposes to erect such a building or structure, shall conform to the requirements of ~~the Department of Environmental Protection and~~ this Ordinance.

SECTION 3. DEFINITIONS

Unless the context specifically indicates otherwise, the meaning of terms used in this article shall be as follows:

Accepted Practice - shall mean a procedure ~~used to install plumbing, etc.~~ that is customarily considered proper under the ~~Maine State~~ Plumbing Code.

ASTM - shall mean the American Society of Testing Materials.

~~Appeals Board of Appeals~~ - shall mean the Board of Appeals appointed according to the provisions of 30 M.R.S.A § 2691 and this Ordinance.

~~A.S.T.M. - shall mean the American Society of Testing Materials.~~

Bridgton Service Area – shall mean that geographic area within the Town which is serviceable by the Bridgton Sewer System, as identified by the Superintendent in consultation with the Town Engineer.

Bridgton Sewer System – shall mean a public Sewer System, including a Public Sewer and Sewage Treatment Facility, which is owned and operated by the Town for the benefit and welfare of its citizens.

Building Drain - shall mean that part of the lowest horizontal piping of a drainage system which receives the discharge from soil, waste and other drainage pipes inside the walls of the building and conveys it to the ~~b~~Building ~~s~~Sewer, beginning eight (8) feet outside the inner face of the building wall.

Building Sewer - shall mean the extension from the ~~b~~Building ~~d~~Drain to the ~~p~~Public ~~s~~Sewer or other place of disposal and shall include the septic tank required on all ~~b~~Building ~~s~~Sewers by this ordinance.

~~Combined Sewer - shall mean a sewer receiving both surface runoff and sewage.~~

Change of Use – shall mean the change from an existing use to another use, including without limitation the addition of a new use to an existing use, which causes a substantial change in the volume or character of Sewage that is being discharged into the Bridgton Sewer System.

Construction - shall mean construction or installation of any structure and shall ~~be considered to~~ include any excavation or site preparation other than clearing of vegetation.

Developer - shall mean any ~~p~~Person ~~or persons~~ who undertakes to construct simultaneously or in planned sequence more than one housing unit on a given tract or land subdivision, or a ~~p~~Person who may develop commercial property.

Effluent - shall mean all substances issuing from a ~~sewage~~Sewer ~~s~~System or from a broken sewer pipe.

Equivalent Use – shall mean the type of use and its equivalent use value, as set forth in Appendix B (“Schedule of Equivalent Uses”), which is designated by the Superintendent.

Garbage - shall mean solid wastes from the domestic and commercial preparation, cooking and dispensing of food and from the handling, storage and sale of produce.

Grandfathered Allocation Holder – shall mean any Person who lawfully reserved from the Town a sewer allocation in the Bridgton Sewer System on or after September 1, 2010, and who has not used the entirety of said sewer allocation as of September 1, 2015.

Industrial Wastes - shall mean the liquid wastes from industrial manufacturing processes, trade or business as distinct from sanitary ~~s~~Sewage, including any waste flow prior to treatment with a raw five-day biochemical oxygen demand of over 350 mg/l or any septic tank ~~e~~Effluent flow with a five-day biochemical oxygen demand of over 60 mg/l or wastewater pH outside a permissible range of 5.5 to 8.5.

Natural Outlet - shall mean any outlet into a watercourse, pond, ditch, lake or other body of surface water or groundwater.

Nuisance - shall mean any condition created by a malfunction of any ~~sewage~~Sewer ~~ss~~system which may endanger the health of any ~~p~~Person, or which will allow inadequately treated ~~e~~Effluent to stand on the surface either continuously or intermittently causing odors or unsightly conditions.

pH - shall mean the degree of acidity or alkalinity of any substance. A pH of 7 indicates neutrality.

Person - shall mean an individual, firm, company, association, society, group, ~~or~~ corporation or other legal entity.

Plumbing Code - shall mean the Maine State Internal Plumbing Code ~~as accepted by the State of Maine including the Maine Subsurface Wastewater Disposal Rules published by the Maine State Department of Human Services~~, as amended.

Plumbing Inspector - shall mean the Plumbing Inspector of the Town of Bridgton.

Plumbing Permit - shall mean as defined in the Plumbing Code.

Private - shall mean that which is owned or controlled by a ~~p~~Person, ~~business or corporation rather other~~ than ~~by~~ the Town.

Professional Engineer – shall mean a registered professional engineer licensed to practice in the State of Maine.

Public Right of Way - shall ~~be~~ mean all Town public roadways and those legally acquired Town accesses for the sewer mains and pump stations of the Bridgton ~~Sewage Disposal~~Sewer System.

Public Sewer - shall mean a system of pipes for carrying ~~s~~Sewage which leads to a Town ~~W~~water ~~P~~pollution ~~C~~control facility and which ~~faclities are~~ is under the control of the Superintendent.

Sanitary Sewer - shall mean a sewer which carries ~~s~~Sewage and to which storm, surface and groundwaters are not intentionally admitted.

~~Seasonal Dwelling~~ – shall mean ~~a dwelling unit not intended for year round occupancy with the period of occupancy not to exceed six (6) months in any calendar year.~~

Service - shall mean connection to the Bridgton ~~Sewage Disposal~~Sewer System or possession of a valid permit for connection thereto.

Sewage - shall mean any one, or any combination of, waste capable of being carried by water from residences, business buildings, institutions and industrial establishments, together with such ground, surface and storm ~~wastes-water~~ as may be present. Nothing in the definition shall be taken to permit the inclusion of storm ~~wastes~~, ground and surface waters in sewage to be conveyed and treated in the Bridgton public sewage Sewer sSystem.

~~**Sewage System** - shall mean all facilities, including pipes, pumps, sewage treatment facilities, etc. for carrying, treating and disposing of sewage and acceptable industrial wastes.~~

Sewage Treatment Facility - shall mean any arrangement of devices and structures used to treat and dispose of sewage in accordance with applicable laws and rules of the State of Maine and the Town ~~of Bridgton~~.

Sewer System - shall mean all facilities, including the system of pipes, pumps, and Sewage Treatment Facilities for carrying, treating and disposing of Sewage and acceptable Industrial Waste.

Shall - is mandatory; **May** - is permissive.

Storm Drain or **Storm Sewer** - shall mean a sewer which carries storm and surface waters and drainage, but excludes sewage and ~~i~~Industrial ~~w~~Wastes, other than unpolluted cooling water.

Superintendent - shall mean that person appointed by the Town Manager to administer the Sewage Department of the Town ~~of Bridgton~~.

Suspended Solids - shall mean solids that either float on the surface or are in suspension in water, sewage or other liquids and which are removable by skimming, settling or filtering.

Town Engineer - shall mean a Professional Engineer retained as Town Engineer by the Town Manager with the approval of the Board of Selectmen.

User - see "Service". shall mean a Person whose property is connected to the Bridgton Sewer System or who possesses a valid permit for connection thereto.

~~**Watercourse** - shall mean a channel in which a flow of water occurs either continuously or intermittently.~~

SECTION 4. ADMINISTRATION

A. The Sewer Department of the Town ~~of Bridgton~~ is hereby established. The function of the Sewer Department shall be to administer the public-Bridgton Sewage DisposalSewer System ~~of the Town~~ and the provisions of this Ordinance and to be responsible for any and all work in connection with the public-Bridgton Sewage DisposalSewer System.

B. The Office of Sewer Department Superintendent is hereby created.

1.) The Superintendent shall be appointed by the Town Manager subject to approval by the Board of Selectmen.

2.) The Superintendent shall have the following powers and duties relative to the Bridgton Sewage Disposal Sewer System of the Town of Bridgton:

A) To enforce this Ordinance insofar as it applies to the public Bridgton Sewage Disposal Sewer System of Bridgton, Maine.

B) To prepare and administer the Department Budget.

C) To make such recommendations to the Town Manager as he deems necessary for the proper maintenance and extension of facilities, including the preparation of periodic reports on facility operation and maintenance needs.

D) To supervise Town crews or contract for the eConstruction, cleaning, inspection and repair of public sSanitary sSewers and maintenance, operation and repair of public pump stations and treatment facilities.

E) To determine the needs and requisition tools, materials and equipment for repair and maintenance work.

F) To organize, direct and evaluate the performance of subordinates and initiate improvement programs as deemed appropriate.

G) To record the location and elevation of all old and new sService connections to the pPublic sSewers and to maintain a list of all structures and properties which are connected or which may be permitted to connect to the Bridgton Sewage Disposal Sewer System.

H) To maintain all plan & and data files pertinent to the Public Bridgton Sewage Disposal Sewer System.

I) To work with the Town Engineer in the performance of his or her duties.

J) To issue permits for connections to the Public Bridgton Sewage Disposal Sewer System; to designate Equivalent Uses, including equivalent use values; and to supervise and participate in the inspection of pPrivate sewer connections to the Public Sewer, including Town sewer lines and all plumbing tributary thereto; and to assure compliance with this Ordinance.

K) To confer with citizens and specialized groups regarding sewer maintenance and inspection.

L) To record possession, and transfers of rights to and expiration of grandfathered capacity sewer allocations in the public Bridgton sSewerewage disposal sSystem.

M) ~~T~~to recommend to the Town Manager an annual maintenance program and a long-term Capital Improvement Program for the Bridgton Sewage Disposal Sewer System.

N) To determine, in accordance with this Ordinance and any applicable rules adopted by the municipal officers, and after consultation with the Town Engineer, which structures or properties within the Bridgton Service Area may or may not be allowed to connect to the Bridgton Sewer System. Such determinations shall be based at least the following considerations:

(1) Bridgton Sewer System location, capacity and use.

(2) The volume and character of existing and potential wastewater generation from the subject property or structure(s).

(3) Ability to treat wastewater on site in accordance with the Maine Subsurface Wastewater Disposal Rules, 10-144 C.M.R. ch. 241.

Appeals from such determinations shall be to the Board of Appeals.

C. The Office of Town Engineer is hereby created.

1.) The Town Engineer may be appointed or hired on an as-needed basis by the Town Manager, subject to approval by the Board of Selectmen.

2.) ~~Jurisdiction:~~ The Town Engineer shall have the following powers ~~and~~& duties:

A) ~~T~~to provide engineering services and technical advice to the Sewer Department and the Plumbing Inspector as required by this Ordinance or the Superintendent.

B) ~~T~~to ~~determine~~ advise the Superintendent regarding which structures or properties within the Bridgton ~~Sewage Disposal~~Service Area ~~shall be required to connect to the Bridgton Sewage Disposal System; which properties or structures within this service area may or may not be allowed to connect to the public sewers; which properties or structures; within this service area shall not connect to the Bridgton Sewage Disposal Sewer System. Such determinations~~ advice shall be based ~~on Rules adopted by order of the Bridgton Board of Selectmen, which Rules shall include~~ at least the following considerations:

(1) ~~Bridgton Sewage Disposal Sewer~~ System location, capacity and use.

(2) The volume and character of existing and potential wastewater generation from the subject property or structure(s).

(3) ~~a~~Ability to treat wastewater on site ~~as defined by~~ in accordance with the ~~State of~~ Maine Subsurface Wastewater Disposal Rules, 10-144 C.M.R. ch. 241.

~~Appeals from such determinations shall be to the Board of Appeals.~~

C) ~~T~~To design public sewage facility modifications, including facility enlargements.

D) ~~T~~To review public sewage facility inspection and maintenance records and schedules and to make recommendations to the Superintendent.

~~D. Connection permits entitling the person to whom they are issued to specific amounts of the capacity of the Bridgton Sewage Disposal System may be issued by the Superintendent. Such permits shall expire two (2) years from the date of issue for all permitted connections which are not made. Permits may be renewed by application to the Superintendent. Permits shall be consistent with determinations of the Superintendent and the Town Engineer under this Article and with the Rules on which those determinations were made. Each permit shall be filed with the Town Clerk by the name of the owner of the property to which it was issued. All transfers of such permits shall also be filed. No transfer shall be permitted without the approval of the Superintendent. Failure of the owner to provide for notice and filing shall be sufficient grounds for revocation of the permit.~~

~~ED.~~ ED. The Board of Selectmen may, from time to time, adopt policies directing or limiting the allocation of the capacity of the Bridgton Sewer System to specific classes of users or to users as a whole. ~~The same price for which it was originally purchased.~~

SECTION 5. BUILDING SEWERS AND CONNECTIONS

A. A Public Sewer Connection Permit in the form provided by the Town shall be applied for and shall be issued by the Superintendent before any ~~p~~person shall uncover, make any connection to, enter, work near, use, alter or disturb any part of the ~~Public Sewage Disposal~~Bridgton Sewer System. ~~Capacity for facilities covered by such permits and capacities reserved in the Bridgton Sewage Disposal System for such connection shall be based on wastewater generation rates specified in the Maine Subsurface Wastewater Rules unless the Town Engineer finds that special conditions in the proposed use warrant recalculation of the wastewater generation rate. Such recalculation shall provide for adequate margins of safety to protect the Bridgton Sewage Disposal System and shall include consideration of future operational changes increasing wastewater generation rates.~~

1.) There shall be two classes of Public Sewer Connection ~~p~~permits:

(a) for residential and commercial ~~s~~services, and

(b) for ~~s~~service to establishments producing ~~i~~industrial ~~w~~wastes.

2.) Permit Application and Approval. ~~In either case, t~~The owner or ~~his~~ agent shall make application on a special form furnished by the Town. This permit application shall be supplemented by any plans, specifications or other information considered pertinent in the judgment of the Superintendent.

Subject to any allocation policies adopted pursuant to Section 4.D of this Article and upon the Superintendent's determination pursuant to Section 4.B.2.N of this Article that the owner is allowed to connect to the Bridgton Sewer System, the Superintendent shall issue a Public Sewer Connection Permit consistent with this Ordinance.

A Public Sewer Connection Permit entitles the permittee to connect to and use the Bridgton Sewer System solely for the Equivalent Uses set forth in the permit. Any Change of Use requires a new permit.

Each permit shall be filed with the Town Clerk by the name of the owner of the property to which it was issued.

3.) Permit Application and Inspection Fees. The Board of Selectmen shall establish, alter from time to time and levy upon ~~p~~Persons applying making sewer connections for a Public Sewer Connection Permit, permit application and inspection fees for both classes of ~~building~~Public ~~s~~Sewer Connection Permits in such amounts and with such reasonable classifications and differentiations as the Board of Selectmen deems adequate and reasonable.

4.) Permit Transfer; Change of Use. No transfer of a Public Sewer Connection Permit shall be permitted without the approval of the Superintendent. Failure of the owner to notify the Superintendent of a change in ownership or Change of Use of a Public Sewer Connection Permit shall result in a doubling of the sewer fees and Service charges levied pursuant to Section 8 of this Article for the applicable period, and shall constitute a violation under Section 10 of this Article.

5.) Permit Expiration. A Public Sewer Connection Permit shall expire two (2) years from the date of issue for all permitted connections which are not made. Expired permits may be renewed by application to the Superintendent. An application for renewal shall be reviewed by the Superintendent as a new application.

B. Construction of a sewer ~~s~~Service from a public sewer or service stub, if provided, to an existing building shall not begin until a Plumbing Permit and a Public Sewer Connection Permit have been issued (see also Utilities Installation Permit requirements). Construction of a new building which will be connected to the ~~p~~Public ~~s~~Sewer shall not begin until both a Public Sewer Connection Permit and a Building Permit have been issued.

~~C. The owner of any property to which the Town extends a sewer stub to a point outside the paved way or on which the Town connects a building sewer to the public sewer, shall be charged a start-up assessment in such amount and payable at such time as the Board of Selectmen may determine.~~

~~D. The required amount of Sewer Allocation shall be determined by the Superintendent or the Plumbing Inspector and shall be purchased by the building owner at the rate currently set by the Board of Selectmen. If at any time subsequent to the purchase of the Allocation and following exhaustion of all legal appeals the lot shall be deemed to be unbuildable, the Sewer Department shall refund the Allocation purchase amount. The Hook-up Fee shall only be refunded if the relevant hook-up work shall not have been commenced.~~

EC. All cost and expense incidental to the installation, connection, maintenance, repair, replacement or use of the **bBuilding sSewer**, including any stub or extension provided by the Town, shall be paid by the owner. The owner shall reimburse the Town for any loss or damage that may occur directly or indirectly, to the **pPublic sSewer**, street or other property, by this installation and connection of the **bBuilding sSewer**.

FD. A separate and independent sewer shall be provided for every building. Old **bBuilding sSewers** may be used in connection with new buildings only when they are found, on examination and test by the Superintendent, to meet all requirements of this Ordinance.

GE. All **bBuilding sSewer** design, materials, excavation, joints and connections shall be made to prevent infiltration of surface or subsurface waters and in accordance with standards set forth in Appendix A of this Ordinance. The diameter of the **bBuilding dDrain** and **bBuilding sSewer** shall be not less than four (4) inches. The pipe shall be laid at a pitch of not less than 1/4 inch per foot for the **bBuilding dDrain** and **bBuilding sSewer** until connected to the septic tank. The **bBuilding sSewer** leading from the septic tank to the **pPublic sSewer** shall be laid at a slope of not less than 1/8 inch per foot. The depth of the **bBuilding sSewers** shall be less than three (3) feet. The **bBuilding sSewer** shall be laid at uniform grade and in straight alignment insofar as possible changes in direction shall be made only with properly curved pipe and fittings and with properly installed curvilinear sewers with a minimum radius of 150 feet on a uniform grade. The ends of **bBuilding sSewers** which are not connected to the **bBuilding dDrain** of the structure for any reason shall be sealed against infiltration by a suitable stopper, plug or other approved means.

HF. Discharge from foundation drains, roof drains, exterior runoff or sump discharges shall not be permitted to enter a **bBuilding sSewer** or **bBuilding dDrain** which in turn is connected directly or indirectly to a public **sSanitary sSewer**. The superintendent shall require owners of existing buildings to divert such water from the sewer and shall have the right to inspect such buildings to determine if the connections defined above have been made.

IG. Every **pPerson** owning a building or structure that is connected to the Public Sewer shall maintain his **bBuilding sSewer** from the structure or commercial property to the **pPublic rRight of wWay** in such a condition that it will not cause pollution, **public nNuisance** conditions or allow excessive groundwater to enter the **pPublic sSewer**. Such maintenance shall include the installation of a septic tank meeting the requirements of the Maine Subsurface Wastewater Disposal Rules, 10-144 C.M.R. ch. 241(as amended), and the routine pumping of this tank to remove liquids, sludge, grease, scum and other materials found therein in accordance with the requirements of this Ordinance as set forth in Section 6D. The Superintendent may check the condition of the line and tank. Ground Water infiltration in excess of 1/4 gallon per foot per day shall be deemed to be excessive. The Sewer Department shall maintain the sewer from the **pPublic rRight of wWay** property line to the Public Sewer.

JH. The connection of the **bBuilding sSewer** into an existing **pPublic sSewer** shall be made at the existing **pPublic sSewer**. The method of connection of the **bBuilding sSewer** to the **pPublic sSewer** shall be dependent upon the type of pipe material used and in all cases shall be approved by the Superintendent. The connection of the **bBuilding sSewer** into the **pPublic sSewer** shall be made at the "Y" or "T" branch. If none is available, a connection may be made by tapping the existing sewer by a method approved by the Superintendent.

KI. The applicant for the **b**Building **s**Sewer permit shall notify the Superintendent when the **b**Building **s**Sewer is ready for inspection and connection to the **p**Public **s**Sewer. The connection shall be made under the supervision of the Superintendent following approval by the Plumbing Inspector. When trenches are opened for the laying of **b**Building **s**Sewer pipes, such trenches shall be inspected by the Superintendent before the trenches are filled, and the **p**Person performing such work shall notify the Superintendent when the installation of the **b**Building **s**Sewer is completed. If the trench is filled before inspection, the Superintendent shall require it to be re-excavated for inspection.

LJ. When any **b**Building **s**Sewer is to serve a school, hospital or similar institution or public building; or is to serve a complex of industrial or commercial buildings, or will receive **s**Sewage or **i**Industrial **w**Wastes of such volume or character that frequent maintenance of said **b**Building **s**Sewer can reasonably be anticipated, then such **b**Building **s**Sewer shall be connected to the **p**Public **s**Sewer through one or more manholes. The Town Engineer shall determine whether this type of connection to the **p**Public **s**Sewer is required and the manner of accomplishing it. Connections to existing manholes shall be made as directed by the Superintendent.

MK. All excavations for **b**Building **s**Sewer installation shall be adequately guarded with barricades and lights to protect the public from hazard. Streets, sidewalks, parkways and other public property disturbed in the course of the work shall be restored in a manner satisfactory to the Superintendent. (See also Utilities Installation Permit Requirements.)

SECTION 6. USE OF PUBLIC SEWERS

A. No **p**Person shall discharge or cause to be discharged any stormwater, surface water, groundwater, roof runoff, subsurface drainage, uncontaminated cooling water or unpolluted industrial process water to any **s**Sanitary **s**Sewer.

B. Stormwater and all other unpolluted drainage shall be discharged to such sewers as are specifically designated as **s**Storm **s**Sewers or to a **n**Natural **e**Outlet approved by the Superintendent. Industrial cooling water of unpolluted process wastes may be discharged, on approval of the Superintendent, to a **s**Storm **s**Sewer or **n**Natural **e**Outlet provided that any required waste discharge license is first obtained by the **p**Person generating such discharge.

C. Except as hereinafter provided, no **p**Person shall discharge or cause to be discharged any of the following described waters or wastes to any **p**Public **s**Sewer:

- 1.) Any liquid or vapor having a temperature higher than 150°F.
- 2.) Any waters or wastes containing fats, grease or oils whether emulsified or not, exceeding an average of 25 parts per million.
- 3.) Any gasoline, benzene, naphtha, fuel oil, mineral oil or other flammable or explosive liquid, solid or gas.
- 4.) Any noxious or malodorous gas such as hydrogen sulfide, sulfide, sulfur dioxide or nitrous oxide or other substance which either singly or by interaction with other wastes is

capable of creating a public ~~n~~Nuisance or hazard to life or of preventing entry into the sewers for their maintenance and repair.

5.) No ~~g~~Garbage shall be discharged from the septic tank to the ~~p~~Public ~~s~~Sewer. The installation and operation of any ~~g~~Garbage grinder shall be subject to the review and approval of the Superintendent.

6.) Any ashes, cinder, sand, mud, straw, shavings, metal, glass, rags, feathers, tar, plastic, cardboard, wood or any other solid or viscous substance capable of causing obstruction to the flow of the sewers, or other interference with the proper operation of the sewage works.

7.) Any waters or wastes containing a radioactive, toxic or poisonous substance, a high chlorine demand or ~~s~~Suspended ~~s~~Solids in sufficient quantity to injure or interfere with any sewage works or treatment process, constitute a hazard to humans or animals or create any hazard in or to the ~~Town's-Bridgton s~~Sewage ~~treatment facility~~System. No wastes shall include septic tank cleaning fluid.

8.) Any liquids having a suspended solids content of greater than 100 mg/l.

D. All wastes discharged to the ~~p~~Public ~~s~~Sewer shall first be treated with a septic tank designed and constructed in accordance with the Maine ~~State~~-Subsurface Wastewater Disposal Rules, 10-144 C.M.R. ch. 241, and pumped by a licensed septic tank pumper at least every three (3) years. The Superintendent or Town Engineer shall order the owners of systems to pump their septic tanks more frequently if it is found that more frequent pumping is necessary to assure the adequate functioning of the tanks and the public sewage facilities. The ~~Town Engineer~~Superintendent may set a longer pumping interval for septic tanks where it is found that average waste loading to the tanks is equal to or less than 30% of design loading as specified in the Maine Subsurface Wastewater Disposal Rules, 10-144 C.M.R. ch. 241.

E. All ~~i~~Industrial ~~w~~Wastes which ~~are-is~~ compatible with domestic ~~s~~Sewage may be permitted to enter any ~~p~~Public ~~s~~Sewer. Costs of testing shall be borne by the ~~p~~Person seeking to discharge the waste. Incompatible wastes shall include, but not be limited to, wastes prohibited by the Maine Department of Environmental Protection and the Maine Department of Health and Human Services from sub-surface discharge. The Town reserves the right to require pre-treatment of any non-compatible ~~i~~Industrial ~~w~~Waste to prevent shock loads and ensure its compatibility with domestic sanitary ~~s~~Sewage. It further reserves the right to require a firm, long-term service contract for any waste source generating more than 2000 gallons of waste water/~~s~~Sewage per day or generating more than 25 pounds of 5-day biochemical oxygen demand or ~~s~~Suspended ~~s~~Solids per day, under which a special sewer service charge may be established in accordance with Sec. 9C. The Superintendent may require that the ~~i~~Industrial ~~w~~Waste be pretreated to a degree sufficient to make it compatible with the Town's-Bridgton sewageSewer sSystem. Such pretreatment facilities shall be designed by a ~~registered-p~~Professional ~~e~~Engineer ~~licensed to practice in the State of Maine~~. Plans for pretreatment facilities shall be submitted to the Superintendent for review and approval. Upon such pretreatment the wastewater shall be connected to the ~~p~~Public ~~s~~Sewer. If the Superintendent deems that the industrial wastewater cannot be pretreated so as to be compatible with the Town's-Bridgton sewageSewer sSystem, the wastewater shall not be connected to the ~~public-sewer~~Bridgton Sewer sSystem. The connection of an ~~i~~Industrial ~~w~~Waste ~~s~~Service line to

the ~~p~~Public ~~s~~Sewer shall be designed by a ~~registered-p~~Professional ~~e~~Engineer and shall be sized to accept the flow generated. Each ~~i~~Industrial ~~w~~Waste connection to the ~~p~~Public ~~s~~Sewer ~~system~~ shall be equipped with an access manhole or chamber which is easily accessible for the purpose of allowing sampling and gauging of the waste flow. The Superintendent may exercise the option of requiring an automatic flow recording device. The Superintendent shall have rights of access to this chamber at all times. The cost of installation and maintenance of the access chamber, and any measuring equipment shall be borne by the waste generator.

F. In the event that grease, oil, sand or other similar materials may be in the wastes to be discharged into a ~~p~~Public ~~s~~Sewer, interceptors of a type and capacity approved by the Superintendent shall be installed in the ~~b~~Building ~~s~~Sewer, located ahead of the septic tank and easily accessible for cleaning and inspection. It shall be constructed of impervious material capable of withstanding abrupt and extreme changes in temperature and shall be of substantial ~~e~~Construction, water-tight and gas-tight. Such interceptors shall be maintained by the ~~p~~Persons owning same, at their expense and be in continuously efficient operation at all times. The Superintendent or Plumbing Inspector shall have the right to inspect such installations as provided in this Article.

G. All other ~~i~~Industrial ~~w~~Wastes shall be transported in a ~~b~~Building ~~s~~Sewer, separate from any ~~b~~Building ~~s~~Sewer connected to the ~~public sewage system~~Bridgton Sewer System, to a ~~s~~Sewage ~~d~~Disposal ~~s~~System which shall be controlled and maintained by the ~~p~~Person causing the potential ~~n~~Nuisance. This shall be specifically designed by a ~~registered-Professional~~ ~~e~~Engineer to take care of the load to which it will be subjected and which shall be built and maintained in accordance with the ~~State~~ Plumbing Code and with all other applicable requirements.

H. All industries discharging into a ~~p~~Public ~~s~~Sewer shall perform such monitoring of their discharges as the Superintendent or other duly authorized employees of the Town may reasonably require, including installation, use and maintenance of monitoring equipment, keeping of records and reporting the results of such monitoring to the Superintendent. The Superintendent shall make such records available upon request to other agencies having jurisdiction over discharges to the receiving waters.

I. Low volume fixtures shall be employed in all new construction or remodeling carried out in properties served by the ~~p~~Public ~~s~~Sewer.

J. All urinals in public toilets shall be of non-continuous flowing type.

SECTION 7. BOARD OF APPEALS

A. Creation and Appointment. There shall be a Board of Appeals of five (5) members and two (2) associate members, all of whom shall be residents of the Town ~~of Bridgton~~ and who shall serve without compensation. The members of the Board shall be appointed by the Board of Selectmen as authorized by ~~30-A~~ M.R.S.A § 2691. It is intended that the Board of Appeals established pursuant to the Town's Shoreland Zoning Ordinance be considered a general Board of Appeals and that it shall also serve as the Board of Appeals established by this Ordinance. Terms of members shall be for five (5) years except that initial appointments shall be made so that the terms of not more than the associate members shall be five (5) years.

A municipal officer or spouse of a municipal officer shall not be a member or associate member of the Board of Appeals.

When a member is unable to act because of conflict of interest, physical incapacity, absence from the state or any other reason satisfactory to the Chairman, the Chairman of the Board shall designate an associate member to act in his place.

When there is a permanent vacancy, the Board of Selectmen shall appoint a person for the unexpired term. The Board of Appeals shall elect a chairman and secretary from its own membership.

A quorum shall consist of at least three (3) members.

An associate member may attend all meetings of the Board and participate in its proceedings, but may vote only when designated by the Chairman to act for a member.

The Board of Appeals shall make such rules as it deems necessary for the conduct of its hearings, the procedures for administrative review, consultation and recommendations to the Board regarding appeals and otherwise for conduct of its functions under this Ordinance.

B. Jurisdiction. The Board of Appeals shall have the following powers and duties to be exercised in connection with any written appeal by a party aggrieved by any decision or order of any agent or officer of the Town made under the authority of this Ordinance:

- 1.) To determine whether the decision or order appealed is authorized and proper under the provisions of this Ordinance and, to interpret any provisions of this Ordinance in cases of uncertainty.
- 2.) To grant, by vote of three (3) members, variances from requirements of this Ordinance applicable to connections to ~~p~~Public ~~s~~Sewers, where necessary to avoid undue hardship, provided that such variances shall not constitute a substantial departure from the intent and purpose of this Ordinance to ensure both a healthful environment and an equitable allocation of ~~p~~Public ~~s~~Sewer costs and ~~capacity~~, provided ~~that such rights do not exist by action of the Selectmen and~~ that such variances do not concern the payment of charges or fees in connection with the use of the ~~sewage facilities~~Bridgton Sewer System.

C. Hearings. The Board of Appeals shall meet as required. All appeals or other matters to come before the Board that require notice as prescribed herein shall be filed with the Superintendent, who shall promptly cause a notice of the appeal (or other matter) to be advertised in a newspaper of general circulation in the Town ~~of Bridgton~~. This notice shall identify the property involved, the nature of the appeal and state the time and place of the public hearing of the appeal. This notice shall be made at least ten (10) days prior to the date of the public hearing.

Owners of properties within a 300-foot radius of the property for which the appeal is made shall be notified by mail. Failure of any such owner to receive this notice shall not invalidate the proceedings herein prescribed.

D. Appeal Procedure.

- 1.) Any ~~p~~Person, ~~firm or corporation~~ aggrieved by a decision of any agent or officer of the Town which arises from the provisions of this Ordinance may appeal such decision to the Board of Appeals within 30 days of the written decision by filing an appeal at the office of the Town Clerk on forms approved by the Board of Appeals.
- 2.) The fee established by the Board of Selectmen (see fee schedule) shall be paid at the time of filing the appeal to cover the cost of advertising. An escrow fee shall also be paid for miscellaneous services rendered in processing the application. This fee shall also be established by the Board of Selectmen. Any unused portion of the escrow shall be returned to the appellant.
- 3.) Appeals from decisions of any agent or officer of the Town made without conducting a public hearing shall be de novo. The Superintendent shall transmit to the Board of Appeals the decision and all documents and other evidence on which the decision was based which may be considered as evidence in the de novo proceeding. The Board of Appeals shall conduct a public hearing at which all ~~p~~Persons shall have the right to present additional testimony and documentary evidence. At the public hearing, any party shall have the right to cross-examine witnesses. The standard of review shall be whether, on the basis of the evidence before the Board of Appeals, the application conforms to the requirements of the Ordinance. The burden of proof shall be upon the applicant for the permit or approval. The Board of Appeals shall have authority to grant or deny a permit or approval or to remand the matter to the agent or officer of the Town for further proceedings.
- 4.) Appeals from decisions of agents or officers of the Town made after conducting a public hearing shall be purely appellate. The Superintendent shall transmit to the Board of Appeals the decision of the agent or officer of the Town and all documents and other evidence comprising the record on which the decision was based. The Board of Appeals shall conduct a public proceeding at which all ~~p~~Persons shall have the right to present legal argument concerning the decision. The Board of Appeals shall not permit the introduction of additional testamentary or documentary evidence. The standard of review shall be whether the decision was arbitrary or capricious, based on error of law or on findings of fact not supported by substantial evidence in the record. The Board of Appeals shall have authority to sustain or reverse a decision or to remand the matter to the agent or officer of the Town for further proceedings.
- 5.) The Board of Appeals shall not continue a public hearing on an appeal to a future date except for good cause.
- 6.) The affirmative vote of three members of the Board of Appeals shall be necessary to grant an approval or permit or to grant an appeal from a decision of an agent or officer of the Town. The failure of the Board of Appeals to issue a written notice of its decision, directed to the appellant by registered mail, within thirty five (35) days of the close of the public hearing shall constitute a denial of the appeal.
- 7.) Any aggrieved party may appeal a decision of the Board of Appeals to Maine Superior Court within 45 days of the date of the vote of the Board of Appeals in accordance with 30-A M.R.S. ~~A~~ § 2691 and Rule 80B of the Maine Rules of Civil Procedure.

SECTION 8. SEWER ASSESSMENTS, FEES AND SERVICE CHARGES

A. In addition to the permit application and inspection fees established and levied pursuant to Section 5 of this Article, The Board of Selectmen is hereby authorized to establish, alter from time to time, and levy sewer assessments, fees and Service charges upon ~~p~~Persons now or in the future served by drains and sewers heretofore or hereafter constructed ~~a service charge for the use of and for the service furnished by such drains and sewers.~~

B. The sewer assessments, fees and Service user charges system shall further the equitable allocation of the capital and operating costs of the ~~public sewage system~~Bridgton Sewer System among municipal use, general public benefit, ~~p~~Private use and the availability of use to properties not connected to the system. Subject to these requirements, such charges and any classification thereof shall be fair and reasonable. They shall bear a substantial relationship to the cost of providing sewage facilities and services to the municipality.

~~C. Such~~The sewer assessments, fees and Service charges shall be at a rate sufficient to generate not less than 100% of the total annual cost of providing sewage facilities and services to the municipality and the ~~u~~Users of the system. This shall include the development of such “sinking funds” or other mechanisms to ensure the long term viability of the system.

C. Sewer assessments, fees and sService charges shall be billed periodically by the Town at such intervals as the Board of Selectmen may determine. The Town may use the services of the Bridgton Water District to obtain water usage information. Sewer interest charges shall be at the same rate as currently established for uncollected property taxes and shall be levied upon all bills not paid within thirty (30) days of the billing date.

D. Any ~~p~~Persons may place on their property, at their own expense, a meter which shall be approved by the Superintendent to measure the amount of water used on the property which does not enter the ~~p~~Public sSewer. An adjustment of the sewer charge shall be made which conforms with said metered use.

E. Commencing July 1, 2016, the Board of Selectmen may establish and levy sewer assessments, fees and Service charges in accordance with the following provisions:

1.) The Board of Selectmen may adopt sewer assessments in accordance with 30-A M.R.S. Chapter 161, subchapter 3 (§§ 3441-46).

2.) The Board of Selectmen may establish connection fees, which shall be fixed fees levied at the time a User lawfully connects a Building Sewer to the Public Sewer.

3.) The Board of Selectmen may establish Service charges, which shall be levied on each User whose property is connected to the Bridgton Sewer System or who possesses a valid Public Sewer Connection Permit. The Service charges shall consist of the following components:

A) A debt service fee to provide a source of revenue for debt retirement costs of the Bridgton Sewer System. The debt service fee shall be a fixed fee based on the User’s designated Equivalent Use.

B) An operation and maintenance fee to recover the costs of operating and maintaining the Bridgton Sewer System. The operation and maintenance fee shall be comprised of (i) a charge per 100 cubic feet of the User's water usage, and (ii) a fixed fee based on the User's designated Equivalent Use.

C) A reserve account fee to offset costs of future system improvements. The reserve account fee shall be a fixed fee based on the User's designated Equivalent Use.

4.) The Board of Selectmen may establish readiness-to-serve fees, which shall be the sum of the debt service fee and 50% of the fixed fee portion of the operation and maintenance fee. Notwithstanding subparagraph 3, above, a readiness-to-serve fee shall be levied in lieu of a Service charge on each Person who possesses a valid Public Sewer Connection Permit until a water use charge is first levied; thereafter, the Person shall be levied a Service charge. For purposes of levying the readiness-to-serve fee, if a Person possesses a valid Public Sewer Connection Permit but is not yet connected to the Bridgton Sewer System, the Superintendent shall designate the Equivalent Use of the property as "Undesignated" and assign an equivalent use value of one (1).

In addition, at such time that the Town Engineer certifies to the Board of Selectmen that the Bridgton Sewer System has sufficient expanded capacity to accommodate increased Sewage flows, the Board of Selectmen may levy a readiness-to-serve fee on each Person whose property abuts a Public Right of Way that contains a Public Sewer and whose property contains a structure or building that is located within 150 feet of the edge of the Public Right of Way.

SECTION 9. GRANDFATHERED SEWER ALLOCATION HOLDERS

A. No Person may reserve from the Town a sewer allocation for future use of the Bridgton Sewer System on or after September 1, 2015, provided that the rights of Grandfathered Allocation Holders shall be subject to subparagraph B, below.

B. Subject to the variance provisions of Section 7 of this Article, a Grandfathered Allocation Holder shall have a limited reserved right to future use of the Bridgton Sewer System as follows:

1.) For each Grandfathered Allocation Holder, the Superintendent shall designate an Equivalent Use based on the Grandfathered Allocation Holder's current sewer use or uses. If the Grandfathered Allocation Holder's property is not connected to the Bridgton Sewer System as of July 1, 2016, the Superintendent shall designate the Equivalent Use as "Undesignated" and assign an equivalent use value of one (1).

The Grandfathered Allocation Holder shall be levied the sewer assessments, fees and Service charges set forth in Section 8 of this Article based on said designated Equivalent Use, except that any Grandfathered Allocation Holder whose property is not connected to the Bridgton Sewer System or who has not been levied a water use charge shall receive a credit against any levied readiness-to-serve fees in an amount equal to the Grandfathered Allocation Holder's unused reserved allocation amount.

2.) The Grandfathered Allocation Holder shall have a reserved right to change the current sewer use and designated Equivalent Use to any sewer use that is otherwise permitted under this Ordinance and whose wastewater generation rate, as set forth in the State of Maine Subsurface Wastewater Disposal Rules, 10-144 C.M.R. ch. 241, is equal to or less than the Grandfathered Allocation Holder's reserved allocation. The Grandfathered Allocation Holder shall submit to the Superintendent a Public Sewer Connection Permit application, and the Superintendent shall review and issue a permit pursuant to section 5 of this Article. Upon issuance of the permit, the Grandfathered Allocation Holder shall be responsible for the sewer assessments, fees and Service charges set forth in Section 8 of this Article based on the new Equivalent Use designation.

3.) The Grandfathered Allocation Holder may transfer the reserved right to future use to a future owner of the property or building for which the sewer allocation was reserved, and the future owner shall have the same rights as the Grandfathered Allocation Holder.

4.) If at any time following exhaustion of all legal appeals but before June 30, 2021, the Grandfathered Allocation Holder's property is deemed unbuildable, the Sewer Department shall refund the Grandfathered Allocation Holder's reserved allocation amount, except that no sewer assessments, connection fees, or ready-to-serve fees shall be refunded.

5.) Any reserved right set forth herein that is not exercised by the Grandfathered Allocation Holder by June 30, 2021, shall expire on June 30, 2021. If, as of June 30, 2021, a Grandfathered Allocation Holder possesses an unused reserved allocation, the Sewer Department shall refund to the Grandfathered Allocation Holder any amount paid for the unused reserved allocation, less any credits accrued pursuant to subparagraph 1, above.

SECTION 910. PENALTIES

A. Any ~~p~~Persons or individual; firm, corporation or partnership found to be violating any provision of this Ordinance shall be served by the Town with written notice stating the nature of the violation and providing a reasonable time limit for the satisfactory correction of said violation.

B. Any ~~p~~Persons or individual; firm, corporation or partnership which who violates any provision of this Ordinance, other than those provisions pertaining to the payment of charges for ~~s~~Services established herein, shall be guilty of a civil violation and shall be punishable by a civil penalty of not less than \$100, to be recovered for the use of the Town. The continued violation of any provision of this Ordinance shall constitute a separate offense for each and every day such violation shall continue.

C. The proper authorities of the Town, in addition to other remedies, may institute any appropriate legal or administrative action or proceedings, including injunctive relief, to prevent any unlawful use, ~~e~~Construction or maintenance of cesspools, septic tanks, ~~s~~Sewage ~~d~~Disposal ~~s~~Systems, pipes or drains to restrain, correct or abate such violation or to prevent the occupancy of any building, structure or land where said violations are found.

D. Any ~~p~~Person violating any provision of this Ordinance shall become liable to the Town for any expense, loss or damage occasioned to the Town by reason of such violation.

~~E. Use of the system will be figured at each billing cycle. The average use for the most recent four (4) quarters will determine whether or not the use has exceeded the allocation purchased. If the allocation has been exceeded the penalties will be as follows:~~

~~a.) Five (5) times the normal rate the first year over allocation.~~

~~b.) Seven (7) times the normal rate the second year over allocation.~~

~~c.) Nine (9) times the normal rate the third year over allocation.~~

~~d.) Plus two (2) times for each additional year over allocation.~~

SECTION 1011. VALIDITY

A. The invalidity of any section, clause, sentence or provision of this Ordinance shall not affect the validity of any other part of this Ordinance which can be given effect without such invalid part of parts.

B. In any case where a provision of this Ordinance is found to be in conflict with a provision of any other Ordinance or Code of the Town existing on the effective date of this Ordinance, the provision which establishes the higher standard for the promotion and protection of health, safety and welfare shall prevail.

SECTION 12. RETROACTIVITY

Notwithstanding the provisions of 1 M.R.S. § 302, and regardless of the date on which it is approved by the voters, Section 9 of Article I of the June 14, 2016 Amendments to the Bridgton Sewage Ordinance (“Grandfathered Sewer Allocations”) shall be retroactively effective as of September 1, 2015, and shall govern any and all pending proceedings related to grandfathered sewer allocations on or at any time after September 1, 2015.

ARTICLE II MANAGEMENT OF PRIVATE, CLUSTER SEWAGE SYSTEMS

SECTION 1. DEFINITIONS

The following terms shall have the following meanings for the purposes of Article II:

Cluster Sewage System - One or more ~~s~~Sewage ~~t~~Treatment Facilities or ~~Sewer disposal~~ ~~s~~Systems serving a part or all of a contiguous area or development owned by the same ~~d~~Developer. It disposes of sewage and other wastewater from more than one separate, privately owned dwelling, lot, unit or plumbed building.

Developer - Any ~~p~~Person, ~~firm, corporation or other entity~~ proposing to establish one or more ~~p~~Private ~~e~~Cluster ~~s~~Sewage Systems designed and intended to serve one or more multiplex units, subdivision lots or other grouping of plumbed buildings, including an established association of owners of adjacent developed properties.

Owner - The record owner of a dwelling unit, lot or building served or to be served by a ~~e~~Cluster ~~s~~Sewage ~~s~~System.

SECTION 2. CLUSTER SYSTEMS PERMITTED

No ~~e~~Cluster ~~s~~Sewage System shall be permitted unless the owner or owners of all properties to be served are parties to, and their said properties are made subject to, an effective, recorded declaration or agreement (hereinafter referred to as the "Agreement") providing for continuous, responsible management of such system in accordance with the terms of this Article II, the provisions of which Agreement shall be covenants running with the land of each such owner. Any ~~p~~Private ~~e~~Cluster ~~s~~Sewage System intended to serve more than three dwelling units shall be designed by a ~~registered Professional~~ eEngineer.

SECTION 3. ESTABLISHMENT OF ASSOCIATION

The Agreement shall require the formation of a legal entity having its principal place of business within the Town. It shall require membership of all owners, of all properties to be served by the ~~p~~Private, ~~e~~Clustered ~~s~~Sewage ~~s~~System. The entity shall be formed and funded, no later than the sale of the last property with moneys equal to its anticipated expenses for one year, no later than the sale of the last property to be served by such system.

SECTION 4. MANAGEMENT BY DEVELOPER

Until the formation and funding of the Association as aforesaid, and until the transfer and conveyance to the Association of all real and personal property necessary to the operation of the ~~p~~Private, Celuster ~~s~~Sewage ~~s~~System, all of the duties and responsibilities of the Association and

all of its rights and powers, including the assessment, collection and use of charges, shall be timely and fully performed and exercised by the ~~e~~D~~e~~veloper.

SECTION 5. ASSOCIATION ASSETS

As soon as the Association has been formed, all real and personal property necessary to the operation of said system shall be transferred and conveyed to the Association by the ~~e~~D~~e~~veloper. All components of said system shall be in good operating order and condition, in compliance with all applicable laws, codes and regulations. The ~~e~~D~~e~~veloper shall be responsible for any repairs, replacements or improvements which may be required for the same, promptly following notice by the Association given within two (2) years after the date of said transfer, except normal maintenance. The Association shall not divest itself of any interest in said real estate except (1) to a duly constituted, responsible public body in connection with its assumption of part or all of the responsibilities of the Association requiring such real estate; or (2) upon approval by the Plumbing Inspector of the discontinuance of any ~~s~~S~~e~~vice for which such real estate was required.

SECTION 6. ASSOCIATION DUTIES

After the acquisition by the Association of the real and personal property constituting or necessary to the ~~e~~C~~l~~uster ~~s~~S~~e~~wage ~~_~~~~s~~System, the Association shall own, operate, maintain, repair and replace same in accordance with all applicable laws, codes and regulations, including performance of the following requirements:

- A. It shall provide for officers or other personnel responsible for performance of the duties of the Association;
- B. It shall cause the inspection at least weekly of all pumping stations and any other mechanical components of said system and the general inspection of all sewage facilities by a ~~r~~egistered ~~p~~rofessional ~~e~~ngineer at least once every six (6) months in order to assure that they are in proper operating condition;
- C. It shall cause all septic tanks to be pumped out at least once every three (3) years unless required by the Town Engineer to pump these tanks more frequently and it shall maintain a record showing the dates of all septic tank pumping;
- D. It shall enter into a contract or contracts with one or more firms competent and available to provide on-call service for repair and maintenance of all sewage facilities;
- E. It shall pay, in a timely fashion, all expenses necessary or incidental to the performance of its functions and responsibilities under this Article II.

SECTION 7. CHARGES TO OWNERS

The Association shall provide for revenues sufficient to perform its duties hereunder and as provided in the Agreement, including supplemental or emergency revenues to cover any deficits or emergency requirements. Revenues shall include amounts for additions to reserves for major periodic repairs, contingencies and for replacements based upon the full, life cycle cost of the ~~e~~Cluster ~~s~~Sewage ~~_s~~System.

The Association shall also establish procedures by which it can compel any owners to correct any deficiency, malfunction or other problem in their own property which affects the operation or integrity of the ~~e~~Cluster ~~s~~Sewage ~~_s~~System.

SECTION 8. INSPECTION BY THE TOWN

A. Upon request by the Town Manager, the Association shall produce for inspection and copying at the Bridgton Town Office, or permit the inspection and copying at its own office, any or all of its corporate, financial, operating, inspection and maintenance records, reports, contracts, budgets and other papers, for the purpose of determining its performance of any compliance with the requirements of this Article II.

B. The Plumbing Inspector or an authorized representative, or the Town Engineer and other duly authorized employees of the Town, bearing proper credentials or identification, shall be permitted to enter at all reasonable times upon all properties owned by the ~~d~~Developer, the Association or the Association members for inspection, observation, measurement, sampling and testing for the purposes of this Article.

SECTION 9. PENALTIES

In the event that any Association, ~~d~~Developer or owner is found to be violating any provision of this Article II, all of the provisions and procedures set forth in Article I, Section ~~9~~10 shall be applicable and available to the Town in connection with any such violation.

APPENDIX A
~~SUGGESTED~~ STANDARDS PURSUANT TO SECTION 5(f)

A. Construction Requirements for Public Sewer Connections

1.) Any new or replaced ~~b~~Building ~~s~~Sewer shall meet the following material requirements.

Cast iron soil pipe shall be service weight where the cover over the pipe does not exceed eight (8) feet, and shall be extra heavy if cover over the pipe exceeds eight (8) feet. Pipe shall meet the requirements of ASTM Designation A74-69. Joints may be caulked with oakum and pure lead not less than one (1) inch deep or may be of the rubber gasket type meeting the requirements of ASTM Designation C564-68. Hubless cast iron may be used with stainless steel clamp assemblies meeting the requirements of the Cast Iron Soil Pipe Institute Standard 301-69. Pipe fittings shall be coated with asphaltum or coal tar. (See ~~State~~ Plumbing Code, Section 8, Building Drains and Sewer.)

Asbestos cement pipe shall be Class 3300 meeting the requirements of ASTM Designation C-644. Joints shall be rubber gasket type meeting the requirements of ASTM Designation D-1869 -C1.

Polyvinyl chloride pipe shall meet the requirements of ASTM Designation D-3034- 73SDR35. Joints shall be solvent welded or shall use rubber compression ring gaskets meeting ASTM D-1869.

2.) The size and slope of the ~~b~~Building ~~s~~Sewer shall be determined by the connected fixture units as indicated in the ~~Maine State~~ Plumbing Code, but in no event shall the diameter be less than four (4) inches nor the pitch less than one-quarter (1/4) inch per foot before the septic tank and one-eighth (1/8) inch per foot after the septic tank.

3.) If a ~~b~~Building ~~d~~Drain is laid parallel to a bearing wall of a building, it shall be not less than five (5) feet from it and shall be laid on either undisturbed soil or on well compacted fill.

4.) A ~~b~~Building ~~s~~Sewer shall be laid at a uniform grade and in straight alignment. Any unavoidable changes in direction shall be made with appropriate fittings compatible with the type of pipe being used. Such changes in grade and alignment shall be subject to the approval of the Superintendent upon submission of a dimensional plan showing the location of such fittings.

5.) All excavations required for the installation of a ~~b~~Building ~~s~~Sewer shall be open trench work unless otherwise approved by the Superintendent. Pipe laying and back-filling shall be performed to the satisfaction of the Superintendent and no back-fill shall be placed until the pipe has been inspected. All excavations shall be adequately guarded with barricades and lights to protect the public from hazards. Width of trench shall be a maximum of three (3) feet at the crown of pipe level. All pipe shall be bedded in granular material extending at least four (4) inches below the pipe and four (4) inches above the crown of pipe. Such bedding shall contain no stones larger than three-quarter (3/4) inch.

6.) The property owner or his agent shall give the Superintendent a seven (7) working day written notice of the time that ~~e~~Construction will start on a public way or public easement. All relevant

permits shall be obtained by the property owner or his agent. All costs for permits including, but not limited to, permits for road openings and stream crossings shall be borne by the property owner. Sidewalks, parkways and other public property disturbed in the course of the work shall be restored to their original condition to the satisfaction of the Public Works Director, who will make a final inspection of the completed work. Construction within the public way shall be completed within five (5) days. All back-fill within a paved area in a ~~p~~Public ~~r~~Right of ~~w~~Way shall be placed in eight (8) inch layers and thoroughly compacted by mechanical means to the satisfaction of the Superintendent and the Public Works Director.

7.) Any excavation which may disturb the root system of any shade trees in the public way shall be approved by the Tree Warden or other suitable Town Official prior to the commencement of work. If it is determined that the work must be supervised by a licensed arborist, the costs of such supervision shall be borne by the person making the excavation.

8.) Sewer ~~e~~Construction and work incidental thereto, in any public way or public easement, shall be performed under the supervision of, and to the satisfaction of, the Superintendent. The Board of Selectmen may require the cost of this supervision to be borne by the person accomplishing the ~~e~~Construction.

9.) Excavation shall not be made over or immediately adjacent to any ~~p~~Public ~~s~~Sewer unless the Superintendent has given his approval and the work is done under his supervision. Property owners and others performing work on their behalf shall be fully responsible for locating and protecting all utilities under or above any public way, including, but not limited to, water mains, ~~s~~Storm ~~d~~Drains, power lines, telephone lines, gas lines, telegraph lines or fire call cables. Any damage to such utilities shall be repaired to the satisfaction of the utility involved at no expense to the Town.

10.) If a “Y” or “T” branch in the ~~p~~Public ~~s~~Sewer is available at a suitable location, the connection of the ~~b~~B~~s~~Building ~~s~~Sewer shall be made to such branch. Where no branch is available, a new hole shall be cut into the ~~p~~Public ~~s~~Sewer and the ~~b~~B~~s~~Building ~~s~~Sewer connected thereto with a saddle compatible with the ~~p~~Public ~~s~~Sewer in accordance with ~~a~~Accepted ~~p~~Practice. All such joints shall be inspected by the Superintendent prior to back-filling. No protrusion of the service line into the main sewer will be permitted.

APPENDIX B
SCHEDULE OF EQUIVALENT USES¹

<u>USE OR USES</u>	<u>UNIT MEASUREMENT</u>	<u>EQUIVALENT USE VALUE</u>
<u>Single Family Dwelling</u>	<u>Each</u>	<u>1</u>
<u> Additional Dwelling Unit</u>	<u>Each</u>	<u>1</u>
<u>High School</u>	<u>15 students</u>	<u>1</u>
<u>Junior High School</u>	<u>20 students</u>	<u>1</u>
<u>Elementary School</u>	<u>24 students</u>	<u>1</u>
<u>Motel, Hotel, B&B</u>	<u>2 rooms</u>	<u>1</u>
<u>Conventional Restaurant:</u>		
<u> 3 meals/day</u>	<u>6 seats</u>	<u>1</u>
<u> 2 meals/day</u>	<u>10 seats</u>	<u>1</u>
<u>Disposable Utensil Restaurant</u>	<u>12 seats</u>	<u>1</u>
<u>Church</u>		
<u> with Dining Seats</u>	<u>30 seats</u>	<u>1</u>
<u> with Assembly Seats</u>	<u>50 seats</u>	<u>1</u>
<u>Club</u>	<u>40 members</u>	<u>1</u>
<u>Daycare with meals</u>	<u>9 children</u>	<u>1</u>
<u>Public Meeting/Assembly Hall</u>		
<u> without Food Service</u>	<u>50 seats</u>	<u>1</u>
<u> with Food Service</u>	<u>30 seats</u>	<u>1</u>
<u>Library</u>	<u>50 seats</u>	<u>1</u>
<u>Movie Theater</u>	<u>50 seats</u>	<u>1</u>
<u>Commercial/Industrial Facility</u>	<u>5 employees</u>	<u>1</u>
<u>Government/Office Facility</u>	<u>5 employees</u>	<u>1</u>
<u>Gas Station</u>	<u>1 pump island</u>	<u>2</u>
<u>Fire Department</u>	<u>5 full-time firefighters</u>	<u>1</u>
<u>Theater or Playhouse</u>	<u>40 seats</u>	<u>1</u>
<u>Laundromat</u>	<u>1 machine</u>	<u>2</u>
<u>Cocktail Lounge</u>	<u>10 seats</u>	<u>1</u>
<u>Beauty/Barber Shop</u>	<u>2 sinks</u>	<u>1</u>
<u>Dog Grooming</u>	<u>1 tub</u>	<u>1</u>
<u>Car Wash (with Water Recycling)</u>	<u>1 bay</u>	<u>1</u>
<u>Hospital or Nursing/Boarding Home</u>	<u>2 beds</u>	<u>1</u>

¹ Equivalent Use Values for uses that are not listed shall be established by the Superintendent based on uses with similar functions and similar wastewater production.

*June 14, 2016 Amendments
to the Bridgton Sewage Ordinance*

<u>USE OR USES</u>	<u>UNIT MEASUREMENT</u>	<u>EQUIVALENT USE VALUE</u>
<u>Store</u>		<u>2</u>
<u>with Public Restroom</u>	<u>Each</u>	<u>2</u>
<u>without Public Restroom</u>	<u>Each</u>	<u>1</u>
<u>with Food Service</u>	<u>Each</u>	<u>2</u>
<u>Additional for Seating</u>	<u>12 seats</u>	<u>1</u>
<u>Shopping Center</u>	<u>12 employees</u>	<u>1</u>
	<u>75 parking spaces</u>	<u>1</u>
<u>Conference Center</u>	<u>21 Seats</u>	<u>1</u>
<u>Undesignated</u>	<u>Each parcel</u>	<u>1</u>

Enacted: June 1995

Amended: June 2000; ~~and~~ June 12, 2007; and June 14, 2016