



RECOMMENDED QUANTITY CHART

TIRE SIZE TABLE OF CONTENTS

4 INCH RIMS	1	24 INCH RIMS	13-14
5 INCH RIMS	1	24.5 INCH RIMS	14
6 INCH RIMS	1	25 INCH RIMS	14-15
7 INCH RIMS	1	26 INCH RIMS	15-16
8 INCH RIMS	1-2	28 INCH RIMS	16
9 INCH RIMS	2	29 INCH RIMS	16-17
10 INCH RIMS	3	30 INCH RIMS	17
10.5 INCH RIMS	3	32 INCH RIMS	17-18
11 INCH RIMS	3	33 INCH RIMS	18
12 INCH RIMS	3-4	33.5 INCH RIMS	18
13 INCH RIMS	4	34 INCH RIMS	18-19
14 INCH RIMS	4	35 INCH RIMS	19
15 INCH RIMS	4-6	36 INCH RIMS	19
15.5 INCH RIMS	6	38 INCH RIMS	19-20
16 INCH RIMS	6-7	39 INCH RIMS	20
16.1 INCH RIMS	7	42 INCH RIMS	20
16.5 INCH RIMS	7-8	43 INCH RIMS	20
17 INCH RIMS	8	45 INCH RIMS	21
17.5 INCH RIMS	8	46 INCH RIMS	21
18 INCH RIMS	8-9	48 INCH RIMS	21
19 INCH RIMS	9	49 INCH RIMS	21
19.5 INCH RIMS	9	50 INCH RIMS	21
20 INCH RIMS	10-11	51 INCH RIMS	21
20.5 INCH RIMS	11	54 INCH RIMS	21-22
21 INCH RIMS	11	56.5 INCH RIMS	22
22 INCH RIMS	11	57 INCH RIMS	22
22.5 INCH RIMS	11-12	63 INCH RIMS	22
23.5 INCH RIMS	12		

Locate the wheel size for your tire on page 1, click; you will land on the page that has your wheel size. Locate wheel size on the page and then tire size to determine the recommended quantity.



Quantity formula for tire sizes not found in this chart:

Hi-Speed: Tire Height multiplied by Tire Width divided by 10, equals the ounces per tire.

Off-Road: Tire Height multiplied by Tire Width divided by 5, equals the ounces per tire.

For ATV, Quads and Hi-Speed Tires: Use 50% of Off-Road Rates

*PSF Plus in NOT recommended for use with
tire pressure monitor systems.*



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
4 INCH RIMS			
2.80-4	8	0.1	0.24
3.40-4	8	0.1	0.24
4.1/3.50-4	8	0.1	0.24
9/3.50-4	8	0.1	0.24
4.10-4	8	0.1	0.24
5 INCH RIMS			
4.1/3.50-5	12	0.1	0.35
11x3.50-5	12	0.1	0.35
11x4.00-5	12	0.1	0.35
10.00x4.50-5	12	0.1	0.35
11x4.50-5	12	0.1	0.35
10.5x5.00-5	16	0.1	0.47
13x3.50-5	16	0.1	0.47
11x6.00-5	16	0.1	0.47
11x7.00-5	20	0.2	0.59
11x7.50-5	20	0.2	0.59
6 INCH RIMS			
4.10/3.50-6	12	0.1	0.35
16x4.00-6	12	0.1	0.35
4.00-6	12	0.1	0.35
16x4.50-6	16	0.1	0.47
5.30-6	16	0.1	0.47
6.90/6.00-6	20	0.2	0.59
12x6.00-6	20	0.2	0.59
14x6.00-6	20	0.2	0.59
15x6.00-6	20	0.2	0.59
13x6.50-6	20	0.2	0.59
12x8.00-6	24	0.2	0.71
12x11.00-6	32	0.3	0.95
7 INCH RIMS			
4.50-7	16	0.1	0.47
4.80-7	16	0.1	0.47
8 INCH RIMS			
4.00-8	16	0.1	0.47
4.80/4.00-8	16	0.1	0.47



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
8 INCH RIMS CONTINUED			
4.30-8	16	0.1	0.47
4.80-8	20	0.2	0.59
5.70/5.00-8	20	0.2	0.59
18x5.70-8	24	0.2	0.71
5.70-8	24	0.2	0.71
6.00-8	24	0.2	0.71
16x6.50-8	28	0.2	0.83
16.5x6.50-8	28	0.2	0.83
18x6.50-8	28	0.2	0.83
18x7.00-8	28	0.2	0.83
20x7.00-8	28	0.2	0.83
20.5x7.00-8	28	0.2	0.83
16x7.50-8	32	0.3	0.95
18x8.50-5	32	0.3	0.95
18.5x8.50-8	36	0.3	1.06
18x9.00-8	36	0.3	1.06
22x9.00-8	36	0.3	1.06
18x9.50-8	40	0.3	1.18
20x10.00-8	40	0.3	1.18
20.5x10.00-8	40	0.3	1.18
22.5x10.00-8	40	0.3	1.18
20x11.00-8	44	0.3	1.3
21x11.00-8	44	0.3	1.3
22x11.00-8	44	0.3	1.3
21x12.00-8	48	0.4	1.42
9 INCH RIMS			
4.80/4.00-9	20	0.2	0.59
6.00-9	28	0.2	0.83
6.90-9	32	0.3	0.95
21x11.00-9	36	0.3	1.06
25x11.00-9	52	0.4	1.54
22x12.00	56	0.4	1.66
25x12.00-9	56	0.4	1.66
25x13.00-9	60	0.5	1.77



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
10 INCH RIMS			
4.50-10	24	0.2	0.71
6.50-10	32	0.3	0.95
21x7.00-10	36	0.3	1.06
7.50-10	40	0.3	1.18
20x8.00-10	40	0.3	1.18
20.5x8.00-10	40	0.3	1.18
22x8.00-10	44	0.3	1.3
9.00-10	44	0.3	1.3
18x9.50-10	48	0.4	1.42
20x10.00-10	52	0.4	1.54
22x10.00-10	52	0.4	1.54
22x11.00-10	56	0.4	1.66
24x11.00-10	56	0.4	1.66
20x12.00-10	60	0.5	1.77
20x14.00-10	72	0.6	2.13
27x15.00-10	74	0.6	2.19
15.00-10	74	0.6	2.19
20x20.00-10	100	0.8	2.96
20.50-10	104	0.8	3.08
10.5 INCH RIM			
23.00-10.5	121	0.9	3.58
11 INCH RIMS			
23x8.00-11	44	0.3	1.3
23.5x8.00-11	44	0.3	1.3
24x9.00-11	52	0.4	1.54
12 INCH RIMS			
3.00-12	20	0.2	0.59
4.00-12	24	0.2	0.71
4.50-12	28	0.2	0.83
4.80-12	28	0.2	0.83
5.00-12	32	0.3	0.95
5.30-12	32	0.3	0.95
5.70-12	36	0.3	1.06
6.00-12	36	0.3	1.06
155/80-12	36	0.3	1.06



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
12 INCH RIMS CONTINUED			
7.00-12	44	0.3	1.3
7.50-12	44	0.3	1.3
23x8.00-12	48	0.4	1.42
8.30-12	52	0.4	1.54
23x8.50-12	52	0.4	1.54
23x9.00-12	56	0.4	1.66
27x10.00-12	60	0.5	1.77
10.00-12	60	0.5	1.77
23x10.50-12	64	0.5	1.89
13x12.00-12	72	0.6	2.13
24x12.00-12	72	0.6	2.13
26x12.00-12	72	0.6	2.13
24x13.00-12	80	0.6	2.37
13 INCH RIMS			
15/80-13	40	0.3	1.18
175/80-13	44	0.3	1.3
185/80-13	48	0.4	1.42
14 INCH RIMS			
7.50-14	52	0.4	1.54
7.60-14	52	0.4	1.54
205/75-14	56	0.4	1.66
215/75-14	60	0.5	1.77
25x8.50-14	60	0.5	1.77
8.50-14	60	0.5	1.77
9.50-14	68	0.5	2.01
11.00-14	76	0.6	2.25
13.00-14	92	0.7	2.72
15 INCH RIMS			
25x2.50-15	20	0.2	0.59
4.00-15	32	0.3	0.95
4.40-15	32	0.3	0.95
5.00-15	40	0.3	1.18
5.70-15	44	0.3	1.3
5.90-15	44	0.3	1.3
6.00-15	44	0.3	1.3



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
15 INCH RIMS CONTINUED			
6.70-15	52	0.4	1.54
175/85-15	52	0.4	1.54
7.00-15	52	0.4	1.54
25x7.50-15	56	0.4	1.66
7.60-15	56	0.4	1.66
205/85-15	60	0.5	1.77
205/75-15	60	0.5	1.77
8.25-15	64	0.5	1.89
215/75-15	64	0.5	1.89
27x8.50-15	64	0.5	1.89
28x8.5-15	64	0.5	1.89
8.5-15	64	0.5	1.89
225/75-15	68	0.5	2.01
235/75-15	68	0.5	2.01
28x9.00-15	68	0.5	2.01
27x9.50-15	72	0.6	2.13
29x9.50-15	72	0.6	2.13
30x9.50-15	72	0.6	2.13
32x9.50-15	72	0.6	2.13
250/70-15	76	0.6	2.25
29x10.00-15	76	0.6	2.25
10.00-15	76	0.6	2.25
25x10.50-15	80	0.6	2.37
27x10.50-15	80	0.6	2.37
31x10.50-15	80	0.6	2.37
36x11.11-15	84	0.7	2.48
11.00-15	84	0.7	2.48
31x11.0-15	84	0.7	2.48
31x11.50-15	88	0.7	2.6
32x11.50-15	88	0.7	2.6
33x12.00-15	92	0.7	2.72
33x12.00-15	92	0.7	2.72
12.00-15	92	0.7	2.72
28x12.00-15	92	0.7	2.72
25x12.50-15	96	0.8	2.84



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
15 INCH RIMS CONTINUED			
29x12.50-15	96	0.8	2.84
31x12.50-15	96	0.8	2.84
33x12.50-15	96	0.8	2.84
25x12.50-15	96	0.8	2.84
12.50-15	96	0.8	2.84
28x13.00-15	100	0.8	2.96
31x13.50-15	100	0.8	2.96
36x13.50-15	100	0.8	2.96
365/80-15	108	0.8	3.19
14.50-15	108	0.8	3.19
32x15.00-15	112	0.9	3.31
35x15.00-15	112	0.9	3.31
31x15.00-15	116	0.9	3.43
38x16.00-15	120	0.9	3.55
21.50-15	160	1.3	4.73
15.5 INCH RIMS			
31x15.00-15.5	116	0.9	3.43
16 INCH RIMS			
4.00-16	32	0.3	0.95
4.50-16	36	0.3	1.06
5.00-16	40	0.3	1.18
5.50-16	44	0.3	1.3
6.00x16	48	0.4	1.42
6.50x16	52	0.4	1.54
6.60-16	52	0.4	1.54
7.00-16	56	0.4	1.66
7.20-16	60	0.5	1.77
7.50-16	60	0.5	1.77
7.50/8.00-16	64	0.5	1.89
8.00-16	64	0.5	1.89
8.25-16	68	0.5	2.01
8.30-16	68	0.5	2.01
215/85-16	68	0.5	2.01
225/75-16	72	0.6	2.13
225/85-16	72	0.6	2.13



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
16 INCH RIMS CONTINUED			
9.00-16	72	0.6	2.13
235/85-16	76	0.6	2.25
9.50-16	76	0.6	2.25
245/75-16	76	0.6	2.25
245/85-16	76	0.6	2.25
10.00-16	80	0.6	2.37
255/85-16	80	0.6	2.37
265/75-16	84	0.7	2.48
11.00-16	88	0.7	2.6
280/70-16	88	0.7	2.6
11.20-16	92	0.7	2.72
12.40-16	100	0.8	2.96
12.50-16	100	0.8	2.96
13.50-16	108	0.8	3.19
13.60-16	108	0.8	3.19
16.1 INCH RIMS			
11.00-16.1	88	0.7	2.6
13.50-16.1	108	0.8	3.19
13.60-16.1	108	0.8	3.19
14.00-16.1	112	0.9	3.31
14.5/75-16.1	116	0.9	3.43
16.50-16.1	132	1	3.9
18.40-16.1	148	1.2	4.38
35x19.00-16.1	152	1.2	4.5
38x19.00-16.1	152	1.2	4.5
38x20.00-16.1	160	1.3	4.73
21.50-16.1	172	1.3	5.09
16.5 INCH RIMS			
8.75-16.5	72	0.6	2.13
9.00-16.5	76	0.6	2.25
10.00-16.5	84	0.7	2.48
31x10.50-16.5	88	0.7	2.6
31x12.00-16.5	96	0.8	2.84
12.00-16.5	100	0.8	2.96
33x12.50-16.5	104	0.8	3.08



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
16.5 INCH RIMS CONTINUED			
35x14.50-16.5	120	0.9	3.55
33x15.00-16.5	124	1	3.67
33x15.50-16.5	128	1	3.79
17 INCH RIMS			
7.00-17	60	0.5	1.77
7.50-17	64	0.5	1.89
8.25-17	72	0.6	2.13
17.5 INCH RIMS			
7.00-17.5	60	0.5	1.77
8.00-17.5	72	0.6	2.13
205/65-17.5	72	0.6	2.13
215/75-17.5	76	0.6	2.25
8.50-17.5	76	0.6	2.25
225/65-17.5	80	0.6	2.37
225/70-17.5	80	0.6	2.37
225/75-17.5	80	0.6	2.37
9.00-17.5	80	0.6	2.37
235/75-17.5	80	0.6	2.37
240/55-17.5	84	0.7	2.48
255/70-17.5	84	0.7	2.48
10.00-17.5	88	0.7	2.6
255/60-17.5	88	0.7	2.6
255/70-17.5	88	0.7	2.6
11.00-17.5	96	0.8	2.84
14.00-17.5	124	1	3.67
36x16.00-17.5	140	1.1	4.14
18 INCH RIMS			
4.00-18	36	0.3	1.06
6.00-18	56	0.4	1.66
7.00-18	64	0.5	1.89
7.50-18	68	0.5	2.01
10.00-18	92	0.7	2.72
10.50/80-18	96	0.8	2.84
10.50-18	96	0.8	2.84
11.00-18	100	0.8	2.96



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
18 INCH RIMS CONTINUED			
12.00/12.50-18	108	0.8	3.19
12.50-18	112	0.9	3.31
12.5/80-18	112	0.9	3.31
13.00-18	116	0.9	3.43
335/80-18	120	0.9	3.55
340/80-18	120	0.9	3.55
365/70-18	128	1	3.79
400/70-18	144	1.1	4.26
19 INCH RIMS			
4.00-19	40	0.3	1.18
6.00-19	56	0.4	1.66
19.5 INCH RIMS			
7.00-19.5	68	0.5	2.01
8.00-19.5	80	0.6	2.37
225/70-19.5	88	0.7	2.6
9.00-19.5	88	0.7	2.6
9.50-19.5	92	0.7	2.72
245/70-19.5	96	0.8	2.84
245/75-19.5	96	0.8	2.84
265/70-19.5	104	0.8	3.08
265/75-19.5	104	0.8	3.08
285/70-19.5	108	0.8	3.19
285/75-19.5	108	0.8	3.19
305/70-19.5	116	0.9	3.43
305/75-19.5	116	0.9	3.43
15.00-19.5	148	1.2	4.38
385/65/19.5	148	1.2	4.38
33x16.00-19.5	156	1.2	4.61
16.50-19.5	160	1.3	4.73
435/50-19.5	168	1.3	4.97
445/55-19.5	172	1.3	5.09
445/65/19.5	172	1.3	5.09
18.00-19.5	176	1.4	5.2
40x19.00-19.5	184	1.4	5.44
19.50-19.5	192	1.5	5.68



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
20 INCH RIMS			
7.00-20	72	0.6	2.13
7.25-20	72	0.6	2.13
7.50-20	76	0.6	2.25
8.00-20	80	0.6	2.37
8.25-20	80	0.6	2.37
9.00-20	92	0.7	2.72
9.50-20	96	0.8	2.84
10.00-20	100	0.8	2.96
10.30-20	104	0.8	3.08
10.00/10.50-20	204	1.6	6.03
10.50-20	104	0.8	3.08
11.00-20	112	0.9	3.31
280/70-20	112	0.9	3.31
11.20-20	112	0.9	3.31
11.50-20	116	0.9	3.43
300/70-28	120	0.9	3.55
12.00-20	120	0.9	3.55
12.50-20	124	1	3.67
13.00-20	132	1	3.9
225/80-20	132	1	3.9
38x14.00-20	140	1.1	4.14
41x14.00-20	140	1.1	4.14
365/80-20	144	1.1	4.26
365/85-20	144	1.1	4.26
14.50-20	144	1.1	4.26
380/70/20	152	1.2	4.5
395/85-20	156	1.2	4.61
400/70/20	160	1.3	4.73
405/70-20	160	1.3	4.73
16.00-20	160	1.3	4.73
17.50-20	176	1.4	5.2
44x18.00-20	180	1.4	5.32
50x20.00-20	200	1.6	5.91
24x24.00-20	240	1.9	7.1
42x25.00-20	252	2	7.45



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
20 INCH RIMS CONTINUED			
47x25.00-20	252	2	7.45
48x25.00-20	252	2	7.45
48x26.5-20	264	2.1	7.81
48x31.00-20	312	2.4	9.23
44x41-20	412	3.2	12.18
20.5 INCH RIMS			
24.00-20.5	246	1.9	7.28
21 INCH RIMS			
5.00-21	52	0.4	1.54
6.00-21	64	0.5	1.89
12.00-21	128	1	3.79
16.00-21	168	1.3	4.97
21.00-21	220	1.7	6.51
23.00-21	244	1.9	7.22
24.00-21	252	2	7.45
27.25-21	288	2.3	8.52
22 INCH RIMS			
7.50-22	84	0.7	2.48
8.5	96	0.8	2.84
9.50-22	104	0.8	3.08
10.00-22	112	0.9	3.31
11.00-22	120	0.9	3.55
12.00-22	132	1	3.9
22.5 INCH RIMS			
8.00-22.5	92	0.7	2.72
205/70-22.5	92	0.7	2.72
225/60-22.5	100	0.8	2.96
9.00-22.5	92	0.7	2.72
235/80-22.5	104	0.8	3.08
245/75-22.5	108	0.8	3.19
10.00-22.5	112	0.9	3.31
255/70-22.5	112	0.9	3.31
265/70-22.5	116	0.9	3.43
255/80-22.5	116	0.9	3.43
265/75-22.5	116	0.9	3.43



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
22.5 INCH RIMS CONTINUED			
275/70-22.5	124	1	3.67
275/80-22.5	124	1	3.67
11.00-22.5	124	1	3.67
11.50-22.5	128	1	3.79
295/60-22.5	132	1	3.9
295/70-22.5	132	1	3.9
295/75-22.5	132	1	3.9
295/80-22.5	132	1	3.9
12.00-22.5	136	1.1	4.02
305/75-22.5	136	1.1	4.02
315/60-22.5	140	1.1	4.14
315/70-22.5	140	1.1	4.14
315/80-22.5	140	1.1	4.14
12.50-22.5	140	1.1	4.14
13.00-22.5	148	1.2	4.38
14.00-22.5	160	1.3	4.73
365/70-22.5	164	1.3	4.85
15.00-22.5	168	1.3	4.97
365/65-22.5	172	1.3	5.09
15.5-22.5	176	1.4	5.2
16.00-22.5	180	1.4	5.32
16.5-22.5	188	1.5	5.56
425/50-22.5	188	1.5	5.56
425/65-22.5	188	1.5	5.56
445/50-22.5	196	1.5	5.8
445/65-22.5	196	1.5	5.8
455/55-22.5	204	1.6	6.03
41x18.00-22.5	204	1.6	6.03
18.00-22.5	204	1.6	6.03
500/60-22.5	220	1.7	6.51
600/50-22.5	268	2.1	7.93
700/50-22.5	280	2.2	8.28
710/40-22.5	316	2.5	9.35
23.5 INCH RIMS			
23.00-23.5	272	2.1	8.04



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
24 INCH RIMS			
7.20-24	88	0.7	2.6
7.50-24	104	0.8	3.08
8.30-24	120	0.9	3.55
9.00-24	132	1	3.9
9.50-24	140	1.1	4.14
10.00-24	144	1.1	4.26
255/70-24	144	1.1	4.26
11.00-24	144	1.1	4.26
11.20-24	144	1.1	4.26
11.25-24	144	1.1	4.26
11.40-24	144	1.1	4.26
11.50-24	144	1.1	4.26
12.00-24	144	1.1	4.26
12.40-24	148	1.2	4.38
320/70-24	152	1.2	4.5
320/75-24	152	1.2	4.5
320/85-24	152	1.2	4.5
13.00-24	160	1.3	4.73
340/85-24	160	1.3	4.73
13.60-24	164	1.3	4.85
14.00-24	168	1.3	4.97
360/70-24	172	1.3	5.09
14.90-24	176	1.4	5.2
380/70-24	180	1.4	5.32
380/85-24	180	1.4	5.32
15.00-24	180	1.4	5.32
16.00-24	192	1.5	5.68
16.50-24	200	1.6	5.91
420/70-24	200	1.6	5.91
16.90-24	204	1.6	6.03
17.00/80-24	204	1.6	6.03
440/80-24	208	1.6	6.15
17.50-24	208	1.6	6.15
18.00-24	216	1.7	6.39
460/70-24	216	1.7	6.39



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
24 INCH RIMS CONTINUED			
18.30-24	220	1.7	6.51
18.40-24	220	1.7	6.51
480/65-24	228	1.8	6.74
480/70-24	228	1.8	6.74
19.40-24	232	1.8	6.86
19.50-24	236	1.8	6.98
500/70-24	236	1.8	6.98
20.00-24	240	1.9	7.1
21.00-24	252	2	7.45
540/65-24	256	2	7.57
540/70-24	256	2	7.57
560/65-24	264	2.1	7.81
24.5 INCH RIMS			
275/80-24.5	132	1	3.9
11.00-24.5	136	1.1	4.02
285/75-24.5	136	1.1	4.02
285/80-24.5	136	1.1	4.02
295/75-24.5	144	1.1	4.26
12.00-24.5	146	1.1	4.32
305/75-24.5	146	1.1	4.32
13.50-24.5	164	1.3	4.85
355/75-24.5	172	1.3	5.09
15.00-24.5	184	1.4	5.44
18.00-24.5	220	1.7	6.51
25 INCH RIMS			
265/70-25	132	1	3.9
11.00-25	140	1.1	4.14
12.00-25	152	1.2	4.5
13.00-25	164	1.3	4.85
14.00-25	176	1.4	5.2
15.50-25	196	1.5	5.8
16.00-25	200	1.6	5.91
17.50-25	220	1.7	6.51
445/80-25	220	1.7	6.51
445/95-25	220	1.7	6.51



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
25 INCH RIMS CONTINUED			
61x18.00-25	224	1.8	6.62
20.50-25	256	2	7.57
525/80-25	260	2	7.69
525/95-25	260	2	7.69
21.00-25	264	2.1	7.81
550/65-25	272	2.1	8.04
22.00/65-25	276	2.2	8.16
22.00-25	276	2.2	8.16
23.00/90-25	288	2.3	8.52
23.50-25	296	2.3	8.75
24.00-25	300	2.3	8.87
25.00/65-25	312	2.4	9.23
650/65-25	320	2.5	9.46
660/34-25	324	2.5	9.58
670/34-25	332	2.6	9.82
26.50-25	332	2.6	9.82
705/65-25	348	2.7	10.29
755/70-25	372	2.9	11
800/50-25	392	3.1	11.59
850/65-25	420	3.3	12.42
67x34.00-25	424	3.3	12.54
54x37.00-25	464	3.6	13.72
40.50/75-25	508	4	15.02
1050/50-25	516	4	15.26
66x43.00-25	540	4.2	15.97
66x44.00-25	552	4.3	16.32
26 INCH RIMS			
12.40-26	160	1.3	4.73
13.60-26	176	1.4	5.2
14.90-26	196	1.5	5.8
420/85-26	216	1.7	6.39
16.90-26	220	1.7	6.51
18.00-26	236	1.8	6.98
18.40-26	240	1.9	7.1
480/80-26	248	1.9	7.33



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
26 INCH RIMS CONTINUED			
580/70-26	296	2.3	8.75
23.10-26	300	2.3	8.87
23.50-26	308	2.4	9.11
24.00-26	312	2.4	9.23
620/75-26	316	2.5	9.35
28.00-26	364	2.8	10.76
750/55-26	384	3	11.36
54x31.00-26	404	3.2	11.95
57x31.00-26	404	3.2	11.95
67x34.00-26	444	3.5	13.13
66x43.00-26		0	0
28 INCH RIMS			
11.20-28	156	1.2	4.61
11.25-28	160	1.3	4.73
11.90-28	168	1.3	4.97
12.4-28	176	1.4	5.2
13.60-28	192	1.5	5.68
360/70-28	200	1.6	5.91
14.90-28	208	1.6	6.15
380/85-28	208	1.6	6.15
15.00-28	212	1.7	6.27
420/70-28	232	1.8	6.86
420/85-28	232	1.8	6.86
16.90-28	236	1.8	6.98
17.00-28	240	1.9	7.1
440/80-28	244	1.9	7.22
18.40-28	260	2	7.69
480/65-28	264	2.1	7.81
289/70-28	264	2.1	7.81
21.00-28	296	2.3	8.75
540/65-28	300	2.3	8.87
580/70-28	320	2.5	9.46
600/65-28	332	2.6	9.82
29 INCH RIMS			
21.00-29	304	2.4	8.99



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
29 INCH RIMS CONTINUED			
24.00-29	348	2.7	10.29
26.50-29	384	3	11.36
29.50-29	428	3.3	12.66
30.00/65-29	436	3.4	12.89
775/65-29	444	3.5	13.13
800/65-29	456	3.6	13.49
33.25-29	484	3.8	14.31
875/65-29	500	3.9	14.79
30 INCH RIMS			
4.00-30	60	0.5	1.77
6.00-30	92	0.7	2.72
7.20-30	108	0.8	3.19
9.5-30	144	1.1	4.26
14.9-30	224	1.8	6.62
380/85-30	224	1.8	6.62
420/90-30	248	1.9	7.33
16.9 - 30	256	2	7.57
17.00-30	256	2	7.57
18.40-30	276	2.2	8.16
480/70-30	284	2.2	8.4
480/80-30	284	2.2	8.4
480/85-30	284	2.2	8.4
21.00-30	316	2.5	9.35
540/65-30	320	2.5	9.46
520/70-30	344	2.7	10.17
23.10-30	348	2.7	10.29
600/70-30	356	2.8	10.53
620/75-30	368	2.9	10.88
67x30.00-30	452	3.5	13.37
67x34.00-30	512	4	15.14
32 INCH RIMS			
8.30-32	132	1	3.9
9.50-32	152	1.2	4.5
12.40-32	200	1.6	5.91
16.90-32	272	2.1	8.04



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
32 INCH RIMS CONTINUED			
24.50-32	392	3.1	11.59
650/75-32	408	3.2	12.07
30.00-32	480	3.8	14.2
30.50-32	488	3.8	14.43
800/65-32	504	3.9	14.91
33.50-32	536	4.2	15.85
900/55-32	568	4.4	16.8
900/60-32	568	4.4	16.8
900/65-32	568	4.4	16.8
35.50-32	568	4.4	16.8
73x44.00-32	704	5.5	20.82
68x50.00-32	800	6.3	23.66
33 INCH RIMS			
18.00-33	296	2.3	8.75
27.00-33	448	3.5	13.25
30.00-33	496	3.9	14.67
33.50-33	552	4.3	16.32
35/65-33	580	4.5	17.15
37.50-33	620	4.8	18.34
35/65-33	576	4.5	17.03
33.5 INCH RIMS			
13.00-33.5	220	1.7	6.51
34 INCH RIMS			
11.20-34	192	1.5	5.68
290/95-34	196	1.5	5.8
12.40-34	212	1.7	6.27
320/85-34	216	1.7	6.39
14.90-34	252	2	7.45
380/85-34	256	2	7.57
385/85-34	260	2	7.69
420/70-34	280	2.2	8.28
16.90-34	288	2.3	8.52
18.40-34	312	2.4	9.23
18.50-34	316	2.5	9.35
480/70-34	320	2.5	9.46



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
34 INCH RIMS CONTINUED			
480/85-34	320	2.5	9.46
20.80-34	356	2.8	10.53
540/65-34	360	2.8	10.65
540/75-34	360	2.8	10.65
23.10-34	436	3.4	12.89
650/75-34	436	3.4	12.89
710/75-34	476	3.7	14.08
35 INCH RIMS			
21.00-35	368	2.9	10.88
24.00-35	420	3.3	12.42
29.50-35	516	4	15.26
33.25-35	584	4.6	17.27
37.25-35	652	5.1	19.28
36 INCH RIMS			
9.50-36	172	1.3	5.09
11.20-36	204	1.6	6.03
12.40-36	224	1.8	6.62
320/85-36	228	1.8	6.74
13.60-36	244	1.9	7.22
13.90-36	250	2	7.39
14.90-36	272	2.1	8.04
16.9-36	304	2.4	8.99
18.00-36	324	2.5	9.58
38 INCH RIMS			
11.20-38	212	1.7	6.27
12.40-38	236	1.8	6.98
320/85-38	240	1.9	7.1
13.60-38	260	2	7.69
14.90-38	284	2.2	8.4
380/80	284	2.2	8.4
15.50-38	296	2.3	8.75
16.90-38	320	2.5	9.46
18.40-38	352	2.8	10.41
480/80-38	360	2.8	10.65
500/85-38	376	2.9	11.12



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
38 INCH RIMS CONTINUED			
520/85-38	388	3	11.47
20.80-38	396	3.1	11.71
580/70-38	436	3.4	12.89
600/65-38	488	3.8	14.43
650/65-38	488	3.8	14.43
650/75-38	488	3.8	14.43
650/85-38	488	3.8	14.43
710/70-38	532	4.2	15.73
800/70-38	600	4.7	17.74
850/80-38	636	5	18.81
39 INCH RIMS			
33.50-39	652	5.1	19.28
37.50-39	732	5.7	21.65
40.00-39	780	6.1	23.07
40.50/75-39	792	6.2	23.42
41.25/70-39	804	6.3	23.78
43.50-39	848	6.6	25.08
45.00/65-39	880	6.9	26.02
900/50-39	708	5.5	20.94
42 INCH RIMS			
9.50-42	200	1.6	5.91
12.40-42	260	2	7.69
320/80-42	264	2.1	7.81
320/90-42	264	2.1	7.81
18.40-42	388	3	11.47
480/80-42	396	3.1	11.71
500/85-42	412	3.2	12.18
520/85-42	432	3.4	12.78
20.80-42	436	3.4	12.89
620/70-45	512	4	15.14
650/65-42	536	4.2	15.85
710/71-42	488	3.8	14.43
900/50-42	744	5.8	22
43 INCH RIMS			
24.00-43	516	4	15.26



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
45 INCH RIMS			
45.00/65-45	1012	7.9	29.93
65.00/45-45	1464	11.4	43.3
46 INCH RIMS			
12.4-46	284	2.2	8.4
320/90-46	292	2.3	8.64
340/85-46	308	2.4	9.11
13.60-46	312	2.4	9.23
14.9-46	344	2.7	10.17
380/85-46	344	2.7	10.17
420/80-46	380	3	11.24
18.40-46	424	3.3	12.54
480/80-46	436	3.4	12.89
500/85-46	452	3.5	13.37
520/85-46	472	3.7	13.96
620/70-46	560	4.4	16.56
48 INCH RIMS			
230/95-48	216	1.7	6.39
49 INCH RIMS			
18.00-49	440	3.4	13.01
21.00-49	516	4	15.26
24.00-49	588	4.6	17.39
27.00-49	664	5.2	19.64
50 INCH RIMS			
320/90-50	316	2.5	9.35
380/90-50	376	2.9	11.12
380/105-50	376	2.9	11.12
480/80-50	472	3.7	13.96
51 INCH RIMS			
30.00-51	764	6	22.59
33.00-51	844	6.6	24.96
36.00-51	920	7.2	27.21
37.50-51	956	7.5	28.27
50.00/65-51	1276	10	37.74
54 INCH RIMS			
12.40-54	336	2.6	9.94



RECOMMENDED QUANTITY CHART

TIRE SIZE	OFF ROAD (OUNCE)	OFF ROAD (GALLON)	OFF ROAD (LITER)
54 INCH RIMS CONTINUED			
320/90-54	340	2.7	10.05
320/105-54	340	2.7	10.05
380/90-54	404	3.2	11.95
56.5 INCH RIMS			
27.00-56.5	764	6	22.59
30.00-56.5	848	6.6	25.08
57 INCH RIMS			
37.00-57	1056	8.3	31.23
40.00-57	1140	8.9	33.71
44.00/80-57	1256	9.8	37.14
44.00/95-57	1256	9.8	37.14
49.50-57	1412	11	41.76
50.00/80-57	1424	11.1	42.11
50.00/90-57	1424	11.1	42.11
55.00/80-57	1568	12.3	46.37
63 INCH RIMS			
53.00/63-63	1672	13.1	49.45
55.00/80-63	1732	13.5	51.22
58.00/80-63	1828	14.3	54.06

Not to be used to seal major tire injuries. PSF Plus® must be applied in the proper quantities to provide maximum protection for sealing and rim rust control.

**PSF PLUS® IS NOT INTENDED TO REPLACE
PROPER REPAIRING OF DAMAGED TIRES**

Authorized Distributor



Phone: 503-990-3637
BillsAg@wvi.com
BillsAg.com

