

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Ting & Ting Carryout	Facility Type Food Service Establishment
Licensee Name Ting & Ting Carryout LLC	Facility Telephone # 304
Facility Address 301 W. King St Martinsburg, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 10/17/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Hot Hold	38
Whirlpool	
Big Hot Hold	
Steam Table	
Employee Refrigerator	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket3-BaySink	ChemicalChemical		100	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

ObservedNon-CriticalViolations
Total # 4
Repeated # 0
4-501.116 - WAREWASHING EQUIPMENT, DETERMINING CHEMICAL SANITIZER CONCENTRATION
OBSERVATION: (CORRECTED DURING INSPECTION): Need Quat test strips for 3-Bay sink
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
OBSERVATION: Wallpaper in bathroom needs repaired
6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION
OBSERVATION: Old equipment in alley needs removed.
6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION
OBSERVATION: Grill hood vents need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

Tony Powell

Sanitarian

Keith Allison