

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name LUST	Facility Type Food Service Establishment	
Licensee Name Lynn Perkins	Facility Telephone # 304 261-6972	
Facility Address 1110-A Hedgesville Rd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 06/17/2019	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
2 door kitchen cooler	39
Sandwich cooler	41
Water cooler	40
Wine cooler	41
Beer cooler	38
Hot cheese machine	136
Soda cooler	40
True cooler	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkbar3bays inkkitchen	chemchem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 1</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: 2 door true cooler shelf needs cleaned</p>

Observed Non-Critical Violations

Total # 3

Repeated # 1

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Old unused soda guns needs cleaned inside

6-501.111 - CONTROLLING PESTS

OBSERVATION: Mouse feces found on shelf above the microwave

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: Walls in drystock needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge

On file

Sanitarian

Glenn GCO Ondick