

# West Virginia Department of Health & Human Resources Berkeley County Health Department



## FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>	
Facility Name Bedington Elementary School	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 274-2535
Facility Address 149 Bedington Rd Martinsburg, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date April 26, 2019	Total Time Spent 1.50

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Milk Cooler-kitchen	39
Walk-In	36
Hot Cabinet	146


<b>Warewashing Info</b>						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	
Bucket	Chemical					
Dish	chemical		300	Quat		
Machine	chemical			Heat		
3		160				
bay			300			
sink				Quat		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
Total # 0
Repeated # 0

<b>Observed Non-Critical Violations</b>
Total # 0
Repeated # 0

<b>Inspection Outcome</b>



**Comments**

Disclaimer

Person in Charge

  
**Donna Malatt**

Sanitarian

  
**Keith Allison**