

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Bunker Hill Order of the Orioles	Facility Type Food Service Establishment	
Licensee Name Bunker Hill Order of the Orioles	Facility Telephone # 304 229-8839	
Facility Address 12715 Winchester Ave Bunker Hill , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 12/11/2017	Total Time Spent 0.50

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Roper	
Pepsi	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
Total # 0
Repeated # 8

Observed Non-Critical Violations

Total # 8

Repeated # 8

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Holes in men's and women's cabinets need repaired (possible rodent/insect harborage)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Electrical covers on wall behind bar need repaired/replaced (missing).

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Light cover in women's bathroom needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Floor throughout establishment needs repaired/replaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Ceiling in gameroom needs repaired (collapsing)

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

REPEAT OBSERVATION Trash/construction debris on outside of business needs removed

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Ceiling vent in Men's bathroom needs cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Walls behind game machines need cleaned.

Inspection Outcome

Comments

Given re-inspection fee. Have owner of business call inspector (304) 267-7130. Press 2 for environmental and ask for Keith. Pest Control still has not been faxed to office. 304-263-8274. Another re-inspection will occur within 10-14 days. If pest control is not provided establishment may be closed for non-compliance of FDA Food Code.

Disclaimer


A re-inspection to assess your correction of these violations will be conducted on, or about, 12/21/2017

Person in Charge

Sanitarian



Lynne Heffner



Keith Allison

