

**FOOD ESTABLISHMENT INSPECTION REPORT**

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 5  
CORE: 8

PRIORITY FOUNDATION: 1  
TOTAL: 14

ESTABLISHMENT: Dunkin Donuts/Baskin Robbins Foxcroft PERMIT NO.: \_\_\_\_\_ DATE: 2/25/2020  
 ADDRESS: 980 Foxcroft Ave CITY: Martinsburg STATE: WV ZIP: 25401  
 PERSON IN CHARGE/TITLE: Allie Johnson TELEPHONE: \_\_\_\_\_  
 RECEIVED BY (SIGNATURE): Allie Johnson SANITARIAN (SIGNATURE): Scott Allison RS  
 INSPECTION TYPE: ROUTINE  FOLLOW-UP  COMPLAINT  OTHER:  TIME: 10:05 am

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
✓	✓		7-201.11	Chemicals stored in handsink.
			6-301.13	Handsink should be used for handwashing only.
✓	✓		4-602.11	Can Opener blade needs cleaned
✓	✓		4-602.11	Mixer needs cleaned.
			6-501.12	Ceiling Vents in Establishment need cleaned
✓			4-602.13	Inside of Global freezer needs cleaned.
	✓		4-602.11	Inside of Ice Machine needs cleaned (mold)
			4-501.11	Gaskets on Refrigerator 1 + 3 need replaced (foam)
			6-501.12	Walls behind equipment/under counters need cleaned.
	✓		4-502.12	Cutting boards at breakfast station need replaced. (mold)
			4-501.11	Coca-Cola Gasket by Drive Thru window needs replaced
			4-501.11	Walk-In Freezer needs defrosted.
			3-501.17 <sup>PF</sup>	Undated Things in Walk-In refrigerator.
			6-501.12	Ceiling Vents in bathrooms need cleaned.
				* Suggest using check off sheet for daily/hourly chores.*

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
3-Bay	400ppm.	Breakfast 1	41°	Turbo Air	39°		
Bucket	300ppm.	Sausage	136°	Coca-Cola Lobby	36°		
Refrigerator 3	41°	Egg	136°				
Refrigerator - 1	40°	Breakfast 2	38°				