



PARIS TEXAS  
HARDWARE

2014

Retail Price List and  
Product Information Guide

## Contents

### General Information

Production Time  
Returns  
Shipping  
Materials  
Dimension Key  
Finishes  
PTH Perfect Match™

|                              |    |
|------------------------------|----|
| Portfolio .....              | 1  |
| Portfolio 1" .....           | 1  |
| 1" Hand Drawn Traverse ..... | 11 |
| Portfolio 1¼" .....          | 14 |
| Portfolio 1⅜" .....          | 21 |
| Portfolio 2 .....            | 25 |
| Portfolio 2¼" .....          | 28 |
| Portfolio Holdbacks .....    | 32 |

|                                      |    |
|--------------------------------------|----|
| Corded and Motorized Traverse .....  | 35 |
| Corded Traverse .....                | 36 |
| EasyPull™ Heavy-Duty System .....    | 36 |
| EasyPull™ Light-Duty System .....    | 40 |
| Heavy-Duty Ball Bearing System ..... | 44 |
| Motorized Traverse .....             | 48 |
| BTX DC Motorized System              |    |
| Somfy Glydea™ Motorized System       |    |

|  |    |
|--|----|
| Quick Ship .....   | 57 |
| Quick Ship Metal 1" .....                                | 57 |
| 1" Hand Drawn Traverse System .....                      | 62 |
| Quick Ship Luxe Line Hand Drawn<br>Traverse System ..... | 65 |
| Quick Ship Wood and Resin 1⅜" .....                      | 68 |
| Quick Ship Wood and Resin 2¼" .....                      | 72 |

### Order Forms

# General Information

## Production Time

Purchase orders are processed once they are received by Paris Texas Hardware. Incomplete information will delay processing and shipping. Quick Ship collections are in stock and ship within 24 hours. Quick Ship orders received before noon CST ship the same day. Portfolio custom collection is hand finished and ships within 10-15 business days.

## Corded and Motorized Traverse Systems

Traverse systems are available for Portfolio and Quick Ship Wood and Resin 2 ¼". Production time for traverse system orders is 10-15 business days.

## Pricing and Terms

Pricing found in the Paris Texas Hardware Price List are our Suggested Retail Prices. Prices are subject to change without notice. Prices are quoted exclusive of Freight and Packaging. The Buyer should always inspect the product upon receipt.

IMPORTANT: Please note that your order will be placed with an authorized Paris Texas Hardware Distributor. While most of the following will generally apply, your distributor may have terms and conditions of the sale that will vary from what is stated here.

## Returns, Changes, and Cancellations

All Portfolio and PTH Perfect Match™ products are custom painted and may not be returned. Orders may not be changed or cancelled once production has begun.

Quick Ship items may be returned if poles are uncut and all products are received in sellable condition. A restocking fee of 40% will apply and the customer will prepay freight. All returns must be authorized by the Paris Texas Hardware customer service department, and are authorized at our discretion, given the circumstances and nature of each order. A Return Authorization Number (RA#) must be issued by customer service, and the RA# must be noted on all return packages. Return Credit is issued on returned goods that are inspected and deemed undamaged. Customers should exercise care to adequately package return goods. Return Credit will not be issued for unauthorized returns or damaged returns.

## Shipping

All orders are shipped FOB Dallas, Texas. Standard size orders ship using normal guidelines via UPS or FedEx ground. Average transit time is three to seven business days. Three Day Select, Second-Day or Next-Day Air services may be requested. Poles over 100" MUST be shipped by common carrier and incur a net freight fee of \$110. Shipments exceeding these limits will require a special freight quote. Additional charges incurred such as residential delivery fees, incorrect address and beyond destination fees may be invoiced separately. Expedited shipments are not available in all areas. Any additional charges for expedited shipments will be in addition to the net \$110 freight fee.

The following orders are subject to actual freight costs:

- shipments going to Alaska, Hawaii, Idaho, Montana, Puerto Rico or any International destinations
- orders with poles or tracks exceeding 16'
- orders that exceed a SRP of \$2,500

## Packaging Fees (Net Fees):

A net packaging fee of \$10 per order will apply to any order that has a pole. The net packaging fee increases to \$25 for all orders with mitered fascia returns, motorized track, or poles and corded traverse track 16 feet or longer.

## Damaged Goods and Freight Claims

Immediately upon receipt, your order should be inspected to ensure that there is no concealed damage from shipping. To report a claim, contact your Paris Texas Hardware distributor. Damage and freight claims must be made within 15 days of receipt of goods. Claims reported after 15 days will not be accepted. To expedite the claim process, please provide your distributor with the following information: purchase order number, Paris Texas Hardware order number, shipping phone number and address, and a complete list of damaged items. Freight companies require all packaging materials and damaged items to be kept for inspection. Merchandise damaged in shipping will be replaced. Our policy is that we replace damaged product per the original order.

Please note on the Bill of Lading If there is any possibility of concealed damage.

## Installation

We recommend using a professional installer. Installation hardware is included. The fasteners (screws and molliés) may not be appropriate for every installation or wall material. Brackets and holdbacks should be installed securely into wall studs when possible. Paris Texas Hardware will not assume responsibility for damages incurred by improperly mounted or inadequately supported hardware.

## Materials

Some finials, brackets, holdbacks, and rings are made of resin composite materials. Resin may be damaged by cutting, drilling, or attempting to alter the size or shape of products. Some items are made of cast aluminum or stamped steel. Wood poles and wood rings are made of various hardwoods. Metal poles and metal rings are made of steel.

## Poles

Poles may be spliced together using a dowel splicing screw, which is included with each pole. We recommend a center support bracket for pole lengths in excess of four feet. We cannot guarantee against sagging caused by unsupported spans greater than our recommended four feet.

## Finials and Holdbacks

**All finials and holdbacks are sold as pairs.** Most resin finial bases have a 1/8" recess for a clean pole fit. Resin finials are fitted with a dowel screw that may not be removed without damaging the finial.

## Brackets

**Brackets are sold individually.** Depending on the style of the bracket, there are three wall mounting styles: key lock, round mounting plate, or front drill. Some heavier treatments may require stronger fasteners (molliés and screws) than those included with the brackets. Brackets should be installed securely into wall studs. We recommend support brackets every 3-4 feet.


## General Information

### Rings


**Rings are sold individually.** Eyelets are not detachable from resin rings. Excessive movement of rings on the top of the pole will naturally abrade the finish. We discourage using heavy treatments with the 1" resin rings. We recommend three to four rings per foot of finished pole length, or six to seven rings per width of fabric.

## Dimension Key

### Finials





### Holdbacks



### Rings

### Poles




### Elbows



### Wall Mount Brackets

### Ceiling Mount Brackets

### Inside Mount Brackets



## General Information

| PORTFOLIO FINISHES          |                        |
|-----------------------------|------------------------|
| AM                          | Amulet                 |
| AND                         | Andiron                |
| AG                          | Antique Gold           |
| AGL                         | Antique Gold Leaf      |
| AB                          | Art Bronze             |
| BW                          | Barnwood               |
| BL                          | Black                  |
| CIN                         | Cinnamon               |
| DC                          | Dark Chocolate         |
| ET                          | Eternal                |
| FL                          | Firelight              |
| GR                          | Goldenrod              |
| GOS                         | Gossamer               |
| HA                          | Halo                   |
| JA                          | Java                   |
| LIN                         | Linen                  |
| MK                          | Mink                   |
| ML                          | Moonlight              |
| MYS                         | Mystic                 |
| NAB                         | New Age Bronze         |
| PAR                         | Parchment              |
| SH                          | Shimmer                |
| SM                          | Silver Maple           |
| SPW                         | Spicewood              |
| SPG                         | Spun Gold              |
| ST                          | Starlet                |
| TIM                         | Timber                 |
| TTM                         | Titanium               |
| URB                         | Urban Bronze           |
| WH                          | White                  |
| PTH PERFECT MATCH™ FINISHES |                        |
| PPMEF                       | Eggshell Sheen Level   |
| PPMHGF                      | High-Gloss Sheen Level |
| PPMGLITTER                  | Glitter Highlights     |
| PPMGOLD                     | Gold Highlights        |
| PPMROSEGOLD                 | Rose Gold Highlights   |
| PPMSILVER                   | Silver Highlights      |
| QUICK SHIP FINISHES         |                        |
| 1" METAL                    |                        |
| QSAB                        | Antique Brass          |
| QSBN                        | Brushed Nickel         |
| QSMID                       | Midnight               |
| QSORB                       | Oil Rubbed Bronze      |
| QSRG                        | Rose Gold              |
| LUXE LINE                   |                        |
| QSLXAB                      | Antique Brass          |
| QSLXBN                      | Brushed Nickel         |
| QSLXBK                      | Black                  |
| WOOD AND RESIN 1½" and 2¼"  |                        |
| QSAB                        | Antique Brass          |
| QSORB                       | Oil Rubbed Bronze      |
| QSPL                        | Platinum               |
| QSRG                        | Rose Gold              |
| QSWAL                       | Walnut                 |

### Finishes

Finishes with antiquing, dusting, or glazing will vary from product to product depending on the level of detail. Areas with deeper recesses will appear darker than smooth areas.

For the best possible finish match, refer to the 2014 Paris Texas Hardware Finish Chips. These chips have smooth, fluted, and carved detailed areas, enabling you to see the beautiful shadings and highlights that make our finishes so special.

### Portfolio

**Portfolio Strike-offs:** For a fee of \$50 (net) per finish / strike-off, Paris Texas Hardware will provide a sample of your Portfolio finish on any 6" wood or metal pole as requested. Customer approval of the strike-off sample is required before production will begin.

**Portfolio Touch up paint:** For a fee of \$20 per vial, touch-up paint can be sent to the customer on request.

### PTH Perfect Match™

On your purchase order, specify the following:

- Benjamin Moore® color name and number
- sheen level: high-gloss or eggshell
- highlight color, if desired (silver, gold, rose gold, or glitter)

Each color specified (every time we purchase paint) will be subject to a separate minimum. If you have different colors for different rooms of hardware, please put them on separate purchase orders. Purchase includes 1 oz of touch-up paint. If there is enough of your Benjamin Moore® paint leftover, we'll keep it for 30 days. After 30 days, we'll dispose of it using an environmentally responsible paint service.

### Single Color - No Highlight:

10% upcharge or \$100 minimum (net)

**Strike-off available:** For a fee of \$50 (net) per color, a sample of your Benjamin Moore® paint will be provided on a PTH sample chip. When you place your order, we will credit \$25 of this fee toward your order with that paint color.

### Single Color - With Highlight:







15% upcharge or \$150 minimum (net)




**Strike-off available:** For a fee of \$60 (net) per color with highlight, a sample of your Benjamin Moore® paint with highlight will be provided on a PTH sample chip. When you place your order, we will credit \$30 of this fee toward your order with that paint color.

Order must be received within 30 days or strike-off paint will be disposed and no credit will be Issued. In lieu of purchasing strike-offs, we encourage you to use your Benjamin Moore® paint deck for color reference.



**1" Modern Metal Finials** fit the 1" metal pole, but DO NOT fit the 1" Hand Drawn Traverse System.

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| PO100COFI<br>Cole   | PO100ELAFI<br>Ella  | PO100EMFI<br>Elm  | PO100EMFIGL<br>Elm - Smoke Glass  | PO100KNFI<br>Knox - Crystal   | PO100LXFI<br>Lex  |
| 3¼" (8.3 cm) W<br>1½" (3.8 cm) DIA  | 1½" (3.8 cm) W<br>1⅝" (4.1 cm) DIA  | 1⅞" (2.9 cm) W<br>2" (5.1 cm) DIA   | 1⅞" (2.9 cm) W<br>2" (5.1 cm) DIA   | 1¼" (3.2 cm) W<br>2¼" (5.7 cm) DIA  | 1¾" (4.4 cm) W<br>2" (5.1 cm) DIA   |
| \$85.00 pair*   | \$65.00 pair*   | \$65.00 pair*   | \$95.00 pair*   | \$125.00 pair*  | \$55.00 pair*   |

|   |   |  |
|---|---|--|
|  |  |  |
| PO100LUEC<br>Luna End Cap   | PO100NOFI<br>Nora   | PO100NOFIGL<br>Nora - Mercury Glass  |
| ¾" (1.9 cm) W<br>1¼" (3.2 cm) DIA   | 2" (5.1 cm) W<br>2¼" (5.7 cm) DIA   | 2⅞" (5.4 cm) W<br>2¾" (6.0 cm) DIA   |
| \$35.00 pair*   | \$95.00 pair*   | \$125.00 pair*   |

*Luna End Cap covers ⅝" (1.6 cm) of end of pole; finished pole length may need to be increased accordingly.*

**1" Modern Metal Finial Accessories:**

|   |   |
|---|---|
|    |    |
| PO100BRBAND<br>1" Braided Band  | PO100CRMEBAND<br>1" Crystal Band  |
| ⅝" (1.6 cm) W<br>1⅞" (2.7 cm) ID<br>1⅞" (4.1 cm) OD   | ⅝" (1.6 cm) W<br>1⅞" (2.7 cm) ID<br>1⅞" (4.1 cm) OD   |
| <ul style="list-style-type: none"> <li>resin; available in any Portfolio Finish</li> <li>not recommended for 1" Hand Drawn Traverse System</li> </ul> | <ul style="list-style-type: none"> <li>metal; available only in dark metal with inlaid crystals</li> <li>not recommended for 1" Hand Drawn Traverse System</li> </ul> |
| \$35.00 ea  | \$30.00 ea  |

- 1" Bands cover ⅝" of pole
- only for use with 1" pole

Install 1" Bands anywhere along the length of your pole... spread them out or stack them side by side for a dramatic effect.

**These 1" Bands can be used on a 1" pole in 2 ways:**

- against the base of a 1" finial for a touch of glamour
- anywhere on the 1" pole for additional decoration

**How To Add Your Band:**

Before installing your 1" Modern Metal Finials, simply slide each Band into position on your 1" pole.












Install finials. Secure each Band by tightening set screw.

*\*Sold in pairs only.*

1" Transitional Metal Finials fit the 1" metal pole and the 1" Hand Drawn Traverse System.

Note: Each Transitional Metal Finial covers 5⁄8" (1.6 cm) of pole or track; finished pole length may need to be increased accordingly.

|  |   |   |   |   |   |
|--|---|---|---|---|---|
|  |  |  |  |  |  |
| PO100COFICU  | PO100ELAFICU  | PO100EMFICU   | PO100EMFIGLCU   | PO100KNFICU   | PO100LXFICU   |
| Cole with 1" Cuff  | Ella with 1" Cuff   | Elm with 1" Cuff  | Elm - Smoke Glass with 1" Cuff  | Knox - Crystal with 1" Cuff   | Lex with 1" Cuff  |
| 4" (10.2 cm) W<br>1½" (3.8 cm) DIA   | 2¼" (5.7 cm) W<br>1⅝" (4.1 cm) DIA  | 1⅞" (4.8 cm) W<br>2" (5.1 cm) DIA   | 1⅞" (4.8 cm) W<br>2" (5.1 cm) DIA   | 2" (5.1 cm) W<br>2¼" (5.7 cm) DIA   | 2½" (6.4 cm) W<br>2" (5.1 cm) DIA   |
| \$110.00 pair*   | \$90.00 pair*   | \$90.00 pair*   | \$120.00 pair*  | \$150.00 pair*  | \$80.00 pair*   |

|   |   |   |
|---|---|---|
|  |  |  |
| PO100LUEC   | PO100NOFICU   | PO100NOFIGLCU   |
| Luna End Cap  | Nora with 1" Cuff   | Nora - Mercury Glass with 1" Cuff   |
| ¾" (1.9 cm) W<br>1¼" (3.2 cm) DIA   | 2¾" (7.0 cm) W<br>2¼" (5.7 cm) DIA  | 2⅞" (7.3 cm) W<br>2⅜" (6.0 cm) DIA  |
| \$35.00 pair*   | \$120.00 pair*  | \$150.00 pair*  |

1" Transitional Metal Finial Accessory:



POTRADCO

Traditional Collar


5⁄8" (1.6 cm) W  
1⅞" (2.9 cm) DIA

- metal; available in any Portfolio finish
- must be used with the 1" Cuff
- installs between the Finial and 1" Cuff
- Adding Traditional Collar increases width of finial by 5⁄8" (1.6cm)


\$30.00 pair\*

Add this turned element to your finial for a Traditional look.  
(Finial maintains compatibility with the 1" Hand Drawn Traverse System.)

How To Make It Traditional:



Unscrew the Transitional Finial from its Cuff.














Screw Finial into the Traditional Collar.  
Screw Traditional Collar into the Cuff.

- Brushed Nickel Collar may be found on page 58.

\*Sold in pairs only.







**1" Textured Metal Finials** fit the 1" pole, but DO NOT fit the 1" hand drawn traverse system.

Note: 1" Cuff can be purchased separately and attached to any 1" Textured Metal Finial to make it compatible with the 1" Hand Drawn Traverse System.

|  |   |  |   |  |  |
|--|---|--|---|--|--|
|  <p>PO100ACFI<br/>Achilles</p> <p>4¼" (10.8 cm) W<br/>1¾" (4.4 cm) DIA</p> <p>\$95.00 pair*</p>     |  <p>PO100CSFI<br/>Cassia</p> <p>4½" (11.4 cm) W<br/>2⅝" (6.0 cm) DIA</p> <p>\$95.00 pair*</p>  |  <p>PO100DMFI<br/>Demetrius</p> <p>3" (7.6 cm) W<br/>2⅝" (6.0 cm) DIA</p> <p>\$95.00 pair*</p>                      |  <p>PO100GPFI<br/>Grapefern</p> <p>5" (12.7 cm) W<br/>3¾" (9.5 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO100HEFI<br/>Hector</p> <p>5⅞" (14.9 cm) W<br/>5⅝" (13.7 cm) H<br/>1½" (3.8 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO100LRFI<br/>Larkspur</p> <p>6⅜" (16.2 cm) W<br/>5⅝" (13.0 cm) H<br/>1½" (3.8 cm) DIA</p> <p>\$85.00 pair*</p> |
|  <p>PO100MREC<br/>Marcus End Cap</p> <p>½" (1.3 cm) W<br/>1½" (3.8 cm) DIA</p> <p>\$35.00 pair*</p> |  <p>PO100NEFI<br/>Nerissa</p> <p>4½" (11.4 cm) W<br/>3¼" (8.3 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO100PAFI<br/>Patience</p> <p>5⅞" (14.3 cm) W<br/>5⅝" (14.3 cm) H<br/>1½" (3.8 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO100STFI<br/>Strato</p> <p>3⅞" (7.9 cm) W<br/>3⅞" (7.9 cm) DIA</p> <p>\$125.00 pair*</p>   |  <p>PO100TBFI<br/>Tybalt</p> <p>1⅞" (4.8 cm) W<br/>1⅝" (4.1 cm) DIA</p> <p>\$55.00 pair*</p>                      |  |




**1" Glamour Resin Finials** fit the 1" pole, but DO NOT fit the 1" Hand Drawn Traverse System.

Note: 1" Cuff can be purchased separately and attached to any 1" Glamour Finial to make it compatible with the 1" Hand Drawn Traverse System. Once the 1" Cuff has been added to the 1" Glamour Finials, the Traditional Collar can also be purchased separately to give a more refined look. (Traditional Collar MUST be used in conjunction with the 1" Cuff.)




|  |   |   |  |   |   |
|--|---|---|--|---|---|
|  <p>PO100ASFI<br/>Astor</p> <p>1⅞" (3.5 cm) W<br/>2⅝" (6.0 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO100CHFI<br/>Chaplin</p> <p>1¾" (4.4 cm) W<br/>2" (5.1 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO100CLRFI<br/>Clara</p> <p>2¼" (5.7 cm) W<br/>2⅝" (6.7 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO100FBFI<br/>Fairbanks</p> <p>3⅞" (7.9 cm) W<br/>2" (5.1 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO100PIFI<br/>Pickford</p> <p>2¼" (5.7 cm) W<br/>1⅞" (4.8 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO100TUFI<br/>Turner</p> <p>2¼" (5.7 cm) W<br/>2¾" (7.0 cm) DIA</p> <p>\$65.00 pair*</p> |
|--|---|---|--|---|---|

\*Sold in pairs only.




**1" Pearl Jewel Resin Finials** are available in 3 Pearl colors: cream, grey, and white.  
Base available in any Portfolio finish. 1" Pearl Jewel Finials fit the 1" pole, but DO NOT fit the 1" Hand Drawn Traverse System.

|   |   |   |  |
|---|---|---|--|
|  |  |  | <p><b>Must specify</b> a Portfolio finish for the base of this finial.</p> <p><b>Note:</b> Remember that the Finial Base covers <math>\frac{1}{4}</math>" (0.6 cm) of the pole. Finished pole length may need to be increased accordingly.</p> |
| PO100PEJWFI-CR<br>Cream Pearl Jewel   | PO100PEJWFI-GY<br>Grey Pearl Jewel  | PO100PEJWFI-WH<br>White Pearl Jewel   |  |
| RESIN<br>2 $\frac{1}{4}$ " (5.7 cm) W<br>2 $\frac{3}{8}$ " (6.0 cm) DIA           | RESIN<br>2 $\frac{1}{4}$ " (5.7 cm) W<br>2 $\frac{3}{8}$ " (6.0 cm) DIA           | RESIN<br>2 $\frac{1}{4}$ " (5.7 cm) W<br>2 $\frac{3}{8}$ " (6.0 cm) DIA           |  |
| \$65.00 pair*   | \$65.00 pair*   | \$65.00 pair*   |  |

**1" Transitional Pearl Resin Finials** are available in 3 Pearl colors: cream, grey, and white.  
Cuff available in any Portfolio finish. 1" Transitional Pearl Finials fit the 1" pole and the 1" Hand Drawn Traverse System.

|   |   |   |  |
|---|---|---|--|
|  |  |  | <p><b>This finial fits both</b> 1" pole and 1" Hand Drawn Traverse track. <b>Must specify</b> a Portfolio finish for the Cuff on this finial.</p> <p><b>Note:</b> Remember that the 1" Cuff covers <math>\frac{5}{8}</math>" (1.6 cm) of the pole or track. Finished pole length may need to be increased accordingly.</p> <ul style="list-style-type: none"><li>Brushed Nickel 1" Cuff may be found on page 59.</li></ul> |
| PO100PEFICU-CR<br>Cream Pearl with 1" Cuff  | PO100PEFICU-GY<br>Grey Pearl with 1" Cuff   | PO100PEFICU-WH<br>White Pearl with 1" Cuff  |  |
| RESIN AND METAL<br>2 $\frac{1}{4}$ " (5.7 cm) W<br>1 $\frac{5}{8}$ " (4.1 cm) DIA | RESIN AND METAL<br>2 $\frac{1}{4}$ " (5.7 cm) W<br>1 $\frac{5}{8}$ " (4.1 cm) DIA | RESIN AND METAL<br>2 $\frac{1}{4}$ " (5.7 cm) W<br>1 $\frac{5}{8}$ " (4.1 cm) DIA |  |
| \$55.00 pair*   | \$55.00 pair*   | \$55.00 pair*   |  |

**1" Modern Pearl Resin Finials** are available in 3 Pearl colors: cream, grey, and white.  
1" Modern Pearl Finials fit the 1" metal pole, but DO NOT fit the 1" Hand Drawn Traverse System.

|   |   |   |   |
|---|---|---|---|
|  |  |  | <p><b>Note:</b> Modern Pearl finial looks great when paired with a 1" Braided Band or 1" Crystal Band; must be purchased separately. See 1" Finial Accessories for details.</p> |
| PO100PEFI-CR<br>Cream Pearl   | PO100PEFI-GY<br>Grey Pearl  | PO100PEFI-WH<br>White Pearl   |   |
| RESIN<br>1 $\frac{1}{2}$ " (3.8 cm) W<br>1 $\frac{5}{8}$ " (4.1 cm) DIA             | RESIN<br>1 $\frac{1}{2}$ " (3.8 cm) W<br>1 $\frac{5}{8}$ " (4.1 cm) DIA             | RESIN<br>1 $\frac{1}{2}$ " (3.8 cm) W<br>1 $\frac{5}{8}$ " (4.1 cm) DIA             |   |
| \$35.00 pair*   | \$35.00 pair*   | \$35.00 pair*   |   |





\*Sold in pairs only.





\*Sold in pairs only.



**1" California Resin Finials** fit the 1" pole, but DO NOT fit the 1" Hand Drawn Traverse System.

Note: 1" Cuff can be purchased separately and attached to any 1" California Finial to make it compatible with the 1" Hand Drawn Traverse System.

|   |   |   |  |
|---|---|---|--|
|  |  |  |  |
| PO100BEFI   | PO100MEFI   | PO100ROFI   | PO100WIFI  |
| Beverly   | Melrose   | Rodeo   | Wilshire   |
| 3½" (8.9 cm) W<br>2" (5.1 cm) DIA   | 2⅝" (6.0 cm) W<br>2¼" (5.7 cm) DIA  | 1¾" (4.4 cm) W<br>2" (5.1 cm) DIA   | 2⅝" (6.0 cm) W<br>2⅝" (6.0 cm) DIA   |
| \$55.00 pair*   | \$45.00 pair*   | \$45.00 pair*   | \$45.00 pair*  |

















|   |   |   |   |
|---|---|---|---|
|  |  |  |  |
| PO100LGEC   | PO100NEEC   | PO100SUEC   | PO100VEEC   |
| Laguna End Cap  | Newport End Cap   | Sunset End Cap  | Venice End Cap  |
| ¾" (1.9 cm) W<br>3⅝" (8.6 cm) DIA   | ¾" (1.9 cm) W<br>3¼" (8.3 cm) DIA   | ¾" (1.9 cm) W<br>3½" (8.9 cm) DIA   | ¾" (1.9 cm) W<br>3½" (8.9 cm) DIA   |
| \$45.00 pair*   | \$45.00 pair*   | \$45.00 pair*   | \$45.00 pair*   |

\*Sold in pairs only.

1" California Front-Facing Finial Kits fit both the 1" pole and the 1" Hand Drawn Traverse System.

Note: Each 1" Finial Kit includes: 1 pair California End Caps, 1 pair 1" Holdback Medallion Bands, and 1 pair Luna End Caps.

Note: 1/4" (0.6 cm) between pole and finial when installed.







|  |   |  |  |   |
|--|---|--|--|---|
|  <p>PO100LGKIT<br/>Laguna Finial Kit</p> <p>\$95.00 Kit</p>    | <p><b>Note:</b> 1/4" (0.6 cm) between pole and finial when installed.</p> <p>This front-facing finial extends 3/4" (1.9 cm) beyond the end of the pole, and covers 2 1/2" (6.4 cm) of the end of the pole or track.</p> <p>Functional pole length may need to be increased accordingly.</p> |  <p>Laguna End Cap</p> <p>RESIN</p> <p>3 3/8" (8.6 cm) DIA<br/>3/4" (1.9 cm) THICK</p> <p>pair (included)</p>   |  <p>1" Holdback Medallion Band</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>1 1/16" (2.7 cm) ID x<br/>1 3/16" (3.1 cm) OD</p> <p>pair (included)</p>   |  <p>1" Luna End Cap</p> <p>METAL</p> <p>3/4" (1.9 cm) W<br/>1 1/4" (3.2 cm) DIA</p> <p>pair (included)</p>   |
|  <p>PO100NEKIT<br/>Newport Finial Kit</p> <p>\$95.00 Kit</p>   | <p><b>Note:</b> 1/4" (0.6 cm) between pole and finial when installed.</p> <p>This front-facing finial extends 5/8" (1.6 cm) past the end of the pole and covers 2 5/8" (6.7 cm) of the end of the pole.</p> <p>Functional pole length may need to be increased accordingly.</p>             |  <p>Newport End Cap</p> <p>RESIN</p> <p>3 1/4" (8.3 cm) DIA<br/>3/4" (1.9 cm) THICK</p> <p>pair (included)</p>  |  <p>1" Holdback Medallion Band</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>1 1/16" (2.7 cm) ID x<br/>1 3/16" (3.1 cm) OD</p> <p>pair (included)</p>   |  <p>1" Luna End Cap</p> <p>METAL</p> <p>3/4" (1.9 cm) W<br/>1 1/4" (3.2 cm) DIA</p> <p>pair (included)</p>   |
|  <p>PO100SUKIT<br/>Sunset Finial Kit</p> <p>\$95.00 Kit</p> | <p><b>Note:</b> 1/4" (0.6 cm) between pole and finial when installed.</p> <p>This front-facing finial extends 3/4" (1.9 cm) past the end of the pole and covers 2 3/4" (7.0 cm) of the end of the pole.</p> <p>Functional pole length may need to be increased accordingly.</p>             |  <p>Sunset End Cap</p> <p>RESIN</p> <p>3 1/2" (8.9 cm) DIA<br/>3/4" (1.9 cm) THICK</p> <p>pair (included)</p> |  <p>1" Holdback Medallion Band</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>1 1/16" (2.7 cm) ID x<br/>1 3/16" (3.1 cm) OD</p> <p>pair (included)</p> |  <p>1" Luna End Cap</p> <p>METAL</p> <p>3/4" (1.9 cm) W<br/>1 1/4" (3.2 cm) DIA</p> <p>pair (included)</p> |
|  <p>PO100VEKIT<br/>Venice Finial Kit</p> <p>\$95.00 Kit</p> | <p><b>Note:</b> 1/4" (0.6 cm) between pole and finial when installed.</p> <p>This front-facing finial extends 3/4" (1.9 cm) beyond the end of the pole, and covers 2 3/4" (7.0 cm) of the end of the pole or track.</p> <p>Functional pole length may need to be increased accordingly.</p> |  <p>Venice End Cap</p> <p>RESIN</p> <p>3 1/2" (8.9 cm) DIA<br/>3/4" (1.9 cm) THICK</p> <p>pair (included)</p> |  <p>1" Holdback Medallion Band</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>1 1/16" (2.7 cm) ID x<br/>1 3/16" (3.1 cm) OD</p> <p>pair (included)</p> |  <p>1" Luna End Cap</p> <p>METAL</p> <p>3/4" (1.9 cm) W<br/>1 1/4" (3.2 cm) DIA</p> <p>pair (included)</p> |






\*Sold in pairs only.

**1" Tried & True Resin Finials** fit the 1" pole, but DO NOT fit the 1" Hand Drawn Traverse System.





Note: 1" Cuff can be purchased separately and attached to any 1" Tried & True Resin Finial to make it compatible with the 1" Hand Drawn Traverse System.

|  |   |  |  |  |  |
|--|---|--|--|--|--|
|           |  |           |          |         |         |
| PO100CEEC  | PO100CLFI   | PO100ELFI  | PO100KEFI  | PO100MAFI  | PO100NIFI  |
| Celia End Cap  | Clementine  | Eleri  | Keaton   | Marion   | Nicolette  |
| 1 <sup>1</sup> / <sub>8</sub> " (2.9 cm) W<br>1 <sup>1</sup> / <sub>2</sub> " (3.8 cm) DIA | 2 <sup>3</sup> / <sub>4</sub> " (7.0 cm) W<br>2" (5.1 cm) DIA                     | 3 <sup>1</sup> / <sub>4</sub> " (8.3 cm) W<br>3 <sup>1</sup> / <sub>8</sub> " (7.9 cm) DIA | 2 <sup>3</sup> / <sub>8</sub> " (6.0 cm) W<br>2 <sup>5</sup> / <sub>8</sub> " (6.7 cm) DIA | 2 <sup>1</sup> / <sub>8</sub> " (5.4 cm) W<br>2 <sup>3</sup> / <sub>8</sub> " (6.0 cm) DIA | 3 <sup>3</sup> / <sub>4</sub> " (9.5 cm) W<br>2 <sup>3</sup> / <sub>4</sub> " (7.0 cm) DIA |
| \$35.00 pair*  | \$45.00 pair*   | \$65.00 pair*  | \$45.00 pair*  | \$45.00 pair*  | \$65.00 pair*  |

|  |   |   |  |  |
|--|---|---|--|--|
|           |  |            |  |         |
| PO100ODFI  | PO100PAEC   | PO100SEFI   | PO100VNFI  | PO100VLFI  |
| Odette   | Paige End Cap   | Seraphine   | Verne  | Violet   |
| 2 <sup>3</sup> / <sub>8</sub> " (6.0 cm) W<br>1 <sup>3</sup> / <sub>4</sub> " (4.4 cm) DIA | 1" (2.5 cm) W<br>1 <sup>1</sup> / <sub>2</sub> " (3.8 cm) DIA                     | 4 <sup>1</sup> / <sub>2</sub> " (11.4 cm) W<br>2 <sup>3</sup> / <sub>8</sub> " (6.0 cm) DIA | 1 <sup>7</sup> / <sub>8</sub> " (4.8 cm) W<br>2" (5.1 cm) DIA                      | 3 <sup>5</sup> / <sub>8</sub> " (9.2 cm) W<br>2 <sup>1</sup> / <sub>2</sub> " (6.4 cm) DIA |
| \$45.00 pair*  | \$35.00 pair*   | \$65.00 pair*   | \$45.00 pair*  | \$85.00 pair*  |


\*Sold in pairs only.

1" Finial Accessories

|  |  |   |  |  |
|--|--|---|--|--|
| Verify the compatibility of your chosen Finial and Accessory in the chart below. | Slide these onto your 1" pole for a Glamorous look.<br><br>These 1" Bands can be used on a 1" pole in 2 ways:<br>1. against the base of a 1" finial for a touch of glamour<br>2. anywhere on the 1" pole for additional decoration |   | Add this for a Transitional look or to gain compatibility with the 1" Hand Drawn Traverse System.  | Add this turned element for a Traditional look.  |
|  |   |    |   |   |
|  | PO100BRBAND<br>1" Braided Band<br><br>5/8" (1.6 cm) W<br>1 1/16" (2.7 cm) ID<br>1 5/8" (4.1 cm) OD<br><br>• resin; available in any Portfolio Finish<br>• not recommended for 1" Hand Drawn Traverse System<br><br>\$35.00 ea      | PO100CRMEBAND<br>1" Crystal Band<br><br>5/8" (1.6 cm) W<br>1 1/16" (2.7 cm) ID<br>1 5/8" (4.1 cm) OD<br><br>• metal; available only in dark metal with inlaid crystals<br>• not recommended for 1" Hand Drawn Traverse System<br><br>\$30.00 ea | PO100CUFF<br>1" Cuff<br><br>3/4" (1.9 cm) W<br>1 1/4" (3.2 cm) DIA<br><br>• metal; available in any Portfolio finish<br>• covers 5/8" of the pole; finished pole length may need to be increased accordingly<br><br>\$30.00 pair | POTRADCO<br>Traditional Collar<br><br>5/8" (1.6 cm) W<br>1 1/8" (2.9 cm) DIA<br><br>• metal; available in any Portfolio finish<br>• must be used with the 1" Cuff<br>• installs between the Finial and 1" Cuff<br><br>\$30.00 pair |
|  | 1" Modern Metal Finials  | •   |  |  |
|  | 1" Transitional Metal Finials  |   | (included)   | •  |
|  | 1" Textured Metal Finials  | •   | •  |  |
|  | 1" Glamour Resin Finials   | •   | •  | must use with 1" Cuff, ordered separately  |
|  | 1" Transitional Pearl Resin Finials  |   | (included)   |  |
|  | 1" Modern Pearl Resin Finials  | •   | •  |  |
|  | 1" California Resin Finials  | •   | •  |  |
|  | 1" Tried & True Resin Finials  | •   | •  |  |

TIP: These two items are also available in Quick Ship Brushed Nickel finish. Refer to Quick Ship Metal 1" Price List for more information.

1" Medallion Bands



POROBAND


1" Rosaline Medallion Band

BAND: METAL  
3/4" (1.9 cm) W x  
1 1/16" (2.7 cm) ID x  
1 3/16" (3.1 cm) OD

MEDALLION: METAL  
2 1/8" (5.4 cm) DIA  
7/8" (2.2 cm) D

• covers 3/4" of the pole; finished pole length may need to be increased accordingly

\$50.00 pair\*



POMEBAND

1" Holdback Medallion Band

METAL  
3/4" (1.9 cm) W x  
1 1/16" (2.7 cm) ID x  
1 3/16" (3.1 cm) OD

• covers 3/4" of the pole; finished pole length may need to be increased accordingly

\$30.00 pair\*

**Note:** Attaches any Holdback Medallion to the front of a 1" pole. Holdback Medallion sold separately.

- Common uses for 1" Medallion Bands:
- repeated decorative embellishment along the length of a pole
  - hold gathered rod pocket drapery panel in place
  - ring stop

\*Sold in pairs only.





**1" Rings** fit the 1" pole.






Available in any Portfolio finish.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.

|   |  |  |  |
|---|--|--|--|
|  <p><b>PO100AVRI</b><br/>Ava Ring</p> <p>RESIN<br/>1/4" (0.6 cm) W x<br/>1 5/8" (4.1 cm) H<br/>1 1/4" (3.2 cm) ID x<br/>1 5/8" (4.1 cm) OD<br/>1/2" (1.3 cm) DROP</p> <p>\$6.00 ea</p> |  <p><b>PO100JARI</b><br/>Jacqueline Ring</p> <p>RESIN<br/>3/8" (1.0 cm) W x<br/>1 5/8" (4.1 cm) H<br/>1 1/4" (3.2 cm) ID x<br/>1 5/8" (4.1 cm) OD<br/>1/2" (1.3 cm) DROP</p> <p>\$6.00 ea</p> |  <p><b>PO100SCRI</b><br/>Small C Ring</p> <p>METAL<br/>3/16" (0.5 cm) W<br/>1 1/2" (3.8 cm) ID x<br/>2" (5.1 cm) OD<br/>3/4" (1.9 cm) DROP</p> <p>\$5.00 ea</p> <p><i>• Use this bypass ring with Gregory Bypass Support Brackets</i></p> |  <p><b>PO100SWRI</b><br/>Swing Ring</p> <p>METAL<br/>3/16" (0.5 cm) W<br/>1 1/2" (3.8 cm) ID<br/>2" (5.1 cm) OD<br/>3/4" (1.9 cm) DROP</p> <p>\$6.00 ea</p> |
|---|--|--|--|

**1" Brackets** fit the 1" pole. Note: Return indicates distance from wall to center of pole. Projection indicates distance from wall to back of pole.

|   |   |   |   |
|---|---|---|---|
|  <p><b>PO100MCMBK</b><br/>1" Metal Ceiling Mount</p> <p>2" (5.1 cm) W x<br/>2 1/4" (5.7 cm) H x<br/>2" (5.1 cm) D:</p> <hr/> <p>Base: 2" (5.1 cm) DIA<br/>Cradle: 1" (2.5 cm) W x<br/>1 1/4" (3.2 cm) OD x<br/>1 1/8" (2.9 cm) ID</p> <p>Drop (distance from ceiling to bottom of pole): 2 1/8" (5.4 cm)</p> <p>\$35.00 ea</p> |  <p><b>PO100MIBK</b><br/>1" Metal Inside Mount</p> <p>3/4" (1.9 cm) W x<br/>1 1/8" (2.9 cm) H x<br/>1 5/8" (4.1 cm) D</p> <p>\$60.00 pair*</p> <p><i>Note: Pair includes right and left (set screw located in back when installed)</i></p> |  <p><b>PO100CESBK</b><br/>Cerise Single</p> <p>METAL<br/>3 1/8" (7.9 cm) DIA BASE x<br/>4 3/8" (11.1 cm) D;<br/>3 1/2" (8.9 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$50.00 ea</p> |  <p><b>PO100CEDBK</b><br/>Cerise Double</p> <p>METAL<br/>3 1/8" (7.9 cm) DIA BASE x<br/>7 1/2" (19.1 cm) D:<br/>6 1/2" (16.5 cm) FRONT RET,<br/>3 1/2" (8.9 cm) BACK RET;<br/>6" (15.2 cm) FRONT PROJ,<br/>3" (7.6 cm) BACK PROJ<br/>Both Cradles hold 1" pole</p> <p>\$65.00 ea</p> |
|---|---|---|---|

| Bypass Support Brackets   |   |   |   |   |
|---|---|---|---|---|
|  <p><b>PO100GRSBK</b><br/>Gregory Single*</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>4 1/8" (10.5 cm) D;<br/>3 1/2" (8.9 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$35.00 ea</p> |  <p><b>PO100GRDBK</b><br/>Gregory Double*</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>6 5/8" (16.8 cm) D;<br/>6" (15.2 cm) FRONT RET,<br/>3" (7.6 cm) BACK RET;<br/>5 1/2" (14.0 cm) FRONT PROJ,<br/>2 1/2" (6.4 cm) BACK PROJ<br/>Both Cradles hold 1" pole</p> <p>\$40.00 ea</p> <p><b>*CAUTION:</b><br/>Gregory Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1" pole to secure it. Laurence Brackets must be installed at each end to secure 1" pole.</p> <p><i>• Use with Small C Ring.</i></p> |  <p><b>PO100LASBK</b><br/>Laurence 3" Single</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>4 1/8" (10.5 cm) D;<br/>3 1/2" (8.9 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$40.00 ea</p> |  <p><b>PO100LAS6BK</b><br/>Laurence 6" Single</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>6 3/4" (17.1 cm) D;<br/>6" (15.2 cm) RET,<br/>5 1/2" (14.0 cm) PROJ</p> <p>\$45.00 ea</p> |  <p><b>PO100LADBK</b><br/>Laurence 6" Double</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>6 3/4" (17.1 cm) D;<br/>6" (15.2 cm) FRONT RET,<br/>3" (7.6 cm) BACK RET;<br/>5 1/2" (14.0 cm) FRONT PROJ,<br/>2 1/2" (6.4 cm) BACK PROJ<br/>Both Cradles hold 1" pole</p> <p>\$45.00 ea</p> |

\*Sold in pairs only.



Portfolio 1"

Available in any Portfolio finish.

1" Smooth Metal Poles

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|            |            |            |             |             |             |             |             |
|------------|------------|------------|-------------|-------------|-------------|-------------|-------------|
| PO100SM02  | PO100SM04  | PO100SM06  | PO100SM08   | PO100SM10   | PO100SM12   | PO100SM14   | PO100SM16   |
| 2'         | 4'         | 6'         | 8'          | 10'         | 12'         | 14'         | 16'         |
| \$32.00 ea | \$64.00 ea | \$96.00 ea | \$128.00 ea | \$160.00 ea | \$192.00 ea | \$224.00 ea | \$256.00 ea |

1" Accessories

Note: Hinged Resin Elbow and 41" Metal Wand available in any Portfolio finish.

|   |   |   |   |
|---|---|---|---|
|  |  |  |  |
| PO100REL  | POAC36WAND  | POAC48WAND  | POME41WAND  |
| 1" Hinged Resin Elbow   | 36" Clear Acrylic Wand  | 48" Clear Acrylic Wand  | 41" Metal Wand  |
| 1 1/8" (2.9 cm) DIA   | ACRYLIC, CLEAR ONLY   | ACRYLIC, CLEAR ONLY   | 5/8" (1.6 cm) DIA   |
| 3 1/4" (8.3 cm)   | 1/2" (1.3 cm) DIA   | 1/2" (1.3 cm) DIA   | 41" (104.1 cm) LENGTH   |
| TOTAL LENGTH  | 36" (91.4 cm) LENGTH  | 48" (121.9 cm) LENGTH   |   |
| 1 5/8" (4.1 cm) each side when bent   |   |   |   |
| \$30.00 ea  | \$40.00 ea  | \$45.00 ea  | \$40.00 ea  |

\*Sold in pairs only.

# 1" Hand Drawn Traverse System

RECOMMENDED FOR LIGHTWEIGHT DRAPERIES

All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

## 1" Hand Drawn Traverse System INCLUDES:

- Track(s): Continuous track available up to 8'; spliced lengths available up to 16'.
- Brackets
- Components: Glides and Glide Stop(s)\*
- 48" Clear Acrylic Wand(s)\*

*\*Note: Each Center Draw Track includes 2 Glide Stops and 2 Acrylic Wands. Each One-Way Draw Track includes 1 Glide Stop and 1 Acrylic Wand.*

## Finials sold separately.

- 1" Finials with a Cuff must be ordered with all 1" Hand Drawn Traverse Systems.
- Only 1" Transitional Metal Finials and 1" Transitional Pearl Resin Finials can attach to the track without modification. (Their Cuff is included.)
- Any 1" Portfolio Finial can be *modified* to fit the 1" Hand Drawn Traverse track with the addition of a 1" Cuff, sold separately.
- Finials must have a Cuff to attach to the track.
- If a Traditional Collar is added to the 1" Transitional Finial or the 1" Glamour Finial with Cuff, it will still fit the track.


Maximum drapery weight - 2 lbs/ft.

Available in any Portfolio Finish.

## Order in 3 Easy Steps:

### Step 1: Select your Draw.

### Step 2: Select your Bracket.



Single Center Draw  
PO100TR01

**Available Brackets**  
3½" Single  
6" Single  
Ceiling Mount



Single One-Way Draw  
PO100TR03

**Available Brackets**  
3½" Single  
6" Single  
Ceiling Mount



Double Center Draw  
PO100TR05

**Available Brackets**  
Double Bracket  
Ceiling Mount



Double One-Way Draw  
PO100TR07

**Available Brackets**  
Double Bracket  
Ceiling Mount

### Step 3: Purchase your Finials, sold separately.

**Single Center Draw** Includes: 1 track, single brackets (1 per 3-4 feet), glides (4 per foot), 2 glide stops, and 2 clear acrylic wands.

Must specify type of bracket.

|           |                     | 2'       | 4'       | 6'       | 8'       | 10'      | 12'      | 14'      | 16'      |
|-----------|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| PO100TR01 | 3½" (8.9 cm) return | \$120.00 | \$240.00 | \$360.00 | \$480.00 | \$600.00 | \$720.00 | \$840.00 | \$960.00 |

Track available in 8 ft continuous lengths only. Any track length over 8 ft must be spliced together.

**Single One-way Draw** Includes: 1 track, single brackets (1 per 3-4 feet), glides (4 per foot), 1 glide stop, and 1 clear acrylic wand.

Must specify type of bracket.

|           |                     | 2'       | 4'       | 6'       | 8'       | 10'      | 12'      | 14'      | 16'      |
|-----------|---------------------|----------|----------|----------|----------|----------|----------|----------|----------|
| PO100TR03 | 3½" (8.9 cm) return | \$120.00 | \$240.00 | \$360.00 | \$480.00 | \$600.00 | \$720.00 | \$840.00 | \$960.00 |

**Double Center Draw** Includes: 2 tracks, double brackets (1 per 3-4 feet), glides (4 per foot), 4 glide stops, and 4 clear acrylic wands.

Must specify type of bracket.

|           |   | 2'       | 4'       | 6'       | 8'       | 10'       | 12'       | 14'       | 16'       |
|-----------|---|----------|----------|----------|----------|-----------|-----------|-----------|-----------|
| PO100TR05 | 6" (15.2 cm) front return;<br>3" (7.6 cm) back return | \$240.00 | \$480.00 | \$720.00 | \$960.00 | \$1200.00 | \$1440.00 | \$1680.00 | \$1920.00 |

**Double One-way Draw** Includes: 2 tracks, double brackets (1 per 3-4 feet), glides (4 per foot), 2 glide stops, and 2 clear acrylic wands.

Must specify type of bracket.





|           |   | 2'       | 4'       | 6'       | 8'       | 10'       | 12'       | 14'       | 16'       |
|-----------|---|----------|----------|----------|----------|-----------|-----------|-----------|-----------|
| PO100TR07 | 6" (15.2 cm) front return;<br>3" (7.6 cm) back return | \$240.00 | \$480.00 | \$720.00 | \$960.00 | \$1200.00 | \$1440.00 | \$1680.00 | \$1920.00 |

\*Sold in pairs only.

**Included in System: 1" Hand Drawn Traverse Brackets**

Note: Brackets must be installed every 3 - 4 feet. Bracket return indicates distance from wall to center of track. Bracket projection indicates distance from wall to back of track. See System Quantity Chart for quantity of Brackets included with each system. Additional Brackets may be ordered separately.

Bracket style must be specified on your order.

|  |   |   |   |
|--|---|---|---|
|   |    |    |    |
| PO100TRSBK   | PO100TRS6BK   | PO100TRDBK  | PO100TRCMBK   |
| 1" Traverse<br>3½" Single  | 1" Traverse<br>6" Single  | 1" Traverse Double  | 1" Traverse Single<br>Ceiling Mount   |
| METAL<br>2⅞" (5.4 cm) DIA<br>BACK PLATE,<br>1" (2.5 cm) DIA STEM x<br>4 ⅞" (10.5 cm) D;<br>3½" (8.9 cm) RET,<br>3" (7.6 cm) PROJ | METAL<br>2⅞" (5.4 cm) DIA<br>BACK PLATE,<br>1" (2.5 cm) DIA STEM x<br>6¾" (17.1 cm) D;<br>6" (15.2 cm) RET,<br>5½" (14.0 cm) PROJ | METAL<br>2⅞" (5.4 cm) DIA<br>BACK PLATE,<br>1" (2.5 cm) DIA STEM x<br>6¾" (17.1 cm) D;<br>6" (15.2 cm) FRONT RET,<br>3" (7.6 cm) BACK RET;<br>5½" (14.0 cm)<br>FRONT PROJ,<br>2½" (6.4 cm)<br>BACK PROJ | METAL<br>2⅞" (5.4 cm) DIA<br>CEILING PLATE,<br>1" (2.5 cm) DIA STEM,<br>2¼" (5.7 cm) H x<br>3¼" (8.3 cm) D x<br>DROP (distance from<br>ceiling to bottom<br>of pole):<br>2½" (6.4 cm) |
| \$35.00 ea   | \$35.00 ea  | \$35.00 ea  | \$35.00 ea  |






**Included in System: 1" Hand Drawn Traverse Components**

Components will be provided in the color that best matches the Portfolio finish, unless otherwise specified. See Component Color Chart. See System Quantity Chart for quantity of glides included with each system. Additional components may be ordered separately.

**Glides****Wand**

|  |   |   |   |   |
|--|---|---|---|---|
| <br>¾" (1.0 cm) W x<br>1⅞" (2.9 cm) H x<br>¼" (0.6 cm) D;<br>⅝" (1.6 cm) DROP<br>(from bottom of track<br>to bottom of eyelet<br>interior when installed)<br>• White Glide may be<br>substituted. Please<br>specify on order.<br><b>Note:</b> White Glide<br>can be useful when<br>installing sheer and<br>translucent fabrics<br>onto the 1" Hand<br>Drawn Traverse<br>System. |  |  |  |  |
| PO100GLIDE-BZ  | PO100GLIDE-CH   | PO100GLIDE-GO   | PO100GLIDE-WH   | POAC48WAND  |
| Standard Wheeled<br>Glide - Bronze   | Standard<br>Wheeled Glide -<br>Champagne  | Standard Wheeled<br>Glide - Gold  | Standard Wheeled<br>Glide - White   | 48" Clear Acrylic<br>Wand   |
| \$ .50 each  | \$ .50 each   | \$ .50 each   | \$ .50 each   | ACRYLIC, CLEAR ONLY<br>½" (1.3 cm) DIA<br>48" (121.9 cm) LENGTH<br>\$ 45.00 each      |

**Glide Stops – anchor the drapery panel at the end of the track.****Splicer**

|  |   |   |   |   |
|--|---|---|---|---|
| <br>¾" (1.0 cm) W x<br>½" (1.3 cm) H x<br>⅜" (0.5 cm) D;<br>¼" (0.6 cm) DROP<br>(from bottom of track<br>to bottom of eyelet<br>interior when installed)<br>• White Glide Stop<br>may be substituted.<br>Please specify on<br>order.<br><b>Note:</b> White Glide<br>Stop can be useful<br>when installing sheer<br>and translucent<br>fabrics onto the 1"<br>Hand Drawn Traverse<br>System. |  |  |  |    |
| PO100GSTOP-BZ  | PO100GSTOP-CH   | PO100GSTOP-GO   | PO100GSTOP-WH   | PO100TRSPL  |
| Glide Stop - Bronze  | Glide Stop -<br>Champagne   | Glide Stop - Gold   | Glide Stop - White  | Track Splicer   |
| \$ .50 each  | \$ .50 each   | \$ .50 each   | \$ .50 each   | • connects the ends<br>of two tracks<br>• installs into top<br>channel<br>• included with all<br>systems over 8"<br>\$4.00 each |

\*Sold in pairs only.

# 1" Hand Drawn Traverse System

## COMPONENT COLOR CHART

| Component* Color | Champagne  | Bronze  | Gold   | White                       |
|------------------|--|---|--|-----------------------------|
| Portfolio Finish | ANDIRON<br>CINNAMON<br>HALO<br>SHIMMER<br>SILVER MAPLE<br>SPUN GOLD<br>STARLET<br>TITANIUM<br>URBAN BRONZE | AMULET<br>ART BRONZE<br>BARNWOOD<br>BLACK<br>DARK CHOCOLATE<br>GOSSAMER<br>JAVA<br>MINK<br>MOONLIGHT<br>NEW AGE BRONZE<br>SPICEWOOD<br>TIMBER | ANTIQUE GOLD<br>ANTIQUE GOLD LEAF<br>ETERNAL<br>FIRELIGHT<br>GOLDENROD<br>MYSTIC | LINEN<br>PARCHMENT<br>WHITE |

\*White may be substituted  
(Must be specified on order.)

Yes

Yes

Yes

-





\*Components include Standard Wheeled Glide and Glide Stop.

## SYSTEM QUANTITY CHART

| Quantity included per set will be based on total system length | Continuous Track Length |    |    |    |    |    |    | Spliced Track Length |     |     |     |     |     |     |     |
|--|-------------------------|----|----|----|----|----|----|----------------------|-----|-----|-----|-----|-----|-----|-----|
|  | 2'                      | 3' | 4' | 5' | 6' | 7' | 8' | 9'                   | 10' | 11' | 12' | 13' | 14' | 15' | 16' |
| Glides (4 per foot, includes Glide Stop)                       | 8                       | 12 | 16 | 20 | 24 | 28 | 32 | 36                   | 40  | 44  | 48  | 52  | 56  | 60  | 64  |
| Brackets (1 per every 3-4 feet)                                | 2                       | 2  | 2  | 3  | 3  | 3  | 4  | 4                    | 4   | 5   | 5   | 5   | 6   | 6   | 6   |

\*Sold in pairs only.

**1 1/4" Modern Metal Finials** fit the 1 1/4" metal pole.

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  |  |  |          |        |  |
| PO114COFI<br>Cole<br>3 1/4" (8.3 cm) W<br>1 1/2" (3.8 cm) DIA<br>\$85.00 pair*    | PO114ELAFI<br>Ella<br>1 1/2" (3.8 cm) W<br>1 5/8" (4.1 cm) DIA<br>\$65.00 pair*   | PO114EMFI<br>Elm<br>1 7/8" (2.9 cm) W<br>2" (5.1 cm) DIA<br>\$65.00 pair*         | PO114EMFIGL<br>Elm - Smoke Glass<br>1 7/8" (2.9 cm) W<br>2" (5.1 cm) DIA<br>\$95.00 pair* | PO114KNFI<br>Knox - Crystal<br>1 1/4" (3.2 cm) W<br>2 1/4" (5.7 cm) DIA<br>\$125.00 pair* | PO114LXFI<br>Lex<br>1 3/4" (4.4 cm) W<br>2" (5.1 cm) DIA<br>55.00 pair*             |



|  |   |   |
|--|---|---|
|     |  |                |
| PO114SKEC<br>Skye End Cap<br>3/4" (1.9 cm) W<br>1 1/2" (3.8 cm) DIA<br>\$35.00 pair* | PO114NOFI<br>Nora<br>2" (5.1 cm) W<br>2 1/4" (5.7 cm) DIA<br>\$95.00 pair*        | PO114NOFIGL<br>Nora - Mercury Glass<br>2 1/8" (5.4 cm) W<br>2 3/8" (6.0 cm) DIA<br>125.00 pair* |

*Skye End Cap covers 5/8" (1.6 cm) of end of pole; finished pole length may need to be increased accordingly.*

**1 1/4" Transitional Metal Finials** fit the 1 1/4" metal pole.

Note: Each Transitional Metal Finial covers 5/8" (1.6 cm) of pole; finished pole length may need to be increased accordingly.

|   |  |  |   |  |  |
|---|--|--|---|--|--|
|              |                 |           |                            |                     |         |
| PO114COFICU<br>Cole with 1 1/4" Cuff<br>4" (10.2 cm) W<br>1 1/2" (3.8 cm) DIA<br>\$110.00 pair* | PO114ELAFICU<br>Ella with 1 1/4" Cuff<br>2 1/4" (5.7 cm) W<br>1 5/8" (4.1 cm) DIA<br>\$90.00 pair* | PO114EMFICU<br>Elm with 1 1/4" Cuff<br>1 7/8" (4.8 cm) W<br>2" (5.1 cm) DIA<br>\$90.00 pair* | PO114EMFIGLCU<br>Elm - Smoke Glass with 1 1/4" Cuff<br>1 7/8" (4.8 cm) W<br>2" (5.1 cm) DIA<br>\$120.00 pair* | PO114KNFICU<br>Knox - Crystal with 1 1/4" Cuff<br>2" (5.1 cm) W<br>2 1/4" (5.7 cm) DIA<br>\$150.00 pair* | PO114LXFICU<br>Lex with 1 1/4" Cuff<br>2 1/2" (6.4 cm) W<br>2" (5.1 cm) DIA<br>\$80.00 pair* |

|  |  |  |
|--|--|--|
|   |                 |                                   |
| PO114SKEC<br>Skye End Cap<br>3/4" (1.9 cm) W<br>1 1/2" (3.8 cm) DIA<br>\$35.00 pair* | PO114NOFICU<br>Nora with 1 1/4" Cuff<br>2 3/4" (7.0 cm) W<br>2 1/4" (5.7 cm) DIA<br>\$120.00 pair* | PO114NOFIGLCU<br>Nora - Mercury Glass with 1 1/4" Cuff<br>2 7/8" (7.3 cm) W<br>2 3/8" (6.0 cm) DIA<br>\$150.00 pair* |

**Accessory: Traditional Collar**






|   |   |
|---|---|
|      | <i>Adding Traditional Collar increases the width of the finial by 5/8" (1.6 cm)</i>   |
| POTRADCO<br>Traditional Collar<br>5/8" (1.6 cm) W<br>1 1/8" (2.9 cm) DIA<br>\$30.00 pair* | <ul style="list-style-type: none"> <li>metal available in any Portfolio finish.</li> <li>must be used with the 1 1/4" Cuff</li> <li>install between the Finial and 1 1/4" Cuff</li> </ul> |


\*Sold in pairs only.



**1 1/4" Glamour Resin Finials** fit the 1 1/4" pole.

Note: 1 1/4" Cuff can be purchased separately and attached to any 1 1/4" Glamour Finial to give it a more transitional look. Once the 1 1/4" Cuff has been added to the 1 1/4" Glamour Finials, the Traditional Collar can also be purchased separately to give a more refined look. (Traditional Collar MUST be used in conjunction with the 1 1/4" Cuff.)

|  |  |   |   |  |
|--|--|---|---|--|
|  <p>PO114ASFI<br/>Astor</p> <p>1 3/8" (3.5 cm) W<br/>2 3/8" (6.0 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO114CHFI<br/>Chaplin</p> <p>1 3/4" (4.4 cm) W<br/>2" (5.1 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO114CLRFI<br/>Clara</p> <p>2 1/4" (5.7 cm) W<br/>2 5/8" (6.7 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO114FBFI<br/>Fairbanks</p> <p>3 1/8" (7.9 cm) W<br/>2" (5.1 cm) DIA</p> <p>\$65.00 pair*</p> |  <p>PO114PIFICU<br/>Pickford with 1 1/4" Cuff</p> <p>RESIN AND METAL<br/>3" (7.6 cm) W<br/>1 7/8" (4.8 cm) DIA</p> <p>\$90.00 pair*</p> <p><i><b>Note:</b> remember that the 1 1/4" Cuff covers 5/8" (1.6 cm) of the pole or track. Finished pole length may need to be increased accordingly.</i></p> |
|--|--|---|---|--|

|   |
|---|
|  <p>PO114TUFI<br/>Turner</p> <p>2 1/4" (5.7 cm) W<br/>2 3/4" (7.0 cm) DIA</p> <p>\$65.00 pair*</p> |
|---|

\*Sold in pairs only.

Portfolio 1 1/4"




Note: Only bases and 1 1/4" metal poles available in any Portfolio finish.

**1 1/4" Pearl Jewel Resin Finials** are available in 3 Pearl colors: cream, grey, and white.  
Base available in any Portfolio finish. 1 1/4" Pearl Jewel Finials fit the 1 1/4" pole.

|   |   |   |
|---|---|---|
|  |  |  |
| PO114PEJWFI-CR<br>Cream Pearl Jewel   | PO114PEJWFI-GY<br>Grey Pearl Jewel  | PO114PEJWFI-WH<br>White Pearl Jewel   |
| RESIN<br>2 1/4" (5.7 cm) W<br>2 3/8" (6.0 cm) DIA                                 | RESIN<br>2 1/4" (5.7 cm) W<br>2 3/8" (6.0 cm) DIA                                 | RESIN<br>2 1/4" (5.7 cm) W<br>2 3/8" (6.0 cm) DIA                                 |
| \$65.00 pair*   | \$65.00 pair*   | \$65.00 pair*   |




**Must specify** a Portfolio finish for the Base of this finial.  
**Note:** Remember that the Finial Base covers 1/4" (0.6 cm) of the pole. Finished pole length may need to be increased accordingly.

**1 1/4" Transitional Pearl Resin Finials** are available in 3 Pearl colors: cream, grey, and white.  
Cuff available in any Portfolio finish. 1 1/4" Transitional Pearl Finials fit the 1 1/4" pole.

|   |   |   |
|---|---|---|
|  |  |  |
| PO114PEFICU-CR<br>Cream Pearl with 1 1/4" Cuff                                    | PO114PEFICU-GY<br>Grey Pearl with 1 1/4" Cuff                                     | PO114PEFICU-WH<br>White Pearl with 1 1/4" Cuff                                    |
| RESIN AND METAL<br>2 1/4" (5.7 cm) W<br>1 5/8" (4.1 cm) DIA                       | RESIN AND METAL<br>2 1/4" (5.7 cm) W<br>1 5/8" (4.1 cm) DIA                       | RESIN AND METAL<br>2 1/4" (5.7 cm) W<br>1 5/8" (4.1 cm) DIA                       |
| \$55.00 pair*   | \$55.00 pair*   | \$55.00 pair*   |


**Must specify** a Portfolio finish for the Cuff on this finial.  
**Note:** Remember that the 1 1/4" Cuff covers 5/8" (1.6 cm) of the pole. Finished pole length may need to be increased accordingly.

**1 1/4" Modern Pearl Resin Finials** are available in 3 Pearl colors: cream, grey, and white.  
1 1/4" Modern Pearl Finials fit the 1 1/4" metal pole.

|   |   |   |
|---|---|---|
|  |  |  |
| PO114PEFI-CR<br>Cream Pearl   | PO114PEFI-GY<br>Grey Pearl  | PO114PEFI-WH<br>White Pearl   |
| RESIN<br>1 1/2" (3.8 cm) W<br>1 5/8" (4.1 cm) DIA                                   | RESIN<br>1 1/2" (3.8 cm) W<br>1 5/8" (4.1 cm) DIA                                   | RESIN<br>1 1/2" (3.8 cm) W<br>1 5/8" (4.1 cm) DIA                                   |
| \$35.00 pair*   | \$35.00 pair*   | \$35.00 pair*   |

\*Sold in pairs only.

**1 1/4" Baroque Resin Finials** fit the 1 1/4" pole.

|   |   |   |  |
|---|---|---|--|
|    |  |    |  |
| PO114EBFI<br>Elisabeth<br>2 1/2" (6.4 cm) W<br>3 1/8" (7.9 cm) DIA<br>\$65.00 pair* | PO114RAFI<br>Rachel<br>4" (10.2 cm) W<br>3" (7.6 cm) DIA<br>\$85.00 pair*         | PO114SBFI<br>Sebastian<br>2 1/2" (6.4 cm) W<br>2 3/4" (7.0 cm) DIA<br>\$65.00 pair* | PO114SOFI<br>Sophie<br>3 1/2" (8.9 cm) W<br>1 3/4" (4.4 cm) DIA<br>\$65.00 pair*   |

**1 1/4" Tried & True Resin Finials** fit the 1 1/4" pole.



|   |   |   |  |
|---|---|---|--|
|  |  |                          |  |
| PO114AGFI<br>Agnes<br>2" (5.1 cm) W<br>2 1/2" (6.4 cm) DIA<br>\$55.00 pair*       | PO114BEEC<br>Beale End Cap<br>1/2" (1.3 cm) W<br>2" (5.1 cm) DIA<br>\$35.00 pair* | PO114ELFI<br>Eleanor<br>2 5/8" (6.7 cm) W<br>3" (7.6 cm) DIA<br>[2 1/8" (5.4 cm) square]<br>\$55.00 pair* | PO114RBFI<br>Ruby<br>2 1/2" (6.4 cm) W<br>2 1/2" (6.4 cm) DIA<br>\$55.00 pair*     |

**1 1/4" Mid-Century Modern Resin Finials** fit the 1 1/4" pole.

|   |   |   |  |   |
|---|---|---|--|---|
|  |      |  |  |  |
| PO114DAFI<br>Dazzle<br>5 1/4" (13.3 cm) W<br>2 1/2" (6.4 cm) DIA<br>\$85.00 pair*   | PO114FEEC<br>Fever End Cap<br>1 1/4" (3.2 cm) W<br>1 5/8" (4.1 cm) DIA<br>\$35.00 pair* | PO114ROFI<br>Rock<br>3 3/4" (9.5 cm) W<br>2" (5.1 cm) DIA<br>\$85.00 pair*          | PO114SGFI<br>Shag<br>3 3/4" (9.5 cm) W<br>2" (5.1 cm) DIA<br>\$65.00 pair*           | PO114SHFI<br>Shimmy<br>3" (7.6 cm) W<br>3 1/2" (8.9 cm) DIA<br>\$65.00 pair*          |

\*Sold in pairs only.





1 1/4" Finial Accessories




|  |   |  |
|--|---|--|
| Verify the compatibility of your chosen Finial and Accessory in the chart below. | Add this for a Transitional look.   | Add this turned element for a Traditional look.  |
|  |    |   |
|  | <p>PO114CUFF</p> <p>1 1/4" Cuff</p> <p>3/4" (1.9 cm) W<br/>1 1/2" (3.2 cm) DIA</p> <ul style="list-style-type: none"><li>• metal; available in any Portfolio finish</li><li>• covers 5/8" of the pole; finished pole length may need to be increased accordingly</li></ul> <p>\$30.00 pair*</p> | <p>POTRADCO</p> <p>Traditional Collar</p> <p>5/8" (1.6 cm) W<br/>1 1/8" (2.9 cm) DIA</p> <ul style="list-style-type: none"><li>• metal; available in any Portfolio finish</li><li>• must be used with the 1 1/4" Cuff</li><li>• installs between the Finial and 1 1/4" Cuff</li></ul> <p>\$30.00 pair*</p> |
|  | 1 1/4" Transitional Metal Finials   | (included)   |
| 1 1/4" Glamour Resin Finials   | •   | must use with 1 1/4" Cuff, order separately  |

\*Sold in pairs only.

**1 1/4" Brackets** fit the 1 1/4" pole.


Note: Return indicates distance from wall to center of pole. Projection indicates distance from wall to back of pole.

|   |   |  |  |
|---|---|--|--|
|  <p><b>PO114MCMCMBK</b><br/>1 1/4" Metal Ceiling Mount</p> <p>2" (5.1 cm) W x<br/>2 3/4" (7.0 cm) H x<br/>2" (5.1 cm) D:</p> <hr/> <p>Base: 2" (5.1 cm) DIA<br/>Cradle: 1" (2.5 cm) W x<br/>1 7/8" (4.8 cm) OD x<br/>1 1/2" (3.8 cm) ID</p> <hr/> <p>Drop (distance from ceiling to bottom of pole): 2 5/8" (6.7 cm)</p> <p>\$40.00 ea</p> |  <p><b>PO114MIBK</b><br/>1 1/4" Metal Inside Mount</p> <p>1" (2.5 cm) W x<br/>1 1/4" (3.2 cm) H x<br/>2 1/8" (5.4 cm) D</p> <p>\$65.00 pair*</p> | <p><i>Note: Pair includes right and left (set screw located in back when installed)</i></p>  <p><b>PO114GRSBK</b><br/>Gregory Single*</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>4 1/8" (10.5 cm) D:</p> <hr/> <p>3 1/2" (8.9 cm) RET,<br/>2 7/8" (7.3 cm) PROJ</p> <p>\$35.00 ea</p> | <p><b>Bypass Support Brackets</b></p>  <p><b>PO114GRDBK</b><br/>Gregory Double*</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>6 5/8" (16.8 cm) D:</p> <hr/> <p>6" (15.2 cm) FRONT RET,<br/>3" (7.6 cm) BACK RET;<br/>5 5/8" (13.7 cm) FRONT PROJ,<br/>2 3/8" (6.0 cm) BACK PROJ</p> <hr/> <p>Both Cradles hold 1" pole</p> <p>\$40.00 ea</p> <p><b>*CAUTION:</b> Gregory Brackets do not have full cradles. Self-threading screw installs through bottom of cradle and into 1 1/4" pole to secure it. Winston Brackets must be installed at each end to secure 1 1/4" pole.</p> <p>• Use with Medium C Ring.</p> |
|---|---|--|--|

|  |   |  |
|--|---|--|
|  <p><b>PO114WSSBK</b><br/>Winston 3" Single</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>4 3/8" (11.1 cm) D:</p> <hr/> <p>3 1/2" (8.9 cm) RET,<br/>2 7/8" (7.3 cm) PROJ</p> <p>\$40.00 ea</p> |  <p><b>PO114WSS6BK</b><br/>Winston 6" Single</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>6 3/4" (17.1 cm) D:</p> <hr/> <p>6" (15.2 cm) RET,<br/>5 5/8" (13.7 cm) PROJ</p> <p>\$45.00 ea</p> |  <p><b>PO114WSDBK</b><br/>Winston 6" Double</p> <p>METAL<br/>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>7" (17.8 cm) D:</p> <hr/> <p>6" (15.2 cm) FRONT RET,<br/>3" (7.6 cm) BACK RET;<br/>5 5/8" (13.7 cm) FRONT PROJ,<br/>2 3/8" (6.0 cm) BACK PROJ</p> <hr/> <p>Both Cradles hold 1 1/4" pole</p> <p>\$45.00 ea</p> |
|--|---|--|

**1 1/4" Rings** fit the 1 1/4" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.

|  |   |   |
|--|---|---|
|  <p><b>PO114MARI</b><br/>Maddox Ring</p> <p>METAL<br/>3/16" (0.5 cm) W x<br/>2" (5.1 cm) ID x<br/>2 3/8" (6.0 cm) OD<br/>1" (2.5) DROP</p> <p>\$7.00 ea</p> |  <p><b>PO114MCRI</b><br/>Medium C Ring</p> <p>METAL<br/>3/16" (0.5 cm) W x<br/>2" (5.1 cm) ID x<br/>2 3/8" (6.0 cm) OD<br/>1" (2.5) DROP</p> <p>• use this bypass ring with Gregory Bypass Support Brackets</p> <p>\$6.00 ea</p> |  <p><b>PO114SWRI</b><br/>Swing Ring</p> <p>METAL<br/>3/16" (0.5 cm) W x<br/>1 1/2" (3.8 cm) ID x<br/>2" (5.1 cm) OD<br/>1/2" (1.3) DROP</p> <p>\$6.00 ea</p> |
|--|---|---|

\*Sold in pairs only.



1 1/4" Smooth Metal Poles

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|            |            |             |             |             |             |             |             |
|------------|------------|-------------|-------------|-------------|-------------|-------------|-------------|
| PO114SM02  | PO114SM04  | PO114SM06   | PO114SM08   | PO114SM10   | PO114SM12   | PO114SM14   | PO114SM16   |
| 2'         | 4'         | 6'          | 8'          | 10'         | 12'         | 14'         | 16'         |
| \$36.00 ea | \$72.00 ea | \$108.00 ea | \$144.00 ea | \$180.00 ea | \$216.00 ea | \$252.00 ea | \$288.00 ea |







1 1/4" Accessories






Note: Hinged Resin Elbow and 41" Metal Wand available in any Portfolio finish.

|  |   |   |   |
|--|---|---|---|
|         |  |  |  |
| PO114REL   | POAC36WAND  | POAC48WAND  | POME41WAND  |
| 1 1/4" Hinged Resin Elbow  | 36" Clear Acrylic Wand  | 48" Clear Acrylic Wand  | 41" Metal Wand  |
| 1 7/16" (3.7 cm) DIA x 3 3/4" (9.5 cm) TOTAL LENGTH, 1 7/8" (4.8 cm) each side when bent | ACRYLIC, CLEAR ONLY 1/2" (1.3 cm) DIA x 36" (91.4 cm) LENGTH                      | ACRYLIC, CLEAR ONLY 1/2" (1.3 cm) DIA x 48" (121.9 cm) LENGTH                     | 5/8" (1.6 cm) DIA x 41" (104.1 cm) LENGTH   |
| \$35.00 ea   | \$40.00 ea  | \$45.00 ea  | \$40.00 ea  |

\*Sold in pairs only.

**1<sup>3⁄8</sup>" Tried & True Resin Finials** fit the 1<sup>3⁄8</sup>" smooth or fluted wood poles.

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|  |  |  |  |  |  |
| PO138AUEC<br>Aubrie End Cap   | PO138BRFI<br>Bradford   | PO138BLFI<br>Brielle  | PO138DPFI<br>Daphne  | PO138EAFI<br>Easton   | PO138ESEC<br>Essex End Cap  |
| 3⁄4" (1.9 cm) W<br>2 1⁄4" (5.7 cm) DIA  | 3 3⁄4" (8.3 cm) W<br>2 1⁄4" (5.7 cm) DIA  | 4" (10.2 cm) W<br>3" (7.6 cm) DIA   | 3 1⁄4" (8.3 cm) W<br>2 1⁄2" (4.4 cm) DIA   | 2 7⁄8" (6.0 cm) W<br>3 1⁄2" (8.9 cm) DIA  | 3⁄4" (1.9 cm) W<br>2" (5.1 cm) DIA  |
| \$35.00 pair*   | \$85.00 pair*   | \$85.00 pair*   | \$85.00 pair*  | \$85.00 pair*   | \$35.00 pair*   |

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|  |  |  |  |  |  |
| PO138EVFI<br>Everett  | PO138HAFI<br>Harper   | PO138JLFI<br>Jolette  | PO138JUFI<br>June  | PO138LAFI<br>Lane   | PO138LEFI<br>Leo  |
| 2 7⁄8" (7.3 cm) W<br>3 3⁄8" (8.6 cm) DIA<br>[2 1⁄2" (6.4 cm) square]              | 3" (7.6 cm) W<br>2 3⁄4" (7.0 cm) DIA  | 1 5⁄8" (4.1 cm) W<br>2 1⁄4" (5.7 cm) DIA  | 2 3⁄4" (7.0 cm) W<br>2 3⁄4" (7.0 cm) DIA   | 3 1⁄2" (8.9 cm) W<br>3 5⁄8" (9.2 cm) DIA  | 3 5⁄8" (9.2 cm) W<br>2 3⁄4" (7.0 cm) DIA  |
| \$65.00 pair*   | \$85.00 pair*   | \$65.00 pair*   | \$85.00 pair*  | \$85.00 pair*   | \$65.00 pair*   |

|  |  |   |   |  |  |
|--|--|---|---|--|--|
|  |  |  |  |  |  |
| PO138LIFI<br>Lillian   | PO138LIFIGL<br>Lillian - Mercury Glass   | PO138LOEC<br>Lowell End Cap   | PO138LYFI<br>Lyla   | PO138MAFI<br>Mae   | PO138ROFI<br>Rose - Crystal  |
| 4" (10.2 cm) W<br>3 3⁄8" (8.6 cm) DIA  | 4" (10.2 cm) W<br>3 1⁄2" (8.9 cm) DIA  | 1" (2.5 cm) W<br>1 3⁄4" (4.4 cm) DIA  | 2 5⁄8" (6.7 cm) W<br>2 5⁄8" (6.7 cm) DIA  | 3 1⁄4" (8.3 cm) W<br>2 3⁄4" (7.0 cm) DIA   | RESIN AND CRYSTAL<br>2 3⁄4" (7.0 cm) W<br>2 3⁄4" (7.0 cm) DIA                        |
| \$85.00 pair*  | \$125.00 pair*   | \$35.00 pair*   | \$65.00 pair*   | \$85.00 pair*  | \$175.00 pair*   |

**1<sup>3⁄8</sup>" Jewel Resin Finials** fit the 1<sup>3⁄8</sup>" smooth or fluted wood poles.

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|  |  |  |  |  |  |
| PO138ASJWFI<br>Astor Jewel  | PO138CHJWFI<br>Chaplin Jewel  | PO138CLRJWFI<br>Clara Jewel   | PO138FBJWFI<br>Fairbanks Jewel   | PO138PIJWFI<br>Pickford Jewel   | PO138TJWFI<br>Turner Jewel  |
| 2 5⁄8" (6.7 cm) W<br>2 3⁄8" (6.0 cm) DIA  | 3" (7.6 cm) W<br>2 1⁄8" (5.4 cm) DIA  | 3 1⁄2" (8.9 cm) W<br>2 5⁄8" (6.7 cm) DIA  | 4 3⁄8" (11.1 cm) W<br>2 1⁄8" (5.4 cm) DIA  | 3 1⁄2" (8.9 cm) W<br>2 1⁄8" (5.4 cm) DIA  | 3 1⁄2" (8.9 cm) W<br>2 3⁄4" (7.0 cm) DIA  |
| \$85.00 pair*   | \$85.00 pair*   | \$85.00 pair*   | \$85.00 pair*  | \$85.00 pair*   | \$85.00 pair*   |

\*Sold in pairs only.






1 3/8" Traditional Resin Finials fit the 1 3/8" smooth or fluted wood poles.




|  |   |  |   |   |
|--|---|--|---|---|
|  <p>PO138AMFI</p> <p>Amboise</p> <p>5 1/4" (13.3 cm) W<br/>3" (7.6 cm) DIA</p> <p>\$85.00 pair*</p>    |  <p>PO138AVFI</p> <p>Avon</p> <p>3 5/8" (9.2 cm) W<br/>3 3/4" (9.5 cm) DIA</p> <p>\$85.00 pair*</p>    |  <p>PO138GAFI</p> <p>Gabiella</p> <p>3 3/4" (9.5 cm) W<br/>3" (7.6 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO138GSFI</p> <p>Gaston</p> <p>3 1/2" (8.9 cm) W<br/>3 3/8" (8.6 cm) DIA</p> <p>\$85.00 pair*</p>                  |  <p>PO138JOFI</p> <p>Joan of Arc</p> <p>3 1/2" (8.9 cm) W<br/>3 1/2" (8.9 cm) DIA</p> <p>\$85.00 pair*</p> |
|  <p>PO138MRFI</p> <p>Marcel</p> <p>4 3/4" (12.1 cm) W<br/>3 7/8" (9.8 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO138PIFI</p> <p>Pierre</p> <p>4 1/2" (11.4 cm) W<br/>3 3/8" (8.6 cm) DIA</p> <p>\$85.00 pair*</p> |  <p>PO138SEFI</p> <p>Severn</p> <p>3 1/2" (8.9 cm) W<br/>3" (7.6 cm) DIA</p> <p>\$85.00 pair*</p>   |  <p>PO138SECEC</p> <p>Small Carved<br/>End Cap</p> <p>7/8" (2.2 cm) W<br/>1 7/8" (4.8 cm) DIA</p> <p>\$35.00 pair*</p> |   |







\*Sold in pairs only.

**1 $\frac{3}{8}$ " Brackets** fit the 1 $\frac{3}{8}$ " smooth or fluted wood poles.

Note: Return indicates distance from wall to center of pole. Projection indicates distance from wall to back of pole.

|  |  |  |  |   |  |  |
|--|--|--|--|---|--|--|
|   |                 | <i>Note: Pair includes right and left (set screw located in back when installed)</i> |  |   |               |   |
| PO138MCMBK<br>1⅜" Metal Ceiling Mount<br><br>2" (5.1 cm) W x<br>2¾" (7.0 cm) H x<br>2" (5.1 cm) D;<br><hr/> Base: 2" (5.1 cm) DIA<br>Cradle: 1" (2.5 cm) W x<br>1⅞" (4.8 cm) OD x<br>1½" (3.8 cm) ID<br><hr/> Drop (distance from ceiling to bottom of pole): 2⅝" (6.7 cm) | PO138MIBK<br>1⅜" Metal Inside Mount<br><br>1" (2.5 cm) W x<br>1¼" (3.2 cm) H x<br>2⅞" (5.4 cm) D |  |  | PO138WOCBK<br>1⅜" Wood Ceiling Mount<br><br>¾" (1.9 cm) W x<br>3¼" (8.3 cm) H x<br>6⅛" (15.6 cm) D;<br><hr/> Drop (distance from ceiling to bottom of pole): 2⅝" (6.0 cm) | PO138WOIBK<br>1⅜" Wood Inside Mount<br><br>1" (2.5 cm) W x<br>2⅝" (6.0 cm) H x<br>2⅝" (6.0 cm) D | PO138EDSBK<br>Edison Single<br><br>RESIN<br>1" (2.5 cm) W x<br>4" (10.2 cm) H x<br>4¾" (12.1 cm) D;<br><hr/> 3¾" (9.5 cm) RET,<br>3" (7.6 cm) PROJ |
| \$40.00 ea   | \$72.00 pair*  |  |  | \$50.00 ea  | \$50.00 pair*  | \$40.00 ea   |

|   |   |  |   |   |
|---|---|--|---|---|
|    |    | Bypass Support Brackets  |   |    |
| PO138WIDBK<br>Edison Double<br><br>RESIN<br>1" (2.5 cm) W x<br>4" (10.2 cm) H x<br>7¾" (19.7 cm) D;<br><hr/> 6¾" (17.1 cm)<br>FRONT RET,<br>3¾" (9.5 cm) BACK RET;<br>6" (15.2 cm) FRONT PROJ,<br>3" (7.6 cm) BACK PROJ<br>Both Cradles hold 1⅜" pole | PO138GRBK<br>Grace<br><br>RESIN<br>1⅞" (3.5 cm) W x<br>7¾" (19.7 cm) H x<br>5" (12.7 cm) D;<br><hr/> 3⅝" (9.2 cm) RET,<br>2⅞" (7.3 cm) PROJ | PO138GRSBK<br>Gregory Single •<br><br>METAL<br>¾" (1.9 cm) W x<br>3¾" (9.5 cm) H x<br>4⅛" (10.5 cm) D;<br><hr/> 3½" (8.9 cm) RET,<br>2⅞" (7.3 cm) PROJ | PO138GRDBK<br>Gregory Double •<br><br>METAL<br>¾" (1.9 cm) W x<br>3¾" (9.5 cm) H x<br>6⅝" (16.8 cm) D;<br><hr/> 6" (15.2 cm) FRONT RET,<br>3" (7.6 cm) BACK RET;<br>5⅜" (13.7 cm) FRONT PROJ,<br>2⅝" (6.0 cm) BACK PROJ<br>Both Cradles hold 1⅜" pole | PO138SHBK<br>Shelburne<br><br>RESIN<br>1¼" (3.2 cm) W x<br>5¼" (13.3 cm) H x<br>5½" (14.0 cm) D;<br><hr/> 3¾" (9.5 cm) RET,<br>3" (7.6 cm) PROJ |
| \$50.00 ea  | \$40.00 ea  | \$35.00 ea   | \$40.00 ea  | \$35.00 ea  |

|   |   |  |   |   |   |
|---|---|--|---|---|---|
|   |   |    |   |   |   |
| PO138WISBK<br>William 3" Single<br><br>RESIN<br>1" (2.5 cm) W x<br>3½" (8.9 cm) H x<br>5" (12.7 cm) D;<br><hr/> 3¾" (9.5 cm) RET,<br>3" (7.6 cm) PROJ | PO138WIS6BK<br>William 6" Single<br><br>RESIN<br>1" (2.5 cm) W x<br>3½" (8.9 cm) H x<br>7⅞" (20.0 cm) D;<br><hr/> 6¾" (17.1 cm) RET,<br>6" (15.2 cm) PROJ | PO138WIDBK<br>William 6" Double<br><br>RESIN<br>1" (2.5 cm) W x<br>3⅞" (8.6 cm) H x<br>7⅞" (20.0 cm) D;<br><hr/> 6¾" (17.1 cm)<br>FRONT RET,<br>3¼" (8.3 cm) BACK RET;<br>6" (15.2 cm) FRONT PROJ,<br>2½" (6.4 cm) BACK PROJ<br>Both Cradles hold 1⅜" pole | PO138WSSBK<br>Winston 3" Single<br><br>METAL<br>¾" (1.9 cm) W x<br>3¾" (9.5 cm) H x<br>4⅞" (11.1 cm) D;<br><hr/> 3½" (8.9 cm) RET,<br>2⅞" (7.3 cm) PROJ | PO138WSS6BK<br>Winston 6" Single<br><br>METAL<br>¾" (1.9 cm) W x<br>3¾" (9.5 cm) H x<br>6¾" (17.1 cm) D;<br><hr/> 6" (15.2 cm) RET,<br>5⅜" (13.7 cm) PROJ | PO138WSDBK<br>Winston 6" Double<br><br>METAL<br>¾" (1.9 cm) W x<br>3¾" (9.5 cm) H x<br>7" (17.8 cm) D;<br><hr/> 6" (15.2 cm) FRONT RET,<br>3" (7.6 cm) BACK RET;<br>5⅜" (13.7 cm) FRONT PROJ,<br>2⅝" (6.0 cm) BACK PROJ<br>Both Cradles hold 1⅜" pole |
| \$40.00 ea  | \$50.00 ea  | \$50.00 ea   | \$40.00 ea  | \$45.00 ea  | \$45.00 ea  |

\*Sold in pairs only.

## Portfolio 1<sup>3</sup>/<sub>8</sub>"

Available in any Portfolio finish.

### 1<sup>3</sup>/<sub>8</sub>" Wood Poles

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|                                      |                                      |                                       |                                       |  |  |
|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|--|--|
| PO138FL02<br>2' Fluted<br>\$36.00 ea | PO138FL04<br>4' Fluted<br>\$72.00 ea | PO138FL06<br>6' Fluted<br>\$108.00 ea | PO138FL08<br>8' Fluted<br>\$144.00 ea | PO138FL10<br>10' Fluted<br>\$180.00 ea | PO138FL12<br>12' Fluted<br>\$216.00 ea |
|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|--|--|

|                                      |                                      |                                       |                                       |  |  |
|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|--|--|
| PO138SM02<br>2' Smooth<br>\$36.00 ea | PO138SM04<br>4' Smooth<br>\$72.00 ea | PO138SM06<br>6' Smooth<br>\$108.00 ea | PO138SM08<br>8' Smooth<br>\$144.00 ea | PO138SM10<br>10' Smooth<br>\$180.00 ea | PO138SM12<br>12' Smooth<br>\$216.00 ea |
|--------------------------------------|--------------------------------------|---------------------------------------|---------------------------------------|--|--|

### 1<sup>3</sup>/<sub>8</sub>" Rings





fit the 1<sup>3</sup>/<sub>8</sub>" smooth or fluted wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.

|   |  |  |  |   |
|---|--|--|--|---|
|  <p>PO138WRI<br/>1<sup>3</sup>/<sub>8</sub>" Wood Ring<br/>WOOD<br/>1/2" (1.3 cm) W<br/>1 3/4" (4.4 cm) ID x<br/>2 5/8" (6.7 cm) OD<br/>3/4" (1.9 cm) DROP<br/>\$7.00 ea</p> |  <p>PO138MRI<br/>1<sup>3</sup>/<sub>8</sub>" Metal Ring<br/>METAL<br/>3/16" (0.5 cm) W<br/>1 3/4" (4.4 cm) ID x<br/>2 1/4" (5.7 cm) OD<br/>1/2" (1.3 cm) DROP<br/>\$7.00 ea</p> |  <p>PO138LERI<br/>Leaf Ring<br/>RESIN<br/>5/8" (1.6 cm) W<br/>1 7/8" (4.8 cm) ID x<br/>3 1/8" (7.9 cm) OD<br/>1 1/4" (3.2 cm) DROP<br/>\$15.00 ea</p> |  <p>PO138MARI<br/>Maddox Ring<br/>METAL<br/>3/16" (0.5 cm) W<br/>2" (5.1 cm) ID x<br/>2 3/8" (6.0 cm) OD<br/>3/4" (1.9 cm) DROP<br/>\$7.00 ea</p> |  <p>PO138MCRI<br/>Medium C Ring<br/>METAL<br/>3/16" (0.5 cm) W<br/>2" (5.1 cm) ID x<br/>2 3/8" (6.0 cm) OD<br/>3/4" (1.9 cm) DROP<br/>\$6.00 ea</p> <p>• Use this bypass ring with Gregory Bypass Support Brackets</p> |
|---|--|--|--|---|

### 1<sup>3</sup>/<sub>8</sub>" Accessories

Note: Hinged Resin Elbow and 41" Metal Wand available in any Portfolio finish.

|  |  |   |   |
|--|--|---|---|
|  <p>PO138REL<br/>1<sup>3</sup>/<sub>8</sub>" Hinged Resin Elbow<br/>1 5/8" (4.1 cm) DIA x<br/>3 7/8" (9.8 cm) TOTAL LENGTH,<br/>1 15/16" (4.9 cm) each side when bent<br/>\$40.00 ea</p> <p><b>Note:</b> New Elbow has smaller diameter to allow 1<sup>3</sup>/<sub>8</sub>" rings to get closer to the corner.</p> |  <p>POAC36WAND<br/>36" Clear Acrylic Wand<br/>ACRYLIC, CLEAR ONLY<br/>1/2" (1.3 cm) DIA x<br/>36" (91.4 cm) LENGTH<br/>\$40.00 ea</p> |  <p>POAC48WAND<br/>48" Clear Acrylic Wand<br/>ACRYLIC, CLEAR ONLY<br/>1/2" (1.3 cm) DIA x<br/>48" (121.9 cm) LENGTH<br/>\$45.00 ea</p> |  <p>POME41WAND<br/>41" Metal Wand<br/>5/8" (1.6 cm) DIA x<br/>41" (104.1 cm) LENGTH<br/>\$40.00 ea</p> |
|--|--|---|---|







\*Sold in pairs only.



**2" Glamour Resin Finials** fit 2" smooth or fluted wood poles.

|  |   |  |  |  |
|--|---|--|--|--|
|                                   |            |           |  |         |
| PO200EMFI  | PO200EVFI   | PO200LAFI  | PO200MNFI  | PO200SAFI  |
| Emerald  | Eva   | Lainey   | Marin  | Sapphire   |
| 3" (7.6 cm) W<br>3 <sup>3</sup> / <sub>4</sub> " (9.5 cm) DIA<br>[2 <sup>3</sup> / <sub>4</sub> " (7.0 cm) square] | 5 <sup>1</sup> / <sub>2</sub> " (14.0 cm) W<br>3 <sup>3</sup> / <sub>4</sub> " (9.5 cm) DIA | 3 <sup>7</sup> / <sub>8</sub> " (9.8 cm) W<br>3 <sup>1</sup> / <sub>2</sub> " (8.9 cm) DIA | 4" (10.2 cm) W<br>4 <sup>1</sup> / <sub>8</sub> " (10.5 cm) DIA                    | 3 <sup>1</sup> / <sub>4</sub> " (8.3 cm) W<br>3 <sup>3</sup> / <sub>8</sub> " (8.6 cm) DIA |
| \$95.00 pair*  | \$95.00 pair*   | \$95.00 pair*  | \$95.00 pair*  | \$95.00 pair*  |

**2" Tried & True Resin Finials** fit 2" smooth or fluted wood poles.

|  |   |   |  |   |  |
|--|---|---|--|---|--|
|           |  |  |           |          |           |
| PO200ADFI  | PO200AEFI   | PO200CAFI   | PO200COEC  | PO200EIFI   | PO200IMFI  |
| Andre  | Anneliese   | Cayley  | Cosette End Cap  | Eirwen  | Imogene  |
| 3 <sup>7</sup> / <sub>8</sub> " (9.8 cm) W<br>3 <sup>3</sup> / <sub>8</sub> " (8.6 cm) DIA | 5" (12.7 cm) W<br>4 <sup>1</sup> / <sub>2</sub> " (11.4 cm) DIA                   | 3 <sup>5</sup> / <sub>8</sub> " (9.2 cm) W<br>4" (10.2 cm) DIA                    | 1 <sup>7</sup> / <sub>8</sub> " (4.8 cm) W<br>2 <sup>3</sup> / <sub>4</sub> " (7.0 cm) DIA | 4 <sup>1</sup> / <sub>2</sub> " (11.4 cm) W<br>3 <sup>3</sup> / <sub>4</sub> " (9.5 cm) DIA | 4 <sup>3</sup> / <sub>4</sub> " (12.1 cm) W<br>4 <sup>1</sup> / <sub>2</sub> " (11.4 cm) DIA |
| \$95.00 pair*  | \$95.00 pair*   | \$95.00 pair*   | \$45.00 pair*  | \$95.00 pair*   | \$95.00 pair*  |

|   |   |   |   |   |
|---|---|---|---|---|
|          |  |          |         |        |
| PO200MDFI   | PO200MAEC   | PO200MAFI   | PO200NIFI   | PO200OPFI   |
| Madelaine   | Margot End Cap  | Mariele   | Nicholas  | Ophelia   |
| 5 <sup>3</sup> / <sub>4</sub> " (14.6 cm) W<br>3 <sup>3</sup> / <sub>4</sub> " (9.5 cm) DIA | 3 <sup>1</sup> / <sub>4</sub> " (1.9 cm) W<br>3" (7.6 cm) DIA                       | 4 <sup>1</sup> / <sub>4</sub> " (10.8 cm) W<br>3 <sup>1</sup> / <sub>2</sub> " (8.9 cm) DIA | 4 <sup>1</sup> / <sub>2</sub> " (11.4 cm) W<br>3 <sup>3</sup> / <sub>8</sub> " (8.6 cm) DIA | 5 <sup>1</sup> / <sub>4</sub> " (13.3 cm) W<br>3 <sup>1</sup> / <sub>8</sub> " (7.9 cm) DIA |
| \$95.00 pair*   | \$45.00 pair*   | \$95.00 pair*   | \$95.00 pair*   | \$95.00 pair*   |

\*Sold in pairs only.

2" Brackets

fit 2" smooth or fluted wood poles.

Note: Return indicates distance from wall to center of pole. Projection indicates distance from wall to back of pole.

|  |  |   |   |
|--|--|---|---|
|   |  <div>Note: Pair includes right and left (set screw located in back when installed)</div> |    |  |
| PO200MCMBK   | PO200MIBK  | PO200WOCBK  | PO200WOIBK  |
| 2" Metal Ceiling Mount   | 2" Metal Inside Mount  | 2" Wood Ceiling Mount   | 2" Wood Inside Mount  |
| 1" (2.5 cm) W x<br>3 3/4" (9.5 cm) H x<br>3 1/4" (8.3 cm) D;<br>Base: 1" (2.5 cm) W x<br>3 1/4" (8.3 cm) D;<br>Cradle: 1" (2.5 cm) W x<br>2 7/16" (6.3 cm) ID x<br>2 3/4" (7.0 cm) OD<br>Drop (distance from ceiling to bottom of pole): 3 5/8" (9.2 cm) | 1" (2.5 cm) W x<br>1 7/8" (4.1 cm) H x<br>2 7/8" (7.3 cm) D  | 1" (2.5 cm) W x<br>4 1/8" (10.5 cm) H x<br>8 3/8" (21.3 cm) D;<br>Drop (distance from ceiling to bottom of pole): 3 3/8" (8.6 cm) | 1" (2.5 cm) W x<br>3 1/8" (7.9 cm) H x<br>4 7/8" (12.4 cm) D                        |
| \$45.00 ea   | \$85.00 pair*  | \$55.00 ea  | \$80.00 pair*   |

|   |   |
|---|---|
|                    |  <div>Note: Back cradle holds 1" (2.5 cm) diameter pole.</div>                         |
| PO200CMSBK  | PO200CMDBK  |
| Camille 3" Single   | Camille 6" Double   |
| METAL<br>3 1/4" (8.3 cm) DIA BASE x<br>5 5/8" (14.3 cm) D;<br>4" (10.2 cm) RET,<br>3" (7.6 cm) PROJ | METAL<br>3 1/4" (8.3 cm) DIA BASE x<br>8 3/4" (22.2 cm) D;<br>7" (17.8 cm) FRONT RET,<br>3 1/2" (8.9 cm) BACK RET;<br>6" (15.2 cm) FRONT PROJ,<br>3" (7.6 cm) BACK PROJ |
| \$60.00 ea  | \$80.00 ea  |

|   |  |   |
|---|--|---|
|                                |                                 |  <div>Note: Back cradle holds 1 1/4" (3.2 cm) or 1 3/8" (3.5 cm) diameter poles.</div>                 |
| PO200HASBK  | PO200HAS6BK  | PO200HADBK  |
| Harlan 3" Single  | Harlan 6" Single   | Harlan 6" Double  |
| METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>5 1/2" (14.0 cm) D;<br>4" (10.2 cm) RET,<br>3" (7.6 cm) PROJ | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>7 1/4" (18.4 cm) D;<br>6" (15.2 cm) RET,<br>5" (12.7 cm) PROJ | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>7 1/4" (18.4 cm) D;<br>6" (15.2 cm) FRONT RET,<br>2 3/8" (6.0 cm) BACK RET;<br>5" (12.7 cm) FRONT PROJ,<br>1 7/8" (4.8 cm) BACK PROJ |
| \$50.00 ea  | \$55.00 ea   | \$55.00 ea  |

\*Sold in pairs only.

## 2" Wood Poles

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|                                      |                                       |                                       |                                       |  |  |  |  |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|
| PO200FL02<br>2' Fluted<br>\$58.00 ea | PO200FL04<br>4' Fluted<br>\$116.00 ea | PO200FL06<br>6' Fluted<br>\$174.00 ea | PO200FL08<br>8' Fluted<br>\$232.00 ea | PO200FL10<br>10' Fluted<br>\$290.00 ea | PO200FL12<br>12' Fluted<br>\$348.00 ea | PO200FL14<br>14' Fluted<br>\$406.00 ea | PO200FL16<br>16' Fluted<br>\$464.00 ea |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|

|                                      |                                       |                                       |                                       |  |  |  |  |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|
| PO200SM02<br>2' Smooth<br>\$58.00 ea | PO200SM04<br>4' Smooth<br>\$116.00 ea | PO200SM06<br>6' Smooth<br>\$174.00 ea | PO200SM08<br>8' Smooth<br>\$232.00 ea | PO200SM10<br>10' Smooth<br>\$290.00 ea | PO200SM12<br>12' Smooth<br>\$348.00 ea | PO200SM14<br>14' Smooth<br>\$406.00 ea | PO200SM16<br>16' Smooth<br>\$464.00 ea |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|





## 2" Rings

fit the 2" smooth or fluted wood poles.  
Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.

|   |   |   |   |   |
|---|---|---|---|---|
|            |                                    |              |            |                                  |
| PO200WRI<br>2" Wood Ring  | PO200CHRI<br>Christelle Ring  | PO200DURI<br>Duncan Ring  | PO200FORI<br>Forrest Ring   | PO200IVRI<br>Ivanna Ring  |
| WOOD<br>1/2" (1.3 cm) W<br>2 1/4" (5.7 cm) ID x<br>3 1/4" (8.3 cm) OD<br>3/4" (1.9 cm) DROP | RESIN<br>1/2" (1.3 cm) W x<br>3 1/4" (8.3 cm) H<br>2 1/2" (6.4 cm) ID x<br>3 3/8" (8.6 cm) OD<br>7/8" (2.2 cm) DROP | METAL<br>3/16" (0.5 cm) W<br>2 1/2" (6.4 cm) ID x<br>2 7/8" (7.3 cm) OD<br>3/4" (1.9 cm) DROP | METAL<br>3/16" (0.5 cm) W<br>2 3/4" (7.0 cm) ID x<br>3 1/8" (7.9 cm) OD<br>1" (2.5 cm) DROP | RESIN<br>1/2" (1.3 cm) W x<br>3 1/4" (8.3 cm) H<br>2 1/2" (6.4 cm) ID x<br>3 1/4" (8.3 cm) OD<br>7/8" (2.2 cm) DROP |
| \$9.00 ea   | \$9.00 ea   | \$7.00 ea   | \$7.00 ea   | \$9.00 ea   |

## 2" Accessories

Note: Hinged Resin Elbow and 41" Metal Wand available in any Portfolio finish.

|  |  |  |  |   |  |   |
|--|--|--|--|---|--|---|
|                     | <i>Note: Elbow has smaller diameter to allow 2" rings to get closer to the corner.</i> |  |  |  |  |  |
| PO200REL<br>2" Hinged<br>Resin Elbow   |  |  |  | POAC36WAND<br>36" Clear Acrylic<br>Wand   | POAC48WAND<br>48" Clear Acrylic<br>Wand  | POME41WAND<br>41" Metal Wand  |
| 2 1/16" (5.3 cm) DIA x<br>4 5/8" (11.1 cm)<br>TOTAL LENGTH,<br>2 3/16" (5.6 cm) each side<br>when bent |  |  |  | ACRYLIC, CLEAR ONLY<br>1/2" (1.3 cm) DIA x<br>36" (91.4 cm) LENGTH                  | ACRYLIC, CLEAR ONLY<br>1/2" (1.3 cm) DIA x<br>48" (121.9 cm) LENGTH                  | 5/8" (1.6 cm) DIA x<br>41" (104.1 cm) LENGTH  |
| \$50.00 ea   |  |  |  | \$40.00 ea  | \$45.00 ea   | \$40.00 ea  |







\*Sold in pairs only.




**2 1/4" Tried & True Resin Finials** fit the 2 1/4" smooth or fluted wood poles.

|   |  |   |   |   |   |
|---|--|---|---|---|---|
|  |                   |  |          |  |  |
| PO214ADFI<br>Adelaide<br>5" (12.7 cm) W<br>3 1/2" (8.9 cm) DIA<br>\$105.00 pair*  | PO214ADFIGL<br>Adelaide - Mercury Glass<br>5" (12.7 cm) W<br>3 3/8" (8.6 cm) DIA<br>\$150.00 pair* | PO214BEFI<br>Beatrice<br>4 1/4" (10.8 cm) W<br>4" (10.2 cm) DIA<br>\$125.00 pair* | PO214BREC<br>Brinley End Cap<br>1 1/2" (3.8 cm) W<br>2 3/4" (7.0 cm) DIA<br>\$45.00 pair* | PO214DUEC<br>Durham End Cap<br>7/8" (2.2 cm) W<br>3" (7.6 cm) DIA<br>\$45.00 pair*  | PO214EDFI<br>Edward<br>4 1/4" (10.8 cm) W<br>3 1/4" (8.3 cm) DIA<br>\$105.00 pair*  |

|   |   |   |  |   |   |
|---|---|---|--|---|---|
|  |  |                                |           |  |  |
| PO214FIFI<br>Fiona<br>4" (10.2 cm) W<br>5 1/4" (13.3 cm) DIA<br>\$125.00 pair*    | PO214GAEC<br>Gage End Cap<br>1" (2.5 cm) W<br>3" (7.6 cm) DIA<br>\$45.00 pair*    | PO214HZFI<br>Hazel - Crystal<br>RESIN AND CRYSTAL<br>2 3/4" (7.0 cm) W<br>3 1/4" (8.3 cm) DIA<br>\$200.00 pair* | PO214LCEC<br>Large Carved End Cap<br>1" (2.5 cm) W<br>2 3/4" (7.0 cm) DIA<br>\$45.00 pair* | PO214OLFI<br>Oliver<br>3 3/4" (9.5 cm) W<br>3 3/4" (9.5 cm) DIA<br>\$105.00 pair*   | PO214STFI<br>Stella<br>2 1/4" (5.7 cm) W<br>3 1/4" (8.3 cm) DIA<br>\$105.00 pair*   |














**2 1/4" Glamour Resin Finials** fit the 2 1/4" smooth or fluted wood poles.

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| PO214BUFI<br>Beau<br>4" (10.2 cm) W<br>3 3/8" (8.6 cm) DIA<br>\$125.00 pair*        | PO214DAFI<br>Davies<br>4 1/8" (10.5 cm) W<br>3 1/2" (8.9 cm) DIA<br>\$105.00 pair*  | PO214LOFI<br>Louise<br>4 1/4" (10.8 cm) W<br>4" (10.2 cm) DIA<br>\$105.00 pair*     | PO214MRFI<br>Maribel<br>1 7/8" (4.8 cm) W<br>3" (7.6 cm) DIA<br>\$105.00 pair*      | PO214OPFI<br>Opal<br>3 1/8" (7.9 cm) W<br>3 3/4" (9.5 cm) DIA<br>\$125.00 pair*       | PO214PAFI<br>Paris<br>2 5/8" (6.7 cm) W<br>3 1/2" (8.9 cm) DIA<br>\$105.00 pair*      |

|   |   |   |
|---|---|---|
|  |                |                    |
| PO214QUFI<br>Quincy<br>5 3/4" (14.6 cm) W<br>2 3/4" (7.0 cm) DIA<br>\$105.00 pair*  | PO214SIFI<br>Sidney<br>3 1/4" (8.3 cm) W<br>4 1/4" (10.8 cm) DIA<br>[3" Square]<br>\$105.00 pair* | PO214VEFI<br>Versailles<br>8" (20.3 cm) W<br>3 1/2" (8.9 cm) H<br>2 3/4" (7.0 cm) D<br>\$125.00 pair* |

\*Sold in pairs only.

**2 1/4" Traditional Resin Finials** fit the 2 1/4" smooth or fluted wood poles.






|  |  |  |   |  |   |
|--|--|--|---|--|---|
| <p><i><b>Note:</b> Finial base covers 1/2" (1.3 cm) of pole. Finished pole length may need to be increased accordingly.</i></p>  |  |  |   |  |   |
|  <p>PO214ARFI<br/>Artichoke<br/>6 3/4" (17.1 cm) W<br/>3 3/4" (9.5 cm) DIA<br/>\$125.00 pair*</p> |  <p>PO214BOFI<br/>Bordeaux<br/>4 3/4" (12.1 cm) W<br/>4 1/8" (10.5 cm) DIA<br/>\$125.00 pair*</p> |  <p>PO214CMFI<br/>Cambria<br/>7 1/4" (18.4 cm) W x<br/>4" (10.2 cm) H x<br/>2 3/4" (7.0 cm) D<br/>\$105.00 pair*</p> |  <p>PO214EAFI<br/>Ema<br/>5 1/4" (13.3 cm) W<br/>3" (7.6 cm) DIA<br/>\$105.00 pair*</p>      |  <p>PO214GKFI<br/>Greek<br/>5" (12.7 cm) W<br/>4" (10.2 cm) DIA<br/>\$105.00 pair*</p>            |   |
|  <p>PO214GRFI<br/>Greer<br/>7 3/8" (18.7 cm) W<br/>4 3/4" (12.1 cm) DIA<br/>\$125.00 pair*</p>    |  <p>PO214KEFI<br/>Kenley<br/>5 3/4" (14.6 cm) W<br/>5" (12.7 cm) DIA<br/>\$125.00 pair*</p>       |  <p>PO214LNFI<br/>Landon<br/>5 1/2" (14.0 cm) W<br/>4" (10.2 cm) DIA<br/>\$125.00 pair*</p>                           |  <p>PO214LYFI<br/>Lyon<br/>4 3/4" (12.1 cm) W<br/>4 7/8" (12.4 cm) DIA<br/>\$125.00 pair*</p> |  <p>PO214MAFI<br/>Marie Antoinette<br/>5" (12.7 cm) W<br/>5" (12.7 cm) DIA<br/>\$125.00 pair*</p> |  <p>PO214MIFI<br/>Michael<br/>6 3/4" (17.1 cm) W<br/>4" (10.2 cm) DIA<br/>\$125.00 pair*</p> |
|  <p>PO214NAFI<br/>Natasha<br/>4 3/8" (11.1 cm) W<br/>3 3/4" (9.5 cm) DIA<br/>\$105.00 pair*</p> |  <p>PO214RYFI<br/>Rydal<br/>5 3/4" (14.6 cm) W<br/>4 3/8" (11.1 cm) DIA<br/>\$125.00 pair*</p>  |  |   |  |   |

\*Sold in pairs only.

**2 1/4" Brackets** fit 2 1/4" smooth or fluted wood poles.

Note: Return indicates distance from wall to center of pole. Projection indicates distance from wall to back of pole.

|   |  |  |  |  |
|---|--|--|--|--|
|  <p><b>PO214MCMBK</b></p> <p>2 1/4" Metal Ceiling Mount</p> <p>1" (2.5 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>3 1/4" (8.3 cm) D;</p> <hr/> <p>Base: 1" (2.5 cm) W x<br/>3 1/4" (8.3 cm) D;</p> <hr/> <p>Cradle: 1" (2.5 cm) W x<br/>2 7/16" (6.3 cm) ID x<br/>2 3/4" (7.0 cm) OD</p> <hr/> <p>Drop (distance from ceiling to bottom of pole): 3 5/8" (9.2 cm)</p> <p>\$45.00 ea</p> |  <p><b>PO214MIBK</b></p> <p>2 1/4" Metal Inside Mount</p> <p>1" (2.5 cm) W x<br/>1 5/8" (4.1 cm) H x<br/>2 7/8" (7.3 cm) D</p> <p>\$85.00 pair*</p> | <p><i><b>Note:</b> Pair includes right and left (set screw located in back when installed).</i></p>  <p><b>PO214WOCBK</b></p> <p>2 1/4" Wood Ceiling Mount</p> <p>1" (2.5 cm) W x<br/>4 1/8" (10.5 cm) H x<br/>8 5/8" (21.3 cm) D;</p> <hr/> <p>Drop (distance from ceiling to bottom of pole): 3 3/8" (8.6 cm)</p> <p>\$55.00 ea</p> |  <p><b>PO214WOIBK</b></p> <p>2 1/4" Wood Inside Mount</p> <p>1" (2.5 cm) W x<br/>3 1/8" (7.9 cm) H x<br/>4 7/8" (12.4 cm) D</p> <p>\$80.00 pair*</p> |  <p><b>PO214ACBK</b></p> <p>Accessory</p> <p>RESIN</p> <p>1" (2.5 cm) W x<br/>3 1/2" (8.9 cm) H x<br/>6 3/8" (16.2 cm) D;</p> <hr/> <p>4 3/8" (11.1 cm) RET,<br/>3 1/8" (7.9 cm) PROJ</p> <p>\$45.00 ea</p> <p><i><b>Note:</b> Attach any resin Portfolio Holdback Medallion to the front of this bracket. Holdback Medallions sold separately.</i></p> |
|---|--|--|--|--|

|   |   |   |  |  |
|---|---|---|--|--|
|  <p><b>PO214DUSBK</b></p> <p>Dunmore 3" Single</p> <p>RESIN</p> <p>1" (2.5 cm) W x<br/>4 3/4" (12.1 cm) H x<br/>5 3/4" (14.6 cm) D;</p> <hr/> <p>4 1/4" (10.8 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$45.00 ea</p> |  <p><b>PO214DUBBK</b></p> <p>Dunmore 6" Double</p> <p>RESIN</p> <p>1" (2.5 cm) W x<br/>4 3/4" (12.1 cm) H x<br/>8 3/4" (22.2 cm) D;</p> <hr/> <p>7 1/8" (18.1 cm) FRONT RET,<br/>3 3/4" (9.5 cm) BACK RET;</p> <hr/> <p>6" (15.2 cm) FRONT PROJ,<br/>3" (7.6 cm) BACK PROJ</p> <p>\$55.00 ea</p> <p><i><b>Note:</b> Back cradle holds 1 3/8" (3.5 cm) diameter poles.</i></p> |  <p><b>PO214HASBK</b></p> <p>Harlan 3" Single</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>5 1/2" (14.0 cm) D;</p> <hr/> <p>4" (10.2 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$50.00 ea</p> |  <p><b>PO214HAS6BK</b></p> <p>Harlan 6" Single</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>7 1/4" (18.4 cm) D;</p> <hr/> <p>6" (15.2 cm) RET,<br/>5" (12.7 cm) PROJ</p> <p>\$55.00 ea</p> |  <p><b>PO214HADBK</b></p> <p>Harlan 6" Double</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>3 3/4" (9.5 cm) H x<br/>7 1/4" (18.4 cm) D;</p> <hr/> <p>6" (15.2 cm) FRONT RET,<br/>2 3/8" (6.0 cm) BACK RET;</p> <hr/> <p>5" (12.7 cm) FRONT PROJ,<br/>1 7/8" (4.8 cm) BACK PROJ</p> <p>\$55.00 ea</p> <p><i><b>Note:</b> Back cradle holds 1 1/4" (3.2 cm) or 1 3/8" (3.5 cm) diameter poles.</i></p> |
|---|---|---|--|--|

|  |   |   |   |  |
|--|---|---|---|--|
|  <p><b>PO214LYBK</b></p> <p>Lyon</p> <p>RESIN</p> <p>1 5/8" (4.1 cm) W x<br/>7 1/2" (19.1 cm) H x<br/>6 3/4" (17.1 cm) D;</p> <hr/> <p>4 1/8" (10.5 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$75.00 ea</p> |  <p><b>PO214PRBK</b></p> <p>Preston</p> <p>RESIN</p> <p>1 1/2" (3.8 cm) W x<br/>5 1/2" (14.0 cm) H x<br/>5 3/4" (14.6 cm) D;</p> <hr/> <p>4 1/8" (10.5 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$45.00 ea</p> |  <p><b>PO214WISBK</b></p> <p>William 3" Single</p> <p>RESIN</p> <p>1" (2.5 cm) W x<br/>4" (10.2 cm) H x<br/>6" (15.2 cm) D;</p> <hr/> <p>4 1/8" (10.5 cm) RET,<br/>3" (7.6 cm) PROJ</p> <p>\$45.00 ea</p> |  <p><b>PO214WIS6BK</b></p> <p>William 6" Single</p> <p>RESIN</p> <p>1" (2.5 cm) W x<br/>4" (10.2 cm) H x<br/>9" (22.9 cm) D;</p> <hr/> <p>7 1/8" (18.1 cm) RET,<br/>6" (15.2 cm) PROJ</p> <p>\$55.00 ea</p> |  <p><b>PO214WIDBK</b></p> <p>William 6" Double</p> <p>RESIN</p> <p>1" (2.5 cm) W x<br/>3 7/8" (9.8 cm) H x<br/>9" (22.9 cm) D;</p> <hr/> <p>7 1/8" (18.1 cm) FRONT RET,<br/>3 1/4" (8.3 cm) BACK RET;</p> <hr/> <p>6" (15.2 cm) FRONT PROJ,<br/>2 5/8" (6.7 cm) BACK PROJ</p> <p>\$55.00 ea</p> <p><i><b>Note:</b> Back cradle holds 1 3/8" (3.5 cm) diameter poles.</i></p> |
|--|---|---|---|--|

\*Sold in pairs only.

## 2 1/4" Wood Poles

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|                                      |                                       |                                       |                                       |  |  |  |  |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|
| PO214FL02<br>2' Fluted<br>\$60.00 ea | PO214FL04<br>4' Fluted<br>\$120.00 ea | PO214FL06<br>6' Fluted<br>\$180.00 ea | PO214FL08<br>8' Fluted<br>\$240.00 ea | PO214FL10<br>10' Fluted<br>\$300.00 ea | PO214FL12<br>12' Fluted<br>\$360.00 ea | PO214FL14<br>14' Fluted<br>\$420.00 ea | PO214FL16<br>16' Fluted<br>\$480.00 ea |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|

|                                      |                                       |                                       |                                       |  |  |  |  |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|
| PO214SM02<br>2' Smooth<br>\$60.00 ea | PO214SM04<br>4' Smooth<br>\$120.00 ea | PO214SM06<br>6' Smooth<br>\$180.00 ea | PO214SM08<br>8' Smooth<br>\$240.00 ea | PO214SM10<br>10' Smooth<br>\$300.00 ea | PO214SM12<br>12' Smooth<br>\$360.00 ea | PO214SM14<br>14' Smooth<br>\$420.00 ea | PO214SM16<br>16' Smooth<br>\$480.00 ea |
|--------------------------------------|---------------------------------------|---------------------------------------|---------------------------------------|--|--|--|--|





## 2 1/4" Rings fit 2 1/4" smooth or fluted wood poles.

Note: Ring drop indicates distance from bottom of pole to bottom of ring. A ring's drop changes on different diameter poles.

|  |   |   |   |
|--|---|---|---|
|   |            |              |            |
| PO214MRI   | PO214WRI  | PO214FORI   | PO214LYRI   |
| 2 1/4" Metal Ring  | 2 1/4" Wood Ring  | Forrest Ring  | Lyon Ring   |
| METAL<br>1/4" (cm) W<br>2 1/2" (cm) ID x<br>3" (7.6 cm) OD<br>1 1/2" (1.3 cm) DROP | WOOD<br>1/2" (1.3 cm) W<br>2 5/8" (6.7 cm) ID x<br>3 5/8" (9.2 cm) OD<br>7/8" (2.2 cm) DROP | METAL<br>3/16" (0.5 cm) W<br>2 3/4" (7.0 cm) ID x<br>3 1/8" (7.9 cm) OD<br>3/4" (1.9 cm) DROP | RESIN<br>5/8" (1.6 cm) W<br>3" (7.6 cm) ID x<br>4 1/4" (10.8 cm) OD<br>1 3/8" (3.5 cm) DROP |
| \$7.00 ea  | \$9.00 ea   | \$7.00 ea   | \$15.00 ea  |

## 2 1/4" Accessories

Note: Hinged Resin Elbow and 41" Metal Wand available in any Portfolio finish.

|  |  |  |  |   |
|--|--|--|--|---|
|           | <i>Note: Elbow has smaller diameter to allow 2 1/4" rings to get closer to the corner.</i> |  |  |  |
| PO214REL   |  | POAC36WAND   | POAC48WAND   | POME41WAND  |
| 2 1/4" Hinged Resin Elbow  |  | 36" Clear Acrylic Wand   | 48" Clear Acrylic Wand   | 41" Metal Wand  |
| 2 3/8" (6.0 cm) DIA<br>5 1/8" (13.0 cm) TOTAL LENGTH<br>2 9/16" (6.5 cm) each side when bent |  | ACRYLIC, CLEAR ONLY<br>1/2" (1.3 cm) DIA x<br>36" (91.4 cm) LENGTH   | ACRYLIC, CLEAR ONLY<br>1/2" (1.3 cm) DIA x<br>48" (121.9 cm) LENGTH  | 5/8" (1.6 cm) DIA x<br>41" (104.1 cm) LENGTH  |
| \$50.00 ea   |  | \$40.00 ea   | \$45.00 ea   | \$40.00 ea  |






\*Sold in pairs only.



HOLDBACK MEDALLIONS AND HOLDBACK STEMS SOLD SEPARATELY.






## Metal Holdback Medallions

Note: Metal Holdback Medallions only fit Metal Holdback Stems. Order Metal Holdback Stems separately.

|   |  |   |  |   |
|---|--|---|--|---|
|  <p><b>POACHB</b><br/>Achilles<br/>METAL<br/>2½" (6.4 cm) SQ x<br/>½" (1.3 cm) THICK<br/>\$80.00 pair*</p> |  <p><b>POBKHB</b><br/>Blake - Mercury Glass<br/>METAL AND GLASS<br/>3" (7.6 cm) DIA x<br/>2⅞" (6.0 cm) THICK<br/>\$120.00 pair*</p> |  <p><b>POJEHB</b><br/>Jem<br/>METAL<br/>2½" (6.4 cm) DIA x<br/>⅜" (1.0 cm) THICK<br/>\$60.00 pair*</p> |  <p><b>POLAHB</b><br/>Larkspur<br/>METAL<br/>6" (15.2 cm) W x<br/>¾" (1.9 cm) THICK<br/>\$70.00 pair*</p> | <p><i><b>Note:</b><br/>Stem attaches<br/>to back of the<br/>medallion in the<br/>area behind the<br/>base of the leaves,<br/>not in center<br/>of medallion.</i></p>  <p><b>POMARHB</b><br/>Mara<br/>METAL<br/>3" (7.6 cm) DIA x<br/>7/8" (2.2 cm) THICK<br/>\$90.00 pair*</p> |
|---|--|---|--|---|













## Metal Holdback Stems Select 2", 4" or 6" projection.

Projection indicates distance from wall to back of medallion.

|  |  |  |   |   |
|--|--|--|---|---|
|  <p><b>POMAHB</b><br/>Marcus<br/>METAL<br/>1½" (3.8 cm) DIA x<br/>½" (1.3 cm) THICK<br/>\$40.00 pair*</p> |  <p><i><b>Note:</b><br/>Stem attaches to<br/>back of the<br/>medallion in the<br/>area behind the<br/>largest group of<br/>leaves, not in center<br/>of medallion.</i></p> <p><b>POOCHB</b><br/>Octavia<br/>METAL<br/>5⅞" (14.9 cm) W x<br/>½" (1.3 cm) THICK<br/>\$70.00 pair*</p> |  <p><b>POMESTEM2</b><br/>2" Stem<br/>METAL<br/>Base: 2" (5.1 cm) DIA<br/>Stem: ½" (1.3 cm) DIA<br/>2" (5.1 cm) Projection<br/>\$25.00 pair*</p> |  <p><b>POMESTEM4</b><br/>4" Stem<br/>METAL<br/>Base: 2" (5.1 cm) DIA<br/>Stem: ½" (1.3 cm) DIA<br/>4" (10.2 cm) Projection<br/>\$25.00 pair*</p> |  <p><b>POMESTEM6</b><br/>6" Stem<br/>METAL<br/>Base: 2" (5.1 cm) DIA<br/>Stem: ½" (1.3 cm) DIA<br/>6" (15.2 cm) Projection<br/>\$25.00 pair*</p> |
|--|--|--|---|---|

## Resin Holdback Medallions

Note: Resin Holdback Medallions fit your choice of Metal, Resin, or Traditional Resin Holdback Stems. Stems are sold separately. Order style of Stem and select a projection of 2", 4", or 6". Projection indicates distance from wall to back of medallion. Larger medallions work best with the Traditional Resin Stem for added support.

|   |  |  |  |  |  |
|---|--|--|--|--|--|
|  <p><b>POBEHB</b><br/>Bernadette<br/>RESIN<br/>4½" (11.4 cm) DIA x<br/>1¼" (3.2 cm) THICK<br/>\$100.00 pair*</p> |  <p><b>POBLHB</b><br/>Blois<br/>RESIN<br/>3¾" (9.5 cm) DIA x<br/>¾" (1.9 cm) THICK<br/>\$60.00 pair*</p>  |  <p><b>POBXHB</b><br/>Braxton<br/>RESIN<br/>5" (12.7 cm) DIA x<br/>1½" (3.8 cm) THICK<br/>\$80.00 pair*</p> |  <p><b>POBRHB</b><br/>Brooks<br/>RESIN<br/>6" (15.2 cm) W x<br/>¾" (1.9 cm) THICK<br/>\$70.00 pair*</p>     |  <p><b>POCHHB</b><br/>Chenonceau<br/>RESIN<br/>3¾" (9.5 cm) DIA x<br/>¾" (1.9 cm) THICK<br/>\$60.00 pair*</p> |  <p><b>POCKHB</b><br/>Clark<br/>RESIN<br/>3" (7.6 cm) DIA x<br/>1" (2.5 cm) THICK<br/>\$70.00 pair*</p>       |
|  <p><b>POCLHB</b><br/>Claude<br/>RESIN<br/>5½" (14.0 cm) DIA x<br/>1" (2.5 cm) THICK<br/>\$50.00 pair*</p>       |  <p><b>PODRHB</b><br/>Drake<br/>RESIN<br/>4½" (11.4 cm) DIA x<br/>⅞" (2.9 cm) THICK<br/>\$80.00 pair*</p> |  <p><b>POGEHB</b><br/>Genette<br/>RESIN<br/>4" (10.2 cm) DIA x<br/>1¼" (3.2 cm) THICK<br/>\$90.00 pair*</p> |  <p><b>POGLHB</b><br/>Gloria<br/>RESIN<br/>5" (12.7 cm) DIA x<br/>1⅞" (3.5 cm) THICK<br/>\$100.00 pair*</p> |  <p><b>POHUHB</b><br/>Hustle<br/>RESIN<br/>3½" (8.9 cm) DIA x<br/>1" (2.5 cm) THICK<br/>\$70.00 pair*</p>     |  <p><b>POISHB</b><br/>Isabelle<br/>RESIN<br/>5½" (14.0 cm) DIA x<br/>1¼" (3.2 cm) THICK<br/>\$70.00 pair*</p> |

\*Sold in pairs only.

## Portfolio Holdbacks HOLDBACK MEDALLIONS AND HOLDBACK STEMS SOLD SEPARATELY.




### Resin Holdback Medallions (continued)

Note: Resin Holdback Medallions fit your choice of Metal, Resin, or Traditional Resin Holdback Stems. Stems are sold separately. Order style of Stem and select a projection of 2", 4", or 6". Projection indicates distance from wall to back of medallion. Larger medallions work best with the Traditional Resin Stem for added support.

|   |   |   |   |  |  |
|---|---|---|---|--|--|
|  <p><b>POLGHB</b><br/>Laguna<br/>RESIN<br/>3 1/4" (8.3 cm) DIA x<br/>3/4" (1.9 cm) THICK<br/>\$60.00 pair*</p> |  <p><b>POLYHB</b><br/>Lyon<br/>RESIN<br/>4 3/4" (12.1 cm) DIA x<br/>2 1/2" (6.4 cm) THICK<br/>\$100.00 pair*</p>   |  <p><b>POMIHB</b><br/>Miranda<br/>RESIN<br/>5" (12.7 cm) DIA x<br/>1 1/2" (3.8 cm) THICK<br/>\$80.00 pair*</p> |  <p><b>POMRHB</b><br/>Mirna<br/>RESIN<br/>4 1/2" (11.4 cm) DIA x<br/>1 1/4" (3.2 cm) THICK<br/>\$100.00 pair*</p> |  <p><b>PONEHB</b><br/>Newport<br/>RESIN<br/>3 1/4" (8.3 cm) DIA x<br/>3/4" (1.9 cm) THICK<br/>\$60.00 pair*</p> |  <p><b>POSAHB</b><br/>Savannah<br/>RESIN<br/>4 1/2" (11.4 cm) DIA x<br/>3/4" (1.9 cm) THICK<br/>\$60.00 pair*</p> |
|  <p><b>POSUHB</b><br/>Sunset<br/>RESIN<br/>3 1/2" (8.9 cm) DIA x<br/>3/4" (1.9 cm) THICK<br/>\$60.00 pair*</p> |  <p><b>POSWHB</b><br/>Swindon<br/>RESIN<br/>5 1/8" (13.0 cm) DIA x<br/>1 1/4" (3.2 cm) THICK<br/>\$80.00 pair*</p> |  <p><b>POTRHB</b><br/>Trudy<br/>RESIN<br/>4 3/4" (12.1 cm) DIA x<br/>3/4" (1.9 cm) THICK<br/>\$70.00 pair*</p> |  <p><b>POTWHB</b><br/>Twirl<br/>RESIN<br/>3 1/2" (8.9 cm) DIA x<br/>1" (2.5 cm) THICK<br/>\$70.00 pair*</p>       |  <p><b>POVEHB</b><br/>Venice<br/>RESIN<br/>3 1/2" (8.9 cm) DIA x<br/>3/4" (1.9 cm) THICK<br/>\$60.00 pair*</p>  |  |

### Metal Holdback Stems Select 2", 4" or 6" projection.




Projection indicates distance from wall to back of medallion.

|  |   |   |
|--|---|---|
|  <p><b>POMESTEM2</b><br/>2" Stem<br/>Base: 2" (5.1 cm) DIA<br/>Stem: 1/2" (1.3 cm) DIA<br/>2" (5.1 cm) PROJ<br/>\$25.00 pair*</p> |  <p><b>POMESTEM4</b><br/>4" Stem<br/>Base: 2" (5.1 cm) DIA<br/>Stem: 1/2" (1.3 cm) DIA<br/>4" (10.2 cm) PROJ<br/>\$25.00 pair*</p> |  <p><b>POMESTEM6</b><br/>6" Stem<br/>Base: 2" (5.1 cm) DIA<br/>Stem: 1/2" (1.3 cm) DIA<br/>6" (15.2 cm) PROJ<br/>\$25.00 pair*</p> |
|--|---|---|

### Resin Holdback Stems

Select 2", 4" or 6" projection.




Projection indicates distance from wall to back of medallion.

|  |   |   |
|--|---|---|
|  <p><b>PORESTEM2</b><br/>2" Stem<br/>Base: 3 1/8" (7.9 cm) DIA<br/>Stem: 3/4" (1.9 cm) DIA<br/>2" (5.1 cm) PROJ<br/>\$30.00 pair*</p> |  <p><b>PORESTEM4</b><br/>4" Stem<br/>Base: 3 1/8" (7.9 cm) DIA<br/>Stem: 3/4" (1.9 cm) DIA<br/>4" (10.2 cm) PROJ<br/>\$30.00 pair*</p> |  <p><b>PORESTEM6</b><br/>6" Stem<br/>Base: 3 1/8" (7.9 cm) DIA<br/>Stem: 3/4" (1.9 cm) DIA<br/>6" (15.2 cm) PROJ<br/>\$30.00 pair*</p> |
|--|---|---|

### Traditional Resin Holdback Stems

Select 2", 4" or 6" projection.



Projection indicates distance from wall to back of medallion.

|   |   |   |
|---|---|---|
|  <p><b>POSTEM2</b><br/>2" Stem<br/>Base: 2 1/2" (6.4 cm) DIA<br/>Stem: 1 1/2" (3.8 cm) DIA<br/>2" (5.1 cm) PROJ<br/>\$30.00 pair*</p> |  <p><b>POSTEM4</b><br/>4" Stem<br/>Base: 2 1/2" (6.4 cm) DIA<br/>Stem: 1 1/2" (3.8 cm) DIA<br/>4" (10.2 cm) PROJ<br/>\$30.00 pair*</p> |  <p><b>POSTEM6</b><br/>6" Stem<br/>Base: 2 1/2" (6.4 cm) DIA<br/>Stem: 1 1/2" (3.8 cm) DIA<br/>6" (15.2 cm) PROJ<br/>\$30.00 pair*</p> |
|---|---|---|

*\*Sold in pairs only.*


Holdback Accessories

Note: Projection indicates distance from wall to back of medallion.


|  |   |  |  |
|--|---|--|--|
|  <p>POMEBAND</p> <p>1" Holdback Medallion Band</p> <p>METAL</p> <p>3/4" (1.9 cm) W x<br/>1 1/16" (3.4 cm) ID,<br/>1 3/16" (3.4 cm) OD</p> <p>\$25.00 ea</p> | <p><b>Note:</b> 1" Holdback Medallion Band attaches any holdback medallion to the front of a 1" diameter pole.</p> <p>Holdback Medallion sold separately.</p> |  <p>POHBARM</p> <p>Holdback Arm</p> <p>METAL</p> <p>7" (17.8 cm) W x<br/>1/2" (1.3 cm)) DIA X<br/>1 5/8" (4.1 CM) H X<br/>5 1/2" (14.0 cm) D;<br/>4 1/2" (11.4 CM) PROJ</p> <p>\$50.00 pair</p> | <p><b>Note:</b> Metal Holdback Arm may be used with any 1" resin or metal finial without cuff. Finials sold separately.</p> <p>Metal Holdback Arms look best with 1" Textured Metal Finials.</p> |
|--|---|--|--|

Common uses for 1" Holdback Medallion Band:


1. repeated decorative embellishment along the length of a pole



2. hold gathered rod pocket drapery panel in place



3. ring stop









\*Sold in pairs only.

# Corded and Motorized Traverse Systems

## CORDED AND MOTORIZED TRAVERSE CONFIGURATIONS

(Pictured with EasyPull™ Heavy-Duty Corded Traverse System.)

| EasyPull™<br>Heavy-Duty<br>Traverse<br><br>pinch pleat | EasyPull™<br>Light-Duty<br>Traverse<br><br>pinch pleat | Heavy-Duty<br>Ball Bearing<br>Traverse<br><br>pinch pleat or<br>Ripplefold® style | BTX DC and<br>Somfy Glydea™<br>Motorized<br>Traverse<br><br>pinch pleat or<br>Ripplefold® style |  |
|--|--|---|---|--|
| ●  | ●  | ●   | ●   | <b>Single Traverse System without Rings</b><br>                                |
| ●  |  |   |   | <b>Single Traverse System with Rings</b><br>                                   |
| ●  | ●  | ●   | ●   | <b>Double Traverse System without Rings</b><br>                               |
| ●  |  |   |   | <b>Double Traverse System with Rings</b><br>                                 |
| ●  | ●  | ●   | ●   | <b>Single or Double System<br/>with Mitered Return</b><br>                   |
| ●  | ●  | ●   | ●   | <b>Double System with Back Traverse<br/>and Stationary Pole in Front</b><br> |

All traverse systems are available with or without decorative wood fascia.

# EasyPull™ Heavy-Duty Traverse System



For Pinch Pleat

| EASYPULL™ SYSTEM FEATURES             | EasyPull™ Heavy Duty Traverse System      |
|---------------------------------------|---|
| 2" and 2¼" Wood Fascia Available      | yes                                       |
| 2¼" C-Rings Available                 | yes                                       |
| Ripplefold® Available                 | no  |
| Maximum Track Length                  | 20 ft continuous; spliced to 38 ft        |
| Maximum Continuous Wood Fascia Length | 16 ft for Portfolio; 12 ft for Quick Ship |

## 1. Choose a style

Single or Double system  
Center or One-Way Draw  
With or without 2¼" C - Rings



Single Traverse System without Rings



Single Traverse System with Rings




Double Traverse System without Rings



Double Traverse System with Rings



Single or Double System  
with Mitered Return



Double System with Back Traverse  
and Stationary Pole in Front

All Systems may be ordered with or without decorative wood fascia.  
Finials are sold separately. 2" or 2 ¼" Portfolio or Quick Ship Wood and Resin are compatible.

## 2. Choose a fascia and finish

2" or 2 1/4" fascia

fluted or smooth profile

30 Portfolio finishes

5 Quick Ship Wood and Resin finishes

PTH Perfect Match™

| Portfolio Diameter | Smooth or Fluted Wood Fascia Finish | Track and Bracket* Color | Component Color<br>Components include glides, master carriers and track end caps |
|--------------------|-------------------------------------|--------------------------|--|
| 2" and 2 1/4"      | Amulet                              | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Andiron                             | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Antique Gold                        | Gold                     | Gold   |
| 2" and 2 1/4"      | Antique Gold Leaf                   | Gold                     | Gold   |
| 2" and 2 1/4"      | Art Bronze                          | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Barnwood                            | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Black                               | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Cinnamon                            | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Dark Chocolate                      | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Eternal                             | Gold                     | Gold   |
| 2" and 2 1/4"      | Firelight                           | Gold                     | Gold   |
| 2" and 2 1/4"      | Goldenrod                           | Gold                     | Gold   |
| 2" and 2 1/4"      | Gossamer                            | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Halo                                | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Java                                | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Linen                               | Gold                     | Gold   |
| 2" and 2 1/4"      | Mink                                | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Moonlight                           | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Mystic                              | Gold                     | Gold   |
| 2" and 2 1/4"      | New Age Bronze                      | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Parchment                           | Gold                     | Gold   |
| 2" and 2 1/4"      | Shimmer                             | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Silver Maple                        | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Spicewood                           | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Spun Gold                           | Gold                     | Gold   |
| 2" and 2 1/4"      | Starlet                             | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Timber                              | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Titanium                            | Bronze                   | Bronze   |
| 2" and 2 1/4"      | Urban Bronze                        | Gold                     | Gold   |
| 2" and 2 1/4"      | White                               | Gold                     | Gold   |
| 2" and 2 1/4"      | PTH Perfect Match™                  | please specify           | please specify   |

| Quick Ship Diameter   | Smooth or Fluted Wood Fascia Finish | Track and Bracket* Color | Component Color<br>Components include glides, master carriers and track end caps |
|-----------------------|-------------------------------------|--------------------------|--|
| 2 1/4" Wood and Resin | Antique Brass                       | Gold                     | Gold   |
|                       | Oil Rubbed Bronze                   | Bronze                   | Bronze   |
|                       | Platinum                            | Bronze                   | Bronze   |
|                       | Rose Gold                           | Gold                     | Gold   |
|                       | Walnut                              | Bronze                   | Bronze   |

\*White brackets may be substituted upon request





## EasyPull™ Heavy-Duty Traverse System



**Note:** All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

| Item # | Name | Price |  |  |  |  |  |  |  |  |  |
|--------|------|-------|--|--|--|--|--|--|--|--|--|
|--------|------|-------|--|--|--|--|--|--|--|--|--|

### EasyPull™ Heavy-Duty Traverse System with Wood Fascia

Finishes: Bronze (BR), Gold (GO)

| Single Track System with Wood Fascia  |  |       |         |         |         |         |         |         |         |                         |      |
|---|--|-------|---------|---------|---------|---------|---------|---------|---------|-------------------------|------|
|   |  | 6'*   | 8'      | 10'     | 12'     | 14'     | 16'     | 18'     | 20'     | Additional 2' up to 38' | Unit |
| EZ01  | Center Draw - No Rings   | \$450 | \$600   | \$750   | \$900   | \$1,050 | \$1,200 | \$1,350 | \$1,500 | \$150                   | Each |
| EZ03  | One-Way Draw - No Rings  | \$450 | \$600   | \$750   | \$900   | \$1,050 | \$1,200 | \$1,350 | \$1,500 | \$150                   | Each |
| EZ02  | Center Draw - With Rings   | \$630 | \$840   | \$1,050 | \$1,260 | \$1,470 | \$1,680 | \$1,890 | \$2,100 | \$210                   | Each |
| EZ04  | One-Way Draw - With Rings  | \$630 | \$840   | \$1,050 | \$1,260 | \$1,470 | \$1,680 | \$1,890 | \$2,100 | \$210                   | Each |
| Double Track System with Wood Fascia on Front Only                                  |  |       |         |         |         |         |         |         |         |                         |      |
| EZ05  | Double Center Draw - No Rings - Fascia Front Only                            | \$610 | \$814   | \$1,018 | \$1,222 | \$1,426 | \$1,630 | \$1,834 | \$2,038 | \$204                   | Each |
| EZ07  | Double One-Way Draw - No Rings - Fascia Front Only                           | \$610 | \$814   | \$1,018 | \$1,222 | \$1,426 | \$1,630 | \$1,834 | \$2,038 | \$204                   | Each |
| EZ06  | Double Center Draw - With Rings - Fascia Front Only                          | \$770 | \$1,026 | \$1,282 | \$1,538 | \$1,794 | \$2,050 | \$2,306 | \$2,562 | \$256                   | Each |
| EZ08  | Double One-Way Draw - With Rings - Fascia Front Only                         | \$770 | \$1,026 | \$1,282 | \$1,538 | \$1,794 | \$2,050 | \$2,306 | \$2,562 | \$256                   | Each |
| Double Track System with Wood Fascia on Front and Back                              |  |       |         |         |         |         |         |         |         |                         |      |
| EZ09  | Double Center Draw - No Rings - Fascia Front and Back                        | \$670 | \$894   | \$1,118 | \$1,342 | \$1,566 | \$1,790 | \$2,014 | \$2,238 | \$224                   | Each |
| EZ11  | Double One-Way Draw - No Rings - Fascia Front and Back                       | \$670 | \$894   | \$1,118 | \$1,342 | \$1,566 | \$1,790 | \$2,014 | \$2,238 | \$224                   | Each |
| EZ10  | Double Center Draw - With Rings - Fascia Front and Back                      | \$830 | \$1,106 | \$1,382 | \$1,658 | \$1,934 | \$2,210 | \$2,486 | \$2,762 | \$276                   | Each |
| EZ12  | Double One-Way Draw - With Rings - Fascia Front and Back                     | \$830 | \$1,106 | \$1,382 | \$1,658 | \$1,934 | \$2,210 | \$2,486 | \$2,762 | \$276                   | Each |
| Double System with Wood Fascia on Back Track and Full Stationary Pole on Front**    |  |       |         |         |         |         |         |         |         |                         |      |
| EZ23  | Center Draw - With Glides (Rings for Front Pole must be ordered separately)  | \$690 | \$920   | \$1,150 | \$1,380 | \$1,610 | \$1,840 | \$2,070 | \$2,300 | \$230                   | Each |
| EZ24  | One-Way Draw - With Glides (Rings for Front Pole must be ordered separately) | \$690 | \$920   | \$1,150 | \$1,380 | \$1,610 | \$1,840 | \$2,070 | \$2,300 | \$230                   | Each |
| Double System without Wood Fascia on Back Track and Full Stationary Pole on Front** |  |       |         |         |         |         |         |         |         |                         |      |
| EZ21  | Center Draw - With Glides (Rings for Front Pole must be ordered separately)  | \$594 | \$792   | \$990   | \$1,188 | \$1,386 | \$1,584 | \$1,782 | \$1,980 | \$198                   | Each |
| EZ22  | One-Way Draw - With Glides (Rings for Front Pole must be ordered separately) | \$594 | \$792   | \$990   | \$1,188 | \$1,386 | \$1,584 | \$1,782 | \$1,980 | \$198                   | Each |

\*\*in addition to EasyPull™ traverse brackets, this system also includes the EasyPull™ Over-Bracket and Shims

### EasyPull™ Heavy-Duty Traverse System without Wood Fascia or Rings

Finishes: Bronze (BR), Gold (GO)

| Single Track System |                                   |       |       |       |         |         |         |         |         |                         |      |
|---------------------|-----------------------------------|-------|-------|-------|---------|---------|---------|---------|---------|-------------------------|------|
|                     |                                   | 6'*   | 8'    | 10'   | 12'     | 14'     | 16'     | 18'     | 20'     | Additional 2' up to 38' | Unit |
| EZ13                | Center Draw - With Glides         | \$265 | \$353 | \$441 | \$529   | \$617   | \$705   | \$793   | \$881   | \$88                    | Each |
| EZ14                | One-Way Draw - With Glides        | \$265 | \$353 | \$441 | \$529   | \$617   | \$705   | \$793   | \$881   | \$88                    | Each |
| Double Track System |                                   |       |       |       |         |         |         |         |         |                         |      |
| EZ15                | Double Center Draw - With Glides  | \$530 | \$706 | \$882 | \$1,058 | \$1,234 | \$1,410 | \$1,586 | \$1,762 | \$176                   | Each |
| EZ16                | Double One-Way Draw - With Glides | \$530 | \$706 | \$882 | \$1,058 | \$1,234 | \$1,410 | \$1,586 | \$1,762 | \$176                   | Each |

### Additional Accessories

|            |                                   |                                    |         |      |
|------------|-----------------------------------|------------------------------------|---------|------|
| EZ50       | 3" EasyPull™ Single Bracket       | Bronze (BR), Gold (GO), White (WH) | \$12.00 | Each |
| EZ51       | 6" EasyPull™ Double Bracket       | Bronze (BR), Gold (GO), White (WH) | \$20.00 | Each |
| EZ52       | Ceiling Mount Bracket             | White (WH)                         | \$9.00  | Each |
| EZ54       | 2 1/4" C-Ring with Glide          | Portfolio and Somerset finishes    | \$9.50  | Each |
| EZ55       | No Ring Heavy-Duty EasyPull Glide | Bronze (BR), Gold (GO)             | \$2.50  | Each |
| EZ59       | Basic White EasyPull Glide        | White (WH)                         | \$1.00  | Each |
| PO214OVBKS | *EasyPull™ Over-Bracket           | Portfolio and Quick Ship finishes  | \$50.00 | Each |

### Additional Fees

|                         |                                |                                   |             |      |
|-------------------------|--------------------------------|-----------------------------------|-------------|------|
| EZ61                    | Blended Fascia                 | Portfolio and Quick Ship finishes | \$54.00 Net | Each |
| EZ62                    | Splicing Fee                   | Portfolio and Quick Ship finishes | \$54.00 Net | Each |
| EZ57                    | Miter Cut 3" return (per pair) | Portfolio and Quick Ship finishes | \$54.00 Net | Pair |
| EZ58                    | Miter Cut 6" return (per pair) | Portfolio and Quick Ship finishes | \$54.00 Net | Pair |
| PACKAGING FEE under 16' |                                |                                   | \$10.00 Net | Each |
| PACKAGING FEE over 16'  |                                |                                   | \$25.00 Net | Each |

# EasyPull™ Heavy-Duty Traverse System Information

- Continuous traverse system lengths 6' to 20': Track will ship unspliced and fascia will be blended for a seamless look. A blended fascia fee of \$54 net will be applied to each traverse system over 12' and up to 20'. Track and fascia ships in one continuous length.
- Spliced traverse systems under 20': Track and fascia may be spliced upon request. A splicing fee of \$54 net will be applied. Track will be spliced in the center. The location of the fascia splice will be at the discretion of PTH. Fascia will be miter cut diagonally and shipped with a connector plate to reinforce the seam. Wood glue is not included and must be supplied by installer.
- Spliced traverse system lengths 20' to 38': Track will be spliced in the center and fascia will be spliced at no charge. The location of the fascia splice will be at the discretion of PTH. Blended fascia is available upon request for a fee of \$54 net. Blended fascia ships in one continuous length.
- For traverse systems under 6': wand-draw is recommended. Wand-draw must be specified at time of order for no additional charge. Wand-draw does not contain the traversing mechanism but includes acrylic wand(s) for operation.

## Cord Draw

- Standard cord drop is 72"; custom cord lengths available.
- Right or left draw built-in; no restringing required.
- For one-way systems, cord drop will be on drapery stack side.
- Center draw or one-way draw may not be changed on-site.

## Lengths and Weights

- Continuous track available up to 20', spliced track to 38'.
- For lengths under 72", wand draw is recommended.
- Heavy-duty aluminum track (Gold and Bronze) comes standard with all EasyPull™ systems and supports 8 lbs per foot.
- Basic White system supports 4 lbs per foot.

## Double Track Systems

- Front fascia is 2" or 2 1/4" high, depending on pole size.
- Back fascia is 1 3/8" high and attaches to track with heavy-duty Velcro® included with shipment.
- Back track is not available with rings.
- Back track only accommodates decorative end caps; these will screw directly into track end caps. Holes will be marked but not pre-drilled for end cap attachment.

## Fascia

- Fascia and fascia clips are not sold separately.
- Fascia will be pre-drilled on ends for finial placement.
- Custom cut system length will be fascia length; track will be 1/2" shorter to allow for proper finial placement.
- Blended fascia is available for a seamless look. Blended fascia ships in one continuous length. Fascia for traverse system lengths over 12' and up to 20' will be blended for a fee of \$54 net. Fascia for traverse systems over 20' may be blended upon request for a fee of \$54 net.
- Spliced fascia will be miter cut diagonally and shipped with a connector plate to reinforce the seam. Wood glue is not included and must be supplied by installer. Fascia for traverse systems under 20' may be spliced upon request for a fee of \$54 net. Fascia for traverse systems over 20' will be spliced at no charge. The location of the fascia splice will be at the discretion of PTH.

## Miter Returns

- Add 1 1/2" to each side of the system to accommodate returns.
- Miter ships assembled.

## Please Note

- 6" double traverse bracket may be substituted for 3" single bracket at no additional charge; request on PO.
- Track systems ship pre-corded with glides and master carriers installed; rings ship separately and easily snap into place.
- Ring removal tool included with each order.
- Not recommended for bay windows
- Finials sold separately.

**Warning: Modifications of internal components will void EasyPull™ warranty and render the system useless.**

## Calculation of Stack Width

Heavy-Duty system glides 7/8" wide each (.875")  
Basic White system glides 5/8" wide each (.625")

Step 1: Determine number of glides used in system  
(calculation based on 4 glides per foot)

Step 2: Multiply the total number by the width of the glide used in the system

Step 3: Center draw      Add 6" to accommodate cord portal  
One-way draw      Add 3" to accommodate cord portal

Step 4: Center draw      Add 9" to accommodate master carriers  
Divide total by 2 = stack on each side  
One-way draw      Add 7 1/2" to accommodate master carrier = total stack

Please Note: Stack width will vary due to fullness of treatment and thickness of fabric. Calculations result in Stack Back Width BEFORE drapery fabric is installed. Installed drapery will increase Stack Back Width.

### EXAMPLE

1. 96" Heavy-Duty center draw = 32 glides
2.  $32 \times .875 = 28"$
3.  $28 + 6 = 34"$
4.  $34 + 9 = 43"$

Total  $43 \div 2 = 21.5"$  per side BEFORE drapery fabric is installed

### EXAMPLE

1. 96" Heavy-Duty one-way draw = 32 glides
2.  $32 \times .875 = 28"$
3.  $28 + 3 = 31"$
4.  $31 + 7.5 = 38.5"$  BEFORE drapery fabric is installed





For Pinch Pleat

| EASYPULL™ SYSTEM FEATURES             | EasyPull™ Light-Duty Basic White Traverse System |
|---------------------------------------|--|
| 2" and 2¼" Wood Fascia Available      | yes  |
| 2¼" C-Rings Available                 | no   |
| Ripplefold® Available                 | no   |
| Maximum Track Length                  | 20 ft continuous; spliced to 38 ft               |
| Maximum Continuous Wood Fascia Length | 16 ft for Portfolio; 12 ft for Quick Ship        |

1. Choose a style

- Single or Double system
- Center or One-Way Draw
- Without rings only




Single Traverse System without Rings



Double Traverse System without Rings



Single or Double System with Mitered Return



Double System with Back Traverse and Stationary Pole in Front

All Systems may be ordered with or without decorative wood fascia.  
Finials are sold separately. 2" or 2 ¼" Portfolio or Quick Ship Wood and Resin are compatible.

## 2. Choose a fascia and finish

2" or 2 1/4" fascia

fluted or smooth profile

30 Portfolio finishes

5 Quick Ship Wood and Resin finishes

PTH Perfect Match™

| Portfolio Diameter | Smooth or Fluted Wood Fascia Finish | Track and Bracket* Color | Component Color<br>Components include glides, master carriers and track end caps |
|--------------------|-------------------------------------|--------------------------|--|
| 2" and 2 1/4"      | Amulet                              | White                    | White  |
| 2" and 2 1/4"      | Andiron                             | White                    | White  |
| 2" and 2 1/4"      | Antique Gold                        | White                    | White  |
| 2" and 2 1/4"      | Antique Gold Leaf                   | White                    | White  |
| 2" and 2 1/4"      | Art Bronze                          | White                    | White  |
| 2" and 2 1/4"      | Barnwood                            | White                    | White  |
| 2" and 2 1/4"      | Black                               | White                    | White  |
| 2" and 2 1/4"      | Cinnamon                            | White                    | White  |
| 2" and 2 1/4"      | Dark Chocolate                      | White                    | White  |
| 2" and 2 1/4"      | Eternal                             | White                    | White  |
| 2" and 2 1/4"      | Firelight                           | White                    | White  |
| 2" and 2 1/4"      | Goldenrod                           | White                    | White  |
| 2" and 2 1/4"      | Gossamer                            | White                    | White  |
| 2" and 2 1/4"      | Halo                                | White                    | White  |
| 2" and 2 1/4"      | Java                                | White                    | White  |
| 2" and 2 1/4"      | Linen                               | White                    | White  |
| 2" and 2 1/4"      | Mink                                | White                    | White  |
| 2" and 2 1/4"      | Moonlight                           | White                    | White  |
| 2" and 2 1/4"      | Mystic                              | White                    | White  |
| 2" and 2 1/4"      | New Age Bronze                      | White                    | White  |
| 2" and 2 1/4"      | Parchment                           | White                    | White  |
| 2" and 2 1/4"      | Shimmer                             | White                    | White  |
| 2" and 2 1/4"      | Silver Maple                        | White                    | White  |
| 2" and 2 1/4"      | Spicewood                           | White                    | White  |
| 2" and 2 1/4"      | Spun Gold                           | White                    | White  |
| 2" and 2 1/4"      | Starlet                             | White                    | White  |
| 2" and 2 1/4"      | Timber                              | White                    | White  |
| 2" and 2 1/4"      | Titanium                            | White                    | White  |
| 2" and 2 1/4"      | Urban Bronze                        | White                    | White  |
| 2" and 2 1/4"      | White                               | White                    | White  |
| 2" and 2 1/4"      | PTH Perfect Match™                  | White                    | White  |

| Quick Ship Diameter   | Smooth or Fluted Wood Fascia Finish | Track and Bracket* Color | Component Color<br>Components include glides, master carriers and track end caps |
|-----------------------|-------------------------------------|--------------------------|--|
| 2 1/4" Wood and Resin | Antique Brass                       | White                    | White  |
|                       | Oil Rubbed Bronze                   | White                    | White  |
|                       | Platinum                            | White                    | White  |
|                       | Rose Gold                           | White                    | White  |
|                       | Walnut                              | White                    | White  |

\*Gold or Bronze brackets may be substituted upon request

## Corded Traverse Systems



### EasyPull™ Light-Duty Basic White Traverse System



**Note:** All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

| Item # | Name | Price |
|--------|------|-------|
|--------|------|-------|

### EasyPull™ Light-Duty Traverse System with Wood Fascia

Finishes: Bronze (BR), Gold (GO)

| Single Track System with Wood Fascia  |  | 6'    | 8'    | 10'     | 12'     | 14'     | 16'     | 18'     | 20'     | Additional 2' up to 38' | Unit |
|---|--|-------|-------|---------|---------|---------|---------|---------|---------|-------------------------|------|
| EZ31  | Center Draw - No Rings   | \$450 | \$600 | \$750   | \$900   | \$1,050 | \$1,200 | \$1,350 | \$1,500 | \$150                   | Each |
| EZ33  | One-Way Draw - No Rings  | \$450 | \$600 | \$750   | \$900   | \$1,050 | \$1,200 | \$1,350 | \$1,500 | \$150                   | Each |
| Double Track System with Wood Fascia on Front Only                                  |  |       |       |         |         |         |         |         |         |                         |      |
| EZ35  | Double Center Draw - No Rings - Fascia Front Only                            | \$610 | \$814 | \$1,018 | \$1,222 | \$1,426 | \$1,630 | \$1,834 | \$2,038 | \$204                   | Each |
| EZ37  | Double One-Way Draw - No Rings - Fascia Front Only                           | \$610 | \$814 | \$1,018 | \$1,222 | \$1,426 | \$1,630 | \$1,834 | \$2,038 | \$204                   | Each |
| Double Track System with Wood Fascia on Front and Back                              |  |       |       |         |         |         |         |         |         |                         |      |
| EZ39  | Double Center Draw - No Rings - Fascia Front and Back                        | \$670 | \$894 | \$1,118 | \$1,342 | \$1,566 | \$1,790 | \$2,014 | \$2,238 | \$224                   | Each |
| EZ41  | Double One-Way Draw - No Rings - Fascia Front and Back                       | \$670 | \$894 | \$1,118 | \$1,342 | \$1,566 | \$1,790 | \$2,014 | \$2,238 | \$224                   | Each |
| Double System with Wood Fascia on Back Track and Full Stationary Pole on Front**    |  |       |       |         |         |         |         |         |         |                         |      |
| EZ43  | Center Draw - With Glides (Rings for Front Pole must be ordered separately)  | \$690 | \$920 | \$1,150 | \$1,380 | \$1,610 | \$1,840 | \$2,070 | \$2,300 | \$230                   | Each |
| EZ45  | One-Way Draw - With Glides (Rings for Front Pole must be ordered separately) | \$690 | \$920 | \$1,150 | \$1,380 | \$1,610 | \$1,840 | \$2,070 | \$2,300 | \$230                   | Each |
| Double System without Wood Fascia on Back Track and Full Stationary Pole on Front** |  |       |       |         |         |         |         |         |         |                         |      |
| EZ47  | Center Draw - With Glides (Rings for Front Pole must be ordered separately)  | \$594 | \$792 | \$990   | \$1,188 | \$1,386 | \$1,584 | \$1,782 | \$1,980 | \$198                   | Each |
| EZ49  | One-Way Draw - With Glides (Rings for Front Pole must be ordered separately) | \$594 | \$792 | \$990   | \$1,188 | \$1,386 | \$1,584 | \$1,782 | \$1,980 | \$198                   | Each |

\*\*in addition to EasyPull™ traverse brackets, this system also includes the EasyPull™ Over-Bracket and Shims

### EasyPull™ Light-Duty System without Wood Fascia or Rings

Finish: White (WH)

| Single Track System |                                   | 6'    | 8'    | 10'   | 12'   | 14'   | 16'     | 18'     | 20'     | Additional 2' up to 38' | Unit |
|---------------------|-----------------------------------|-------|-------|-------|-------|-------|---------|---------|---------|-------------------------|------|
| EZ17                | Center Draw - With Glides         | \$190 | \$254 | \$318 | \$382 | \$446 | \$510   | \$574   | \$638   | \$64                    | Each |
| EZ18                | One-Way Draw - With Glides        | \$190 | \$254 | \$318 | \$382 | \$446 | \$510   | \$574   | \$638   | \$64                    | Each |
| Double Track System |                                   |       |       |       |       |       |         |         |         |                         |      |
| EZ19                | Double Center Draw - With Glides  | \$380 | \$506 | \$632 | \$758 | \$884 | \$1,010 | \$1,136 | \$1,262 | \$126                   | Each |
| EZ20                | Double One-Way Draw - With Glides | \$380 | \$506 | \$632 | \$758 | \$884 | \$1,010 | \$1,136 | \$1,262 | \$126                   | Each |

- Continuous traverse system lengths 6' to 20': Track will ship unspliced and fascia will be blended for a seamless look. A blended fascia fee of \$54 net will be applied to each traverse system over 12' and up to 20'. Track and fascia ships in one continuous length.
- Spliced traverse systems under 20': Track and fascia may be spliced upon request. A splicing fee of \$54 net will be applied. Track will be spliced in the center. The location of the fascia splice will be at the discretion of PTH. Fascia will be miter cut diagonally and shipped with a connector plate to reinforce the seam. Wood glue is not included and must be supplied by installer.
- Spliced traverse system lengths 20' to 38': Track will be spliced in the center and fascia will be spliced at no charge. The location of the fascia splice will be at the discretion of PTH. Blended fascia is available upon request for a fee of \$54 net. Blended fascia ships in one continuous length.
- For traverse systems under 6', wand-draw is recommended. Wand-draw must be specified at time of order for no additional charge. Wand-draw does not contain the traversing mechanism but includes acrylic wand(s) for operation.

### Additional Accessories

|            |                             |                                    |         |      |
|------------|-----------------------------|------------------------------------|---------|------|
| EZ50       | 3" EasyPull™ Single Bracket | Bronze (BR), Gold (GO), White (WH) | \$12.00 | Each |
| EZ51       | 6" EasyPull™ Double Bracket | Bronze (BR), Gold (GO), White (WH) | \$20.00 | Each |
| EZ52       | Ceiling Mount Bracket       | White (WH)                         | \$9.00  | Each |
| EZ59       | Basic White EasyPull Glide  | White (WH)                         | \$1.00  | Each |
| PO214OVBKS | *EasyPull™ Over-Bracket     | Portfolio and Quick Ship finishes  | \$50.00 | Each |

### Additional Fees

|                         |                                |                                   |             |      |
|-------------------------|--------------------------------|-----------------------------------|-------------|------|
| EZ61                    | Blended Fascia                 | Portfolio and Quick Ship finishes | \$54.00 Net | Each |
| EZ62                    | Splicing Fee                   | Portfolio and Quick Ship finishes | \$54.00 Net | Each |
| EZ57                    | Miter Cut 3" return (per pair) | Portfolio and Quick Ship finishes | \$54.00 Net | Pair |
| EZ58                    | Miter Cut 6" return (per pair) | Portfolio and Quick Ship finishes | \$54.00 Net | Pair |
| PACKAGING FEE under 16' |                                |                                   | \$10.00 Net | Each |
| PACKAGING FEE over 16'  |                                |                                   | \$25.00 Net | Each |




# EasyPull™ Information




| Quantity included per set will be based on cut pole length             | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
|--|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Glides/Rings [4 per ft, includes master carriers (2) and end caps (2)] | 24 | 28 | 32 | 36 | 40  | 44  | 48  | 52  | 56  | 60  | 64  | 68  | 72  | 76  | 80  |
| Brackets (1 per every 3-4 feet)  | 3  | 3  | 4  | 4  | 4   | 5   | 5   | 5   | 6   | 6   | 6   | 7   | 7   | 7   | 8   |

## EasyPull™ Brackets




**EZ50 3" EasyPull™ Single Bracket**

- available in Gold, Bronze or White
- included in Single Systems




**EZ51 6" EasyPull™ Double Bracket**

- available in Gold, Bronze or White
- included in Double Systems; may be substituted for Single Systems



**PO214OVBKS EasyPull™ Over Bracket**


- available in Portfolio, Quick Ship Wood and Resin, and PTH Perfect Match™ finishes



**EZ52 EasyPull™ Ceiling Bracket**


- available in White
- single bracket; may be substituted in Single and Double Systems

## EasyPull™ Pinch Pleat Glides




**EZ54 Heavy-Duty Glide and C-Ring**

- available in Bronze or Gold
- ring available in Portfolio, Quick Ship Wood and Resin, and PTH Perfect Match™ finishes



**EZ55 Heavy-Duty Glide**

- available in Bronze or Gold



**EZ59 Light-Duty Glide**

- available in White

# Heavy-Duty Ball Bearing Traverse System

| HEAVY-DUTY BALL BEARING SYSTEM FEATURES | Heavy Duty Ball Bearing Traverse System   |
|---|---|
| 2" and 2¼" Wood Fascia Available        | yes                                       |
| 2¼" C-Rings Available                   | no  |
| Ripplefold® Available                   | yes                                       |
| Maximum Track Length                    | 20 ft continuous; spliced to 40 ft        |
| Maximum Continuous Wood Fascia Length   | 16 ft for Portfolio; 12 ft for Quick Ship |

Single or Double system  
Center or One-Way Draw  
With or without rings



Technical drawing of a pulley assembly, showing a side view and a cross-sectional view.

**Side View Dimensions:**

- Total width: 6"
- Overlap:  $2\frac{1}{2}"$
- Left pinch pleat master carrier width:  $4\frac{1}{4}"$
- Right pinch pleat master carrier width:  $6\frac{1}{4}"$
- Distance between carriers:  $1\frac{1}{2}"$
- Carrier thickness:  $2\frac{1}{2}"$
- Carrier height:  $3\frac{1}{8}"$
- Carrier depth:  $1\frac{3}{8}"$
- Carrier width at base:  $1\frac{1}{8}"$
- Carrier width at top:  $3\frac{1}{8}"$
- Carrier width at bottom:  $2\frac{3}{8}"$
- Carrier width at top (inner):  $4\frac{1}{4}"$
- Carrier width at bottom (inner):  $3\frac{1}{4}"$
- Carrier width at top (outer):  $1\frac{1}{2}"$
- Carrier width at bottom (outer):  $3\frac{1}{8}"$
- Carrier width at top (inner):  $1\frac{1}{4}"$
- Carrier width at bottom (inner):  $2\frac{3}{8}"$
- Carrier width at top (outer):  $1\frac{1}{2}"$
- Carrier width at bottom (outer):  $3\frac{1}{8}"$


**Cross-sectional View Dimensions:**

- Carrier width:  $5\frac{1}{8}"$
- Carrier height:  $1\frac{1}{8}"$
- Carrier width at base:  $3\frac{1}{4}"$
- Carrier width at top:  $3\frac{1}{4}"$
- Carrier width at bottom:  $2\frac{3}{4}"$
- Carrier width at top (inner):  $1\frac{1}{8}"$
- Carrier width at bottom (inner):  $1\frac{1}{8}"$
- Carrier width at top (outer):  $1\frac{1}{8}"$
- Carrier width at bottom (outer):  $1\frac{1}{8}"$

**Labels:**

- left pinch pleat master carrier
- right pinch pleat master carrier
- end pulley
- carrier

## Standard Pinch Pleat



Ripplefold® style

All Systems may be ordered with or without decorative wood fascia.  
Finials may be ordered separately from 2" or 2 ¼" Portfolio or Quick Ship Wood and Resin.

### 3. Choose a fascia and finish

2" or 2 1/4" fascia

fluted or smooth profile

30 Portfolio finishes

5 Quick Ship Wood and Resin finishes

PTH Perfect Match™

| Portfolio Diameter | Smooth or Fluted Wood Fascia Finish | Track and Bracket* Color | Component Color<br>Components include glides, master carriers and track end caps |
|--------------------|-------------------------------------|--------------------------|--|
| 2" and 2 1/4"      | Amulet                              | Bronze                   | White  |
| 2" and 2 1/4"      | Andiron                             | Bronze                   | White  |
| 2" and 2 1/4"      | Antique Gold                        | Gold                     | White  |
| 2" and 2 1/4"      | Antique Gold Leaf                   | Gold                     | White  |
| 2" and 2 1/4"      | Art Bronze                          | Bronze                   | White  |
| 2" and 2 1/4"      | Barnwood                            | Bronze                   | White  |
| 2" and 2 1/4"      | Black                               | Bronze                   | White  |
| 2" and 2 1/4"      | Cinnamon                            | Bronze                   | White  |
| 2" and 2 1/4"      | Dark Chocolate                      | Bronze                   | White  |
| 2" and 2 1/4"      | Eternal                             | Gold                     | White  |
| 2" and 2 1/4"      | Firelight                           | Gold                     | White  |
| 2" and 2 1/4"      | Goldenrod                           | Gold                     | White  |
| 2" and 2 1/4"      | Gossamer                            | Bronze                   | White  |
| 2" and 2 1/4"      | Halo                                | Bronze                   | White  |
| 2" and 2 1/4"      | Java                                | Bronze                   | White  |
| 2" and 2 1/4"      | Linen                               | Gold                     | White  |
| 2" and 2 1/4"      | Mink                                | Bronze                   | White  |
| 2" and 2 1/4"      | Moonlight                           | Bronze                   | White  |
| 2" and 2 1/4"      | Mystic                              | Gold                     | White  |
| 2" and 2 1/4"      | New Age Bronze                      | Bronze                   | White  |
| 2" and 2 1/4"      | Parchment                           | Gold                     | White  |
| 2" and 2 1/4"      | Shimmer                             | Bronze                   | White  |
| 2" and 2 1/4"      | Silver Maple                        | Bronze                   | White  |
| 2" and 2 1/4"      | Spicewood                           | Bronze                   | White  |
| 2" and 2 1/4"      | Spun Gold                           | Gold                     | White  |
| 2" and 2 1/4"      | Starlet                             | Bronze                   | White  |
| 2" and 2 1/4"      | Timber                              | Bronze                   | White  |
| 2" and 2 1/4"      | Titanium                            | Bronze                   | White  |
| 2" and 2 1/4"      | Urban Bronze                        | Gold                     | White  |
| 2" and 2 1/4"      | White                               | Gold                     | White  |
| 2" and 2 1/4"      | PTH Perfect Match™                  | please specify           | White  |

| Quick Ship Diameter   | Smooth or Fluted Wood Fascia Finish | Track and Bracket* Color | Component Color<br>Components include glides, master carriers and track end caps |
|-----------------------|-------------------------------------|--------------------------|--|
| 2 1/4" Wood and Resin | Antique Brass                       | Gold                     | White  |
|                       | Oil Rubbed Bronze                   | Bronze                   | White  |
|                       | Platinum                            | Bronze                   | White  |
|                       | Rose Gold                           | Gold                     | White  |
|                       | Walnut                              | Bronze                   | White  |

\*White brackets may be substituted upon request

Corded Traverse Systems

Heavy-Duty Ball Bearing Traverse Pricing

**Note:** All orders with poles and/or traverse rods will incur a \$10.00 packaging fee per order.

| Item # | Name | Price |  |  |  |  |  |  |  |  |  |  |
|--------|------|-------|--|--|--|--|--|--|--|--|--|--|
|--------|------|-------|--|--|--|--|--|--|--|--|--|--|

Heavy-Duty Ball Bearing Traverse System with Wood Fascia Finishes: Bronze (BR), Gold (GO)

| Single Track System with Wood Fascia  |  | 4'    | 6'      | 8'      | 10'     | 12'     | 14'     | 16'     | 18'     | 20'     | Additional 2' up to 38' | Unit |
|---|--|-------|---------|---------|---------|---------|---------|---------|---------|---------|-------------------------|------|
| BB01  | Center Draw - No Rings   | \$388 | \$582   | \$776   | \$970   | \$1,164 | \$1,358 | \$1,552 | \$1,746 | \$1,940 | \$194                   | Each |
| BB03  | One-Way Draw - No Rings  | \$388 | \$582   | \$776   | \$970   | \$1,164 | \$1,358 | \$1,552 | \$1,746 | \$1,940 | \$194                   | Each |
| Double Track System with Wood Fascia on Front Only                                |  |       |         |         |         |         |         |         |         |         |                         |      |
| BB05  | Double Center Draw - No Rings - Fascia Front Only                            | \$604 | \$906   | \$1,208 | \$1,510 | \$1,812 | \$2,114 | \$2,416 | \$2,718 | \$3,020 | \$302                   | Each |
| BB07  | Double One-Way Draw - No Rings - Fascia Front Only                           | \$604 | \$906   | \$1,208 | \$1,510 | \$1,812 | \$2,114 | \$2,416 | \$2,718 | \$3,020 | \$302                   | Each |
| Double Track System with Wood Fascia on Front and Back                            |  |       |         |         |         |         |         |         |         |         |                         |      |
| BB09  | Double Center Draw - No Rings - Fascia Front and Back                        | \$776 | \$1,164 | \$1,552 | \$1,940 | \$2,328 | \$2,716 | \$3,104 | \$3,492 | \$3,880 | \$388                   | Each |
| BB11  | Double One-Way Draw - No Rings - Fascia Front and Back                       | \$776 | \$1,164 | \$1,552 | \$1,940 | \$2,328 | \$2,716 | \$3,104 | \$3,492 | \$3,880 | \$388                   | Each |
| Double System with Wood Fascia on Back Track and Full Stationary Pole on Front    |  |       |         |         |         |         |         |         |         |         |                         |      |
| BB23  | Center Draw - With Glides (Rings for Front Pole must be ordered separately)  | \$578 | \$802   | \$1,026 | \$1,250 | \$1,474 | \$1,698 | \$1,922 | \$2,146 | \$2,370 | \$224                   | Each |
| BB24  | One-Way Draw - With Glides (Rings for Front Pole must be ordered separately) | \$578 | \$802   | \$1,026 | \$1,250 | \$1,474 | \$1,698 | \$1,922 | \$2,146 | \$2,370 | \$224                   | Each |
| Double System without Wood Fascia on Back Track and Full Stationary Pole on Front |  |       |         |         |         |         |         |         |         |         |                         |      |
| BB21  | Center Draw - With Glides (Rings for Front Pole must be ordered separately)  | \$466 | \$699   | \$932   | \$1,165 | \$1,398 | \$1,631 | \$1,864 | \$2,097 | \$2,330 | \$233                   | Each |
| BB22  | One-Way Draw - With Glides (Rings for Front Pole must be ordered separately) | \$466 | \$699   | \$932   | \$1,165 | \$1,398 | \$1,631 | \$1,864 | \$2,097 | \$2,330 | \$233                   | Each |

Heavy-Duty Ball Bearing Traverse System without Wood Fascia or Rings Finishes: Bronze (BR), Gold (GO)

| Single Track System |                                   | 4'    | 6'    | 8'    | 10'     | 12'     | 14'     | 16'     | 18'     | 20'     | Additional 2' up to 38' | Unit |
|---------------------|-----------------------------------|-------|-------|-------|---------|---------|---------|---------|---------|---------|-------------------------|------|
| BB13                | Center Draw - With Glides         | \$216 | \$324 | \$432 | \$540   | \$648   | \$756   | \$864   | \$972   | \$1,080 | \$108                   | Each |
| BB14                | One-Way Draw - With Glides        | \$216 | \$324 | \$432 | \$540   | \$648   | \$756   | \$864   | \$972   | \$1,080 | \$108                   | Each |
| Double Track System |                                   |       |       |       |         |         |         |         |         |         |                         |      |
| BB15                | Double Center Draw - With Glides  | \$432 | \$648 | \$864 | \$1,080 | \$1,296 | \$1,512 | \$1,728 | \$1,944 | \$2,160 | \$216                   | Each |
| BB16                | Double One-Way Draw - With Glides | \$432 | \$648 | \$864 | \$1,080 | \$1,296 | \$1,512 | \$1,728 | \$1,944 | \$2,160 | \$216                   | Each |

- Continuous traverse system lengths 6' to 20': Track will ship unspliced and fascia will be blended for a seamless look. A blended fascia fee of \$54 net will be applied to each traverse system over 12' and up to 20'. Track and fascia ships in one continuous length.
- Spliced traverse systems under 20': Track and fascia may be spliced upon request. A splicing fee of \$54 net will be applied. Track will be spliced in the center. The location of the fascia splice will be at the discretion of PTH. Fascia will be miter cut diagonally and shipped with a connector plate to reinforce the seam. Wood glue is not included and must be supplied by installer.
- Spliced traverse system lengths 20' to 38': Track will be spliced in the center and fascia will be spliced at no charge. The location of the fascia splice will be at the discretion of PTH. Blended fascia is available upon request for a fee of \$54 net. Blended fascia ships in one continuous length.

Additional Accessories and Fees

|        |   |                                    |         |      |
|--------|---|------------------------------------|---------|------|
| BBTB35 | Ball Bearing Single Bracket               | Bronze (BR), Gold (GO), White (WH) | \$21.00 | Each |
| BBTB   | Ball Bearing Double Bracket               | Bronze (BR), Gold (GO), White (WH) | \$29.00 | Each |
| BBCM   | Ball Bearing Ceiling Mount Bracket        | White (WH)                         | \$10.00 | Each |
| BB55   | Ball Bearing Heavy-Duty Glide             |                                    | \$3.00  | Each |
| BB56   | Ball Bearing Master Carrier               |                                    | \$21.00 | Each |
| BB59   | Ball Bearing Master Carrier Arm Extension |                                    | \$26.00 | Each |
| BB63   | Ball Bearing End Pulley                   |                                    | \$21.00 | Each |
| BB64   | Ball Bearing Cord Tension Pulley          |                                    | \$21.00 | Each |


|                         |                                |                                   |              |      |
|-------------------------|--------------------------------|-----------------------------------|--------------|------|
| BB61                    | Blended Fascia                 | Portfolio and Quick Ship finishes | \$108.00 Net | Each |
| BB62                    | Splicing Fee                   | Portfolio and Quick Ship finishes | \$54.00 Net  | Each |
| BB57                    | Miter Cut 3" return (per pair) | Portfolio and Quick Ship finishes | \$54.00 Net  | Pair |
| BB58                    | Miter Cut 6" return (per pair) | Portfolio and Quick Ship finishes | \$54.00 Net  | Pair |
| BBOVBKS                 | Ball Bearing Over-Bracket      | Portfolio and Quick Ship finishes | \$65.00      | Each |
| PACKAGING FEE under 16' |                                |                                   | \$10.00 Net  | Each |
| PACKAGING FEE over 16'  |                                |                                   | \$25.00 Net  | Each |



# Heavy-Duty Ball Bearing Traverse System Information


| Quantity included per set will be based on cut pole length       | 4' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
|--|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Glides [4 per ft, includes master carriers (2) and end caps (2)] | 16 | 24 | 28 | 32 | 36 | 40  | 44  | 48  | 52  | 56  | 60  | 64  | 68  | 72  | 76  | 80  |
| Brackets (1 per every 3-4 feet)                                  | 2  | 3  | 3  | 4  | 4  | 4   | 5   | 5   | 5   | 6   | 6   | 6   | 7   | 7   | 7   | 8   |

## Heavy-Duty Ball Bearing Brackets




### BB50 Adjustable 4"- 5 1/4" Single Bracket

- available in Gold, Bronze or White
- included in Single Systems




### BB51 Adjustable 6"- 7" Double Bracket

- available in Gold, Bronze or White
- included in Double Systems; may be substituted for Single Systems



### BBOVBKS Ball Bearing Over Bracket

- available in Portfolio, Quick Ship Wood and Resin, and PTH Perfect Match™ finishes
- included in Double Systems with full stationary pole on front



### BBCM Single Ceiling Mount Bracket

- available in Silver
- single bracket; may be substituted in Single and Double Systems

## Heavy-Duty Ball Bearing Traverse System

### Product information

- Heavy duty ball bearing traversing track recommended for heavy-weight draperies or drapery mounted over 10 feet from floor.
- Single ball bearing traverse system price includes: traversing track, 2 adjustable end brackets, an additional adjustable bracket every 3 - 4 feet, and 3 - 4 carriers per foot.
- Sold in 2-foot increments, 4-foot minimum.
- Cut to specified length. Fall off will not be saved or shipped.
- Track maximum length up to 240 inches (20 ft.)
- Track and matching bracket available in Gold, Bronze or White.
- Carriers and end pulleys available in White only
- Center or One-Way draw available
- Fascia, if selected, in 2" or 2 1/4" wood pole profiles, available up to 16 ft. in Portfolio or 12 ft. in Quick Ship, is clipped onto traverse system track with a fascia L-bracket. Fascia over 16 ft. in Portfolio finishes and 12' in Quick Ship finishes will be spliced.
- Standard cord drop: 120 inches

### Please specify

- Item number for track or track with wood fascia
- Track length (track and fascia are the same length)
- Track and matching bracket color (If not specified, we will select color to match fascia finish)
- Bracket return: 3 1/2" or 6" (adjustable, see page XX for details)
- Cord location: right or left
- Draw: center, one-way stack right or one-way stack left
- Number of carriers if different than 4 per foot
- Pinch pleat or Ripplefold® style carriers
- Cord drop (standard is 120")
- Finish name for fascia, if selected



# Motorized Traverse Systems

## Motorized Traverse System

For Pinch Pleat or Ripplefold® style

| MOTORIZED SYSTEM FEATURES             | BTX DC Motorized Traverse System             | Somfy Glydea™ Motorized Traverse System      |
|---------------------------------------|--|--|
| 2" and 2¼" Wood Fascia Available      | yes  | yes  |
| 2¼" C-Rings Available                 | no   | no   |
| Ripplefold® Available                 | yes  | yes  |
| Maximum Track Length                  | 20 ft continuous; spliced to 40 ft           | 20 ft continuous; spliced to 36 ft           |
| Maximum Continuous Wood Fascia Length | 16 ft for Portfolio;<br>12 ft for Quick Ship | 16 ft for Portfolio;<br>12 ft for Quick Ship |

- Choose a style
  - Single or Double System
  - Center or One-Way Draw
  - Without rings only



Single Motorized System without Rings



Double Motorized System without Rings





Single or Double System with Mitered Return



Double System with Back Traverse and Stationary Pole in Front

All Systems may be ordered with or without decorative wood fascia.  
 Finials may be ordered separately from 2" or 2 ¼" Portfolio or Quick Ship Wood and Resin.

Single and Double Systems without Fascia can be curved for an additional fee:



**Please note:** BTX DC systems can be curved with a minimum 18" radius for pinch pleat, 20" minimum radius for Ripplefold® style. Somfy Glydea™ systems can be curved with a minimum 11.8" radius. All curves require a template. **Curving track reduces weight capacity of motor. Please refer to motor specifications on pg. 50.**

## 2. Choose a fascia and fascia finish

2" or 2 ¼" fascia

fluted or smooth profile

30 Portfolio finishes

5 Quick Ship Wood and Resin finishes

PTH Perfect Match™

| Portfolio Diameter | Smooth or Fluted Wood Fascia Finish | BTX DC                   |                 | Somfy Glydea™            |                 |
|--------------------|-------------------------------------|--------------------------|-----------------|--------------------------|-----------------|
|                    |                                     | Track and Bracket* Color | Component Color | Track and Bracket* Color | Component Color |
| 2" and 2 ¼"        | Amulet                              | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Andiron                             | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Antique Gold                        | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Antique Gold Leaf                   | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Art Bronze                          | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Barnwood                            | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Black                               | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Cinnamon                            | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Dark Chocolate                      | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Eternal                             | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Firelight                           | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Goldenrod                           | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Gossamer                            | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Halo                                | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Java                                | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Linen                               | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Mink                                | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Moonlight                           | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Mystic                              | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | New Age Bronze                      | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Parchment                           | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Shimmer                             | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Silver Maple                        | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Spicewood                           | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Spun Gold                           | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | Starlet                             | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Timber                              | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Titanium                            | Bronze                   | Bronze          | Bronze                   | White           |
| 2" and 2 ¼"        | Urban Bronze                        | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | White                               | Gold                     | Gold            | Gold                     | White           |
| 2" and 2 ¼"        | PTH Perfect Match™                  | please specify           | please specify  | please specify           | White           |

| Quick Ship Diameter | Smooth or Fluted Wood Fascia Finish | BTX DC                   |                 | Somfy Glydea™            |                 |
|---------------------|-------------------------------------|--------------------------|-----------------|--------------------------|-----------------|
|                     |                                     | Track and Bracket* Color | Component Color | Track and Bracket* Color | Component Color |
| 2 ¼" Wood and Resin | Antique Brass                       | Gold                     | Gold            | Gold                     | White           |
|                     | Oil Rubbed Bronze                   | Bronze                   | Bronze          | Bronze                   | White           |
|                     | Platinum                            | Bronze                   | Bronze          | Bronze                   | White           |
|                     | Rose Gold                           | Gold                     | Gold            | Gold                     | White           |
|                     | Walnut                              | Bronze                   | Bronze          | Bronze                   | White           |

\*White brackets may be substituted upon request

# Motorized Traverse Systems

## Motorized Traverse System

### 3. Choose a motor

Be sure to select the best motor for your window treatment. Use the Motor Weight Capacity chart below to determine which motor best accommodates your length of track and your drapery weight. The System Features chart on the opposite page lists the varied functions of each motor.


### Motor Weight Capacity

|        |            | maximum drapery weight per total length of system (lbs) |             |            |            |            |            |            |            |            |            |            |            |           |
|--------|------------|---|-------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|------------|-----------|
|        |            | Motor   | 18' or less | 20'        | 22'        | 24'        | 26'        | 28'        | 30'        | 32'        | 34'        | 36'        | 38'        | 40'       |
| BTX®   | Standard   | BTX-DC-60 Tandem  | 60<br>120   | 58<br>118  | 56<br>116  | 54<br>114  | 52<br>112  | 50<br>110  | 48<br>108  | 46<br>106  | 44<br>104  | 42<br>102  | 40<br>100  | 38<br>98  |
|        | Heavy Duty | BTX-DC-120 Tandem                                       | 120<br>240  | 118<br>238 | 116<br>236 | 114<br>234 | 112<br>232 | 110<br>230 | 108<br>228 | 106<br>226 | 104<br>224 | 102<br>222 | 100<br>220 | 98<br>218 |
|        | Solar      | BTX-DCS-45 Tandem                                       | 45<br>90    | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-     | -<br>-    |
| somfy. | Standard   | Glydea™ 35  | 77          | 77         | 77         | 77         | 77         | 77         | 77         | 77         | -          | -          | -          | -         |
|        | Heavy Duty | Glydea™ 60e Tandem                                      | 132<br>220  | 132<br>220 | 132<br>220 | 132<br>220 | 132<br>220 | 132<br>220 | 132<br>220 | 132<br>220 | 132<br>220 | 132<br>220 | -<br>-     | -<br>-    |

**Note:** Capacity ratings are based on internal system friction only. External loads caused by fabric friction, drag, or obstructions will adversely affect pulling capacity or stop motor due to resistance. **Curving:** System curves reduce maximum drapery weight capacity by a minimum of 15% per bend. Please call us regarding weight capacity for your curved track. **Maximum System Lengths:** If you need more than the maximum spliced length for a system, two one-way systems can butt against each other behind fascia. Must be specified on your order form. An additional arm component is needed to create an overlap between the two individual systems; sold separately.

### Motorized Traverse System

includes 1 motor with power supply (1 per track), track(s) with components, brackets, and 1 standard transmitter (1 per track), and fascia with fascia clips when applicable. Somfy transformers are within the Somfy motor housing.



### Additional Controls and Accessories

can be ordered at additional cost



| System Features   | BTX®DC Motors  |                 |                                 | Somfy Glydea™ Motors |                                 |
|---|--|-----------------|---------------------------------|----------------------|---------------------------------|
|   | Standard   | Heavy Duty      | Solar                           | Standard             | Heavy Duty                      |
| System Features   | BTX-DC-60  | BTX-DC-120      | BTX-DCS-45                      | Glydea™ 35           | Glydea™ 60e                     |
| center draw or one-way draw available   | X  | X               | X                               | X                    | X                               |
| Bronze or Gold track available  | X  | X               | X                               | X                    | X                               |
| Bronze or Gold components* available  | X  | X               | X                               |                      |                                 |
| White track available   | X  | X               | X                               | X                    | X                               |
| White components* available   | X  | X               | X                               | X                    | X                               |
| track maximum length  | 40'  | 40'             | 18'                             | 32'                  | 36'                             |
| maximum number of track splices   | 1  | 1               | 0                               | 1                    | 1                               |
| minimum curving radius  | 18" (45.72 CM)   | 18" (45.72 CM)  | 18" (45.72 CM)                  | 11.8" (30 CM)        | 11.8" (30 CM)                   |
| Bronze, Gold or White wall mount brackets (sgl & dbl)   | X  | X               | X                               | X                    | X                               |
| Bronze or Gold standard ceiling mount bracket   | X  | X               | X                               |                      |                                 |
| White standard ceiling mount bracket  | X  | X               | X                               | X                    | X                               |
| Motor Features  | BTX-DC-60  | BTX-DC-120      | BTX-DCS-45                      | Glydea™ 35           | Glydea™ 60e                     |
| motor cord length as purchased  | 120"   | 120"            | 19"                             | 120"                 | 120"                            |
| touch motion  | X  | X               | X                               |                      | X                               |
| manual override   | X  | X               | X                               | X                    | X                               |
| soft start  |  |                 |                                 | X                    | X                               |
| soft stop   |  |                 |                                 |                      | X                               |
| speed control and adjustment  |  |                 |                                 |                      | X                               |
| average linear speed  | 12"/sec  | 12"/sec         | 12"/sec                         | 7.8" (20cm)/sec      | 4.9" (12.5cm) - 7.8" (20cm)/sec |
| motor automatically stops when system reaches fully open or fully closed position                             | X  | X               | X                               | X                    | X                               |
| adjustable limits   |  |                 |                                 |                      | X                               |
| intermediate position   |  |                 |                                 |                      | My Position                     |
| motorized track noise level   | 53db   | 59db            | 53db                            | 50 dB                | 44 dB                           |
| maximum weight  | 60 lbs / 18 ft   | 120 lbs / 18 ft | 45 lbs / 18 ft                  | 77 lbs / 20 ft       | 132 lbs / 20 ft                 |
| tandem maximum weight   | 120 lbs / 18 ft  | 240 lbs / 18 ft | 90 lbs / 18 ft                  | n/a                  | 220 lbs / 20 ft                 |
| motor unit can be installed on either end of track  | X  | X               | X                               | X                    | X                               |
| inverse mounting of motor   |  |                 |                                 | X                    | X                               |
| factory reset   | X  | X               | X                               | X                    | X                               |
| Control Options   | BTX-DC-60  | BTX-DC-120      | BTX-DCS-45                      | Glydea™ 35           | Glydea™ 60e                     |
| timer control   |  |                 |                                 | X                    | X                               |
| sun control   |  |                 |                                 | X                    | X                               |
| 3 normally open dry contacts  |  |                 |                                 | X                    | X                               |
| 2 normally open dry contacts  | X  | X               | X                               | X                    | X                               |
| 2 normally open dry contact sequencing mode   | Available with external control (RP Board)             |                 |                                 | X                    | X                               |
| dry contact individual and group master control   | X  | X               | X                               | X                    | X                               |
| digital technology  | RS232 interface  |                 |                                 | RS485 interface      |                                 |
| Solar Power   |  |                 | X                               |                      |                                 |
| Installation Features   | BTX-DC-60  | BTX-DC-120      | BTX-DCS-B-45                    | Glydea™ 35           | Glydea™ 60e                     |
| programming buttons on motor unit   |  |                 |                                 | X                    | X                               |
| power supply  | 24V Transformer  | 24V Transformer | 5V Solar Panel                  | 120V                 |                                 |
| amperage  | .6A  | 1A              | <0.2**A                         | 0.5A                 | 1A                              |
| power consumption   | 15W  | 25W             | 20W                             | 60 W                 | 120 W                           |
| power cable type  | 3 conductor AC to transformer, 2 conductor DC to motor |                 | 2 conductor from motor to panel | 3-wire cable         | 3-wire cable                    |
| control connector type  | RJ-11  | RJ-11           | RJ-11                           | RJ-12                | RJ-12                           |
| DCT control circuit voltage   |  |                 |                                 | 3.3 VDC              | 3.3 VDC                         |
| certifications  | c UL US Listed, CE, CCC                                |                 |                                 | c TUV us, CCC, CE    |                                 |
| Standard Accessories <i>included with system</i>  | BTX-DC-60  | BTX-DC-120      | BTX-DCS-45                      | Glydea™ 35           | Glydea™ 60e                     |
| 5 channel transmitter (remote control: white)   |  |                 |                                 | X                    | X                               |
| 6 channel transmitter (remote control: white)   | X  | X               | X                               |                      |                                 |
| Carrier Features  | BTX-DC-60  | BTX-DC-120      | BTX-DCS-45                      | Glydea™ 35           | Glydea™ 60e                     |
| bronze or gold pinch pleat carriers   | X  | X               | X                               |                      |                                 |
| white pinch pleat carriers  | X  | X               | X                               | X                    | X                               |
| white Ripplefold® style carriers compatible with Graber® Rollpleat tape (choose 80%, 100%, or 120% fullness)  | X  | X               | X                               |                      |                                 |
| white Ripplefold® style carriers compatible with Kirsch Ripplefold® tape (choose 80%, 100%, or 120% fullness) | X  | X               | X                               | X                    | X                               |

\*components include: carriers, master carriers, drive gears, return hooks and fascia clips

\*\*maximum allowable charging current

## Motorized Traverse Systems



# Motorized Traverse System

## 4. Choose a carrier

### Standard Pinch Pleat Carrier





Pinch pleat carriers  
4 per foot, unless otherwise specified





### Ripplefold® Style Carrier



Ripplefold® style carriers  
80% carrier fullness: 2 3/8" spacing  
100% carrier fullness: 2 1/8" spacing  
120% carrier fullness: 1 7/8" spacing  
Snap tape: 4 1/4" spacing  
Snap tape not included with system



**Important:** Drapery workroom must apply specific snap tape to drapery panel when using Ripplefold® style carriers.  
BTX DC Ripplefold® style carriers are only compatible with Graber® Rollpleat snap tape or Kirsch Ripplefold® snap tape. Other brand snap tapes are NOT COMPATIBLE with the BTX DC Motorized system.  
Somfy Glydea™ Ripplefold® style carriers are only compatible with Kirsch Ripplefold® snap tape. Other brand tapes are NOT COMPATIBLE with the Somfy Glydea™ Motorized system.  
Graber is a registered trademark of Springs Window Fashions, Inc. Ripplefold is a registered trademark of Kirsch, Inc.



# Motorized Traverse System Information


|                             | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' |
|-----------------------------|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|
| Pinch Pleat Carriers        | 24 | 28 | 32 | 36 | 40  | 44  | 48  | 52  | 56  | 60  | 64  |
| Brackets                    | 3  | 3  | 3  | 4  | 4   | 4   | 4   | 5   | 5   | 5   | 5   |
| Portfolio Fascia Splices *  | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 0   | 0   | 0   | 0   |
| Quick Ship Fascia Splices * | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 1   | 1   | 1   | 1   |
| Track Splices*              | 0  | 0  | 0  | 0  | 0   | 0   | 0   | 0   | 0   | 0   | 0   |

\* track and fascia will be spliced in center of overall length


Standard carriers are 4 per foot  
Standard brackets are 1 every 4 feet

## Wall Mount Brackets


BTX Single Motorized Bracket  
Available in Gold, Bronze or White




BTX Double Motorized Bracket  
Available in Gold, Bronze or White



Somfy Single Motorized Bracket  
Available in Gold, Bronze or White




Somfy Double Motorized Bracket  
Available in Gold, Bronze or White



Motorized Over-Bracket

Portfolio and Quick Ship Wood and Resin finishes only.  
Sold separately. Use with Single Motorized Track.




This bracket allows stationary panels on a full 2" or 2 1/4" dia wood pole in front of a single motorized traverse track.


Optional back fascia will be attached to Motorized Over-Bracket.  
Diagram depicts measurements when back fascia is desired.

## Ceiling Mount Brackets


BTX Ceiling Mount Bracket  
Available in Gold, Bronze or White



Somfy Ceiling Mount Bracket  
Available in White only



Ceiling Mount Bracket for System with Fascia  
Portfolio and Quick Ship Wood and Resin finishes only. Sold separately. Use with Single Motorized Track.



Please note: only Ceiling Mount Bracket for System with Fascia will accommodate fascia and finials.



## Motorized Traverse Systems

# Motorized Traverse System Pricing

| Item # | Name | Price |  |  |  |  |  |  |
|--------|------|-------|--|--|--|--|--|--|
|--------|------|-------|--|--|--|--|--|--|

## Motorized Traverse System with Wood Fascia

| Single Track System with Wood Fascia  |                                    | 6'      | 7'      | 8'      | 9'      | 10'     | 11'     | 12'     |
|---|------------------------------------|---------|---------|---------|---------|---------|---------|---------|
| BM01  | BTX-DC-60 Std Motor                | \$1,594 | \$1,673 | \$1,752 | \$1,831 | \$1,910 | \$1,989 | \$2,068 |
|   | BTX-DC-120 Heavy Duty Motor        | \$2,082 | \$2,161 | \$2,240 | \$2,319 | \$2,398 | \$2,477 | \$2,556 |
|   | BTX-DCS-45 Solar Motor             | \$1,881 | \$1,960 | \$2,039 | \$2,118 | \$2,197 | \$2,276 | \$2,355 |
| SM01  | Somfy Glydea™ 35 Std Motor         | \$2,043 | \$2,134 | \$2,225 | \$2,316 | \$2,407 | \$2,498 | \$2,589 |
|   | Somfy Glydea™ 60e Heavy Duty Motor | \$2,393 | \$2,484 | \$2,575 | \$2,666 | \$2,757 | \$2,848 | \$2,939 |
| Double Track System with Wood Fascia Front Only                                   |                                    |         |         |         |         |         |         |         |
| BM05  | BTX-DC-60 Std Motor                | \$3,020 | \$3,150 | \$3,280 | \$3,410 | \$3,540 | \$3,670 | \$3,800 |
|   | BTX-DC-120 Heavy Duty Motor        | \$3,996 | \$4,126 | \$4,256 | \$4,386 | \$4,516 | \$4,646 | \$4,776 |
|   | BTX-DCS-45 Solar Motor             | \$3,594 | \$3,724 | \$3,854 | \$3,984 | \$4,114 | \$4,244 | \$4,374 |
| SM05  | Somfy Glydea™ 35 Std Motor         | \$3,918 | \$4,071 | \$4,224 | \$4,377 | \$4,530 | \$4,683 | \$4,836 |
|   | Somfy Glydea™ 60e Heavy Duty Motor | \$4,618 | \$4,771 | \$4,924 | \$5,077 | \$5,230 | \$5,383 | \$5,536 |
| Double Track System with Wood Fascia Front and Back                               |                                    |         |         |         |         |         |         |         |
| BM09  | BTX-DC-60 Std Motor                | \$3,110 | \$3,255 | \$3,400 | \$3,545 | \$3,690 | \$3,835 | \$3,980 |
|   | BTX-DC-120 Heavy Duty Motor        | \$4,086 | \$4,231 | \$4,376 | \$4,521 | \$4,666 | \$4,811 | \$4,956 |
|   | BTX-DCS-45 Solar Motor             | \$3,684 | \$3,829 | \$3,974 | \$4,119 | \$4,264 | \$4,409 | \$4,554 |
| SM09  | Somfy Glydea™ 35 Std Motor         | \$4,008 | \$4,176 | \$4,344 | \$4,512 | \$4,680 | \$4,848 | \$5,016 |
|   | Somfy Glydea™ 60e Heavy Duty Motor | \$4,708 | \$4,876 | \$5,044 | \$5,212 | \$5,380 | \$5,548 | \$5,716 |
| Double System with Wood Fascia on Back Track and Full Stotionary Pole on Front    |                                    |         |         |         |         |         |         |         |
| BM23  | BTX 60 STD MOTOR                   | \$1,819 | \$1,948 | \$2,077 | \$2,206 | \$2,335 | \$2,464 | \$2,593 |
|   | BTX 120 HD MOTOR                   | \$2,307 | \$2,436 | \$2,565 | \$2,694 | \$2,823 | \$2,952 | \$3,081 |
|   | BTX 45 SOLAR MOTOR                 | \$2,106 | \$2,235 | \$2,364 | \$2,493 | \$2,622 | \$2,751 | \$2,880 |
| SM23  | SOMFY 35 STD MOTOR                 | \$2,268 | \$2,409 | \$2,550 | \$2,691 | \$2,832 | \$2,973 | \$3,114 |
|   | SOMFY 60 HD MOTOR                  | \$2,618 | \$2,759 | \$2,900 | \$3,041 | \$3,182 | \$3,323 | \$3,464 |
| Double System without Wood Fascia on Back Track and Full Stationary Pole on Front |                                    |         |         |         |         |         |         |         |
| BM21  | BTX 60 STD MOTOR                   | \$1,741 | \$1,857 | \$1,973 | \$2,089 | \$2,205 | \$2,321 | \$2,437 |
|   | BTX 120 HD MOTOR                   | \$2,229 | \$2,345 | \$2,461 | \$2,577 | \$2,693 | \$2,809 | \$2,925 |
|   | BTX 45 SOLAR MOTOR                 | \$2,028 | \$2,144 | \$2,260 | \$2,376 | \$2,492 | \$2,608 | \$2,724 |
| SM21  | SOMFY 35 STD MOTOR                 | \$2,190 | \$2,318 | \$2,446 | \$2,574 | \$2,702 | \$2,830 | \$2,958 |
|   | SOMFY 60 HD MOTOR                  | \$2,540 | \$2,668 | \$2,796 | \$2,924 | \$3,052 | \$3,180 | \$3,308 |

## Motorized Traverse System without Wood Fascia

| Single Track System |                                    | 6'      | 7'      | 8'      | 9'      | 10'     | 11'     | 12'     |
|---------------------|------------------------------------|---------|---------|---------|---------|---------|---------|---------|
| BM13                | BTX-DC-60 Std Motor                | \$1,426 | \$1,477 | \$1,528 | \$1,579 | \$1,630 | \$1,681 | \$1,732 |
|                     | BTX-DC-120 Heavy Duty Motor        | \$1,914 | \$1,965 | \$2,016 | \$2,067 | \$2,118 | \$2,169 | \$2,220 |
|                     | BTX-DCS-45 Solar Motor             | \$1,713 | \$1,764 | \$1,815 | \$1,866 | \$1,917 | \$1,968 | \$2,019 |
| SM13                | Somfy Glydea™ 35 Std Motor         | \$1,875 | \$1,938 | \$2,001 | \$2,064 | \$2,127 | \$2,190 | \$2,253 |
|                     | Somfy Glydea™ 60e Heavy Duty Motor | \$2,225 | \$2,288 | \$2,351 | \$2,414 | \$2,477 | \$2,540 | \$2,603 |
| Double Track System |                                    |         |         |         |         |         |         |         |
| BM15                | BTX-DC-60 Std Motor                | \$2,852 | \$2,954 | \$3,056 | \$3,158 | \$3,260 | \$3,362 | \$3,464 |
|                     | BTX-DC-120 Heavy Duty Motor        | \$3,828 | \$3,930 | \$4,032 | \$4,134 | \$4,236 | \$4,338 | \$4,440 |
|                     | BTX-DCS-45 Solar Motor             | \$3,426 | \$3,528 | \$3,630 | \$3,732 | \$3,834 | \$3,936 | \$4,038 |
| SM15                | Somfy Glydea™ 35 Std Motor         | \$3,750 | \$3,876 | \$4,002 | \$4,128 | \$4,254 | \$4,380 | \$4,506 |
|                     | Somfy Glydea™ 60e Heavy Duty Motor | \$4,450 | \$4,576 | \$4,702 | \$4,828 | \$4,954 | \$5,080 | \$5,206 |

- For Ripplefold® style upgrade, please add 10% to the value of Traverse System order.



| 13'     | 14'     | 15'     | 16'     | per add'l ft |
|---------|---------|---------|---------|--------------|
| \$2,147 | \$2,226 | \$2,305 | \$2,384 | \$79         |
| \$2,635 | \$2,714 | \$2,793 | \$2,872 | \$79         |
| \$2,434 | \$2,513 | \$2,592 | \$2,671 | \$79         |
| \$2,680 | \$2,771 | \$2,862 | \$2,953 | \$91         |
| \$3,030 | \$3,121 | \$3,212 | \$3,303 | \$91         |

|         |         |         |         |       |
|---------|---------|---------|---------|-------|
| \$3,930 | \$4,060 | \$4,190 | \$4,320 | \$130 |
| \$4,906 | \$5,036 | \$5,166 | \$5,296 | \$130 |
| \$4,504 | \$4,634 | \$4,764 | \$4,894 | \$130 |
| \$4,989 | \$5,142 | \$5,295 | \$5,448 | \$153 |
| \$5,689 | \$5,842 | \$5,995 | \$6,148 | \$153 |

|         |         |         |         |       |
|---------|---------|---------|---------|-------|
| \$4,125 | \$4,270 | \$4,415 | \$4,560 | \$145 |
| \$5,101 | \$5,246 | \$5,391 | \$5,536 | \$145 |
| \$4,699 | \$4,844 | \$4,989 | \$5,134 | \$145 |
| \$5,184 | \$5,352 | \$5,520 | \$5,688 | \$168 |
| \$5,884 | \$6,052 | \$6,220 | \$6,388 | \$168 |

|         |         |         |         |       |
|---------|---------|---------|---------|-------|
| \$2,722 | \$2,851 | \$2,980 | \$3,109 | \$129 |
| \$3,210 | \$3,339 | \$3,468 | \$3,597 | \$129 |
| \$3,009 | \$3,138 | \$3,267 | \$3,396 | \$129 |
| \$3,255 | \$3,396 | \$3,537 | \$3,678 | \$141 |
| \$3,605 | \$3,746 | \$3,887 | \$4,028 | \$141 |

|         |         |         |         |       |
|---------|---------|---------|---------|-------|
| \$2,553 | \$2,669 | \$2,785 | \$2,901 | \$116 |
| \$3,041 | \$3,157 | \$3,273 | \$3,389 | \$116 |
| \$2,840 | \$2,956 | \$3,072 | \$3,188 | \$116 |
| \$3,086 | \$3,214 | \$3,342 | \$3,470 | \$128 |
| \$3,436 | \$3,564 | \$3,692 | \$3,820 | \$128 |

| 13'     | 14'     | 15'     | 16'     | per add'l ft |
|---------|---------|---------|---------|--------------|
| \$1,783 | \$1,834 | \$1,885 | \$1,936 | \$51         |
| \$2,271 | \$2,322 | \$2,373 | \$2,424 | \$51         |
| \$2,070 | \$2,121 | \$2,172 | \$2,223 | \$51         |
| \$2,316 | \$2,379 | \$2,442 | \$2,505 | \$63         |
| \$2,666 | \$2,729 | \$2,792 | \$2,855 | \$63         |

|         |         |         |         |       |
|---------|---------|---------|---------|-------|
| \$3,566 | \$3,668 | \$3,770 | \$3,872 | \$102 |
| \$4,542 | \$4,644 | \$4,746 | \$4,848 | \$102 |
| \$4,140 | \$4,242 | \$4,344 | \$4,446 | \$102 |
| \$4,632 | \$4,758 | \$4,884 | \$5,010 | \$126 |
| \$5,332 | \$5,458 | \$5,584 | \$5,710 | \$126 |

| Item # | Name | Color | Price |
|--------|------|-------|-------|
|--------|------|-------|-------|

## BTX Motors

|          |                               |          |
|----------|-------------------------------|----------|
| 101.9010 | BTX-DC-60 Std Motor *         | \$585.00 |
| 101.9020 | BTX-DC-120 Heavy Duty Motor * | \$900.00 |
| 102.9000 | BTX-DCS-45 Solar Motor **     | \$875.00 |

\* Transformer is included

\*\* Solar panel is included

## BTX Accessories

### Transmitters/Devices

|          |                                      |       |          |
|----------|--------------------------------------|-------|----------|
| 490.2076 | BTX DC Std Transmitter (6 channel)   | White | \$150.00 |
| 480.3040 | BTX Wireless Wall Switch (1 channel) | White | \$150.00 |
| 480.3045 | BTX Wireless Wall Switch (2 channel) | White | \$200.00 |

### Carrier

|         |                             |            |        |
|---------|-----------------------------|------------|--------|
| MOSPPCB | BTX Std Pinch Pleat Carrier | WH, GO, BR | \$2.50 |
|---------|-----------------------------|------------|--------|

### Brackets

|             |  |                                   |         |
|-------------|--|-----------------------------------|---------|
| HDTB35-B    | BTX Single Bracket                           | WH, GO, BR                        | \$21.00 |
| HDTB-B      | BTX Double Bracket                           | WH, GO, BR                        | \$29.00 |
| PO214MCBKB  | Ceiling Mount Bracket for system with Fascia | Portfolio and Quick Ship finishes | \$51.00 |
| PO214MOCBKB | Motorized Over-Bracket                       | Portfolio and Quick Ship finishes | \$65.00 |
| MOCMBKB     | BTX Ceiling Mount Bracket                    | White                             | \$10.00 |

## BTX Additional Fees

|   |          |
|---|----------|
| Curving Fee (per bend; template must be provided) | \$175.00 |
| Handling and crating fee for curved tracks        | \$75.00  |

## Somfy & BTX Additional Options & Upgrades

Ripplefold<sup>®</sup> style upgrade 10% system upcharge

|      |                                  |             |
|------|----------------------------------|-------------|
| MO61 | Blended fascia splice per splice | \$75.00 Net |
| MO57 | Miter cuts 3/8" return per pair  | \$50.00 Net |
| MO58 | Miter cuts 5/8" return per pair  | \$50.00 Net |
|      | Packaging fee per order          | \$25.00 Net |



## Motorized Traverse Systems

# Motorized Traverse System Pricing con't.

| Item # | Name | Color | Price |
|--------|------|-------|-------|
|--------|------|-------|-------|

### Somfy Motors

|         |                                    |  |           |
|---------|------------------------------------|--|-----------|
| 1001615 | Somfy Glydea™ 35 Std Motor         |  | \$ 985.00 |
| 1001617 | Somfy Glydea™ 60e Heavy Duty Motor |  | \$1200.00 |

### Somfy Accessories

#### Transmitters/Devices

|         |                                |        |          |
|---------|--------------------------------|--------|----------|
| 1810633 | Standard Transmitter-5 channel | White  | \$225.00 |
| 1810641 | Transmitter-5 channel          | Silver | \$325.00 |
| 1810652 | Transmitter-5 channel          | Black  | \$325.00 |
| 1810632 | Transmitter-1 channel          | White  | \$175.00 |
| 1810639 | Transmitter-1 channel          | Silver | \$260.00 |
| 1810650 | Transmitter-1 channel          | Black  | \$260.00 |
| 1811081 | Transmitter-16 channel         | White  | \$685.00 |
| 1811082 | Transmitter-16 channel         | Silver | \$750.00 |
| 1810897 | Wireless Wall Switch-1 channel | White  | \$385.00 |
| 1810898 | Wireless Wall Switch-1 channel | Ivory  | \$385.00 |
| 1810899 | Wireless Wall Switch-1 channel | Black  | \$440.00 |
| 1811180 | Wireless Wall Switch-1 channel | Almond | \$385.00 |
| 1810813 | Wireless Wall Switch-5 channel | White  | \$400.00 |
| 1810814 | Wireless Wall Switch-5 channel | Ivory  | \$400.00 |
| 1810830 | Wireless Wall Switch-5 channel | Black  | \$465.00 |
| 1811181 | Wireless Wall Switch-5 channel | Almond | \$400.00 |
| 1811185 | Table Top Accessory *          | White  | \$120.00 |
| 1810972 | Table Top Accessory *          | Silver | \$120.00 |
| 1811051 | Table Top Accessory *          | Black  | \$120.00 |

\* use with Wireless Wall Switch

| Item # | Name | Color | Price |
|--------|------|-------|-------|
|--------|------|-------|-------|

### Somfy Accessories con't.

#### Programmable Timers

|         |                          |        |          |
|---------|--------------------------|--------|----------|
| 1805217 | Handheld Timer-6 channel | White  | \$785.00 |
| 1805218 | Handheld Timer-6 channel | Silver | \$800.00 |
| 1805176 | Wall Mount Timer         | Almond | \$540.00 |
| 9013707 | Sunis Indoor Sun Control | Almond | \$590.00 |

#### Carrier

|         |                               |       |        |
|---------|-------------------------------|-------|--------|
| MOSPCCS | Somfy Std Pinch Pleat Carrier | White | \$2.50 |
|---------|-------------------------------|-------|--------|

#### Brackets

|             |   |                                   |         |
|-------------|---|-----------------------------------|---------|
| HDTB35-S    | Somfy Single Bracket                          | WH, GO, BR                        | \$21.00 |
| HDTB-S      | Somfy Double Bracket                          | WH, GO, BR                        | \$29.00 |
| PO214MCBKS  | Ceiling Mount Bracket for Systems with Fascia | Portfolio and Quick Ship finishes | \$51.00 |
| PO214MOCBKS | Motorized Over-Bracket                        | Portfolio and Quick Ship finishes | \$65.00 |
| MOCMBKS     | Somfy Ceiling Mount Bracket                   | White                             | \$10.00 |

### Somfy Additional Fees

|   |        |
|---|--------|
| Curving Fee (per bend; template must be provided) | Quoted |
|---|--------|

## PTH Motorized Traverse Tips

- Specified custom cut length indicates track length including drive gears; fascia will be 1/4" longer at each end of track (1/2" total); mitered fascia will be 1 1/2" longer at each end of track (3" total).
- Track and fascia will be spliced in the center of overall length.
- Blended fascia is available for an additional fee per blend; PTH will properly connect splice(s) and ship your fascia in one continuous length.
- Back fascia can accommodate decorative end caps; decorative end caps sold separately.
- Both BTX and Somfy Motorized Traverse Systems carry a 5 year warranty; WARNING: Modifications of internal components will void BTX and Somfy warranties.

## Motorized Stack Back Calculation (each drapery panel)

BTX: master carrier + (# carriers on panel x carrier width) + 3.375" = stack per drapery panel

Somfy: master carrier + (# carriers on panel x carrier width) + 3.75" = stack per drapery panel

Ex: Somfy 10ft. center draw, pinch pleat (standard 4 carriers per ft.)

2.75" + [(40/2) x .5"] + 3.75" = 16.5" stack, short master panel *BEFORE drapery fabric is installed*

6.75" + [(40/2) x .5"] + 3.75" = 20.5" stack, overlap master panel *BEFORE drapery fabric is installed*

Ex: BTX 20 ft. one-way draw, Ripplefold® style 80% fullness

6.25" + (98 x .563") + 3.375" = 64.79" stack, underlap master panel *BEFORE drapery fabric is installed*

**Please note:** Calculations result in stack back width *BEFORE* drapery fabric is installed. Stack back width will increase once draperies are installed. Factors such as thickness of drapery fabric, type of drapery pleat, and fullness of treatment affect the final stack back width. Please consult your workroom to determine your final stack back based on your draperies.

**Quick Ship 1" Modern Metal Finials** fit the 1" metal pole, but DO NOT fit the 1" Hand Drawn Traverse System.

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  |  |  |  |  |  |
| QS100COFI<br>Cole   | QS100ELAFI<br>Ella  | QS100EMFI<br>Elm  | QS100EMFIGL<br>Elm - Smoke Glass  | QS100KNFI<br>Knox - Crystal   | QS100LXFI<br>Lex  |
| 3¼" (8.3 cm) W<br>1½" (3.8 cm) DIA  | 1½" (3.8 cm) W<br>1⅝" (4.1 cm) DIA  | 1⅞" (2.9 cm) W<br>2" (5.1 cm) DIA   | 1⅞" (2.9 cm) W<br>2" (5.1 cm) DIA   | 1¼" (3.2 cm) W<br>2¼" (5.7 cm) DIA  | 1¾" (4.4 cm) W<br>2" (5.1 cm) DIA   |
| \$60.00 pair*   | \$50.00 pair*   | \$50.00 pair*   | \$60.00 pair*   | \$80.00 pair*   | \$40.00 pair*   |

|   |   |   |
|---|---|---|
|  |  |  |
| QS100LUEC<br>Luna End Cap   | QS100NOFI<br>Nora   | QS100NOFIGL<br>Nora - Mercury Glass   |
| ¾" (1.9 cm) W<br>1¼" (3.2 cm) DIA   | 2" (5.1 cm) W<br>2¼" (5.7 cm) DIA   | 2⅞" (5.4 cm) W<br>2⅝" (6.0 cm) DIA  |
| \$20.00 pair*   | \$70.00 pair*   | \$80.00 pair*   |

*Luna End Cap covers ⅝" (1.6 cm) of end of pole: functional pole length may need to be lengthened accordingly.*

**Quick Ship 1" Modern Metal Finial Accessory:**

|  |
|--|
|   |
| QS100CRMEBAND<br>1" Crystal Band   |
| ⅝" (1.6 cm) W<br>1⅞" (2.7 cm) ID<br>1⅞" (4.1 cm) OD  |
| <ul style="list-style-type: none"> <li>metal; available only in dark metal with inlaid crystals</li> <li>not recommended for 1" Hand Drawn Traverse System</li> <li>covers ⅝" of pole</li> </ul> |
| \$30.00 ea   |

Dress up your Modern Finial: Add a 1" Crystal Band.

These 1" Bands can be used on a 1" pole in 2 ways:

1. against the base of a 1" finial for a touch of glamour
2. anywhere on the 1" pole for additional decoration

**How To Add Your Bling:**

- 1  Buy a pair of 1" Modern Finials.
- 2  Buy two 1" Crystal Bands.
- 3  Slide each 1" Crystal Band onto the pole before installing finials.
- 4  Install finials. Slide Crystal Bands against finials and tighten set screws.

\*Sold in pairs only.

# Quick Ship Metal 1"

Available in all 5 Quick Ship Metal finishes.

**Quick Ship 1" Transitional Metal Finials** fit the 1" metal pole and the 1" Hand Drawn Traverse System.  
Note: Transitional Metal Finial covers  $\frac{5}{8}$ " (1.6 cm) of pole or track; finished pole length may need to be increased accordingly.

|   |  |   |   |  |   |
|---|--|---|---|--|---|
| <br><b>QS100COFICU</b><br>Cole with 1" Cuff<br>4" (10.2 cm) W<br>1½" (3.8 cm) DIA<br>\$75.00 pair* | <br><b>QS100ELAFICU</b><br>Ella with 1" Cuff<br>2¼" (5.7 cm) W<br>1⅝" (4.1 cm) DIA<br>\$65.00 pair* | <br><b>QS100EMFICU</b><br>Elm with 1" Cuff<br>1⅞" (4.8 cm) W<br>2" (5.1 cm) DIA<br>\$65.00 pair* | <br><b>QS100EMFIGLCU</b><br>Elm - Smoke Glass with 1" Cuff<br>1⅞" (4.8 cm) W<br>2" (5.1 cm) DIA<br>\$75.00 pair* | <br><b>QS100KNFICU</b><br>Knox - Crystal with 1" Cuff<br>2" (5.1 cm) W<br>2¼" (5.7 cm) DIA<br>\$95.00 pair* | <br><b>QS100LXFICU</b><br>Lex with 1" Cuff<br>2½" (6.4 cm) W<br>2" (5.1 cm) DIA<br>\$55.00 pair* |
|---|--|---|---|--|---|

|   |   |   |
|---|---|---|
| <br><b>QS100LUEC</b><br>Luna End Cap<br>¾" (1.9 cm) W<br>1¼" (3.2 cm) DIA<br>\$20.00 pair* | <br><b>QS100NOFICU</b><br>Nora with 1" Cuff<br>2¾" (7.0 cm) W<br>2¼" (5.7 cm) DIA<br>\$85.00 pair* | <br><b>QS100NOFIGLCU</b><br>Nora - Mercury Glass with 1" Cuff<br>2⅞" (7.3 cm) W<br>2⅝" (6.0 cm) DIA<br>\$95.00 pair* |
|---|---|---|

Refine your Transitional Finial:  
Add a Traditional Collar.  
(maintains compatibility with the  
1" Hand Drawn Traverse System)


Refine your Transitional Finial:  
Add a Traditional Collar.  
(maintains compatibility with the  
1" Hand Drawn Traverse System)

## Quick Ship 1" Transitional Metal Finial Accessory:

|   |
|---|
| <br><b>QSTRADCO</b><br>Traditional Collar<br>⅝" (1.6 cm) W<br>1⅞" (2.9 cm) DIA<br><ul style="list-style-type: none"><li>metal; available in any Quick Ship Metal finish</li><li>can only be added to Transitional Metal finials</li><li>installs between the Finial and 1" Cuff</li><li>adding Traditional Collar increases width of finial by ⅝" (1.6cm)</li></ul><br>\$20.00 pair* |
|---|


How To Make It Traditional:

1




Buy a pair of 1" Transitional Finials.

2




Buy a pair of Traditional Collars.

3




Unscrew the finial from its Cuff.

4



Screw finial into the Traditional Collar.  
Screw Traditional Collar into the Cuff.

5



Attach the finial to the end of the pole by tightening the set screw on the Cuff.

\*Sold in pairs only.

**Quick Ship 1" Cuff** AVAILABLE IN CONTRASTING FINISH.

QS100CUFF

1" Cuff

$\frac{3}{4}$ " (1.9 cm) W  
 $1\frac{1}{4}$ " (3.2 cm) DIA

- metal; available in all 5 Quick Ship Metal finishes
- covers  $\frac{5}{8}$ " of the pole; finished length may need to be increased accordingly.

\$20.00 pair\*

Looking for a 1" Cuff in Brushed Nickel to accessorize your 1" Portfolio Finial?

**1" Cuff is only compatible with the following Portfolio 1" Finials:**




- 1" Textured Metal Finials
- 1" Glamour Resin Finials
- 1" California Resin Finials
- 1" Tried & True Resin Finials

Note: The Traditional Collar can be purchased in Brushed Nickel on page 58.

**Quick Ship 1" Metal Holdbacks**

**Metal Holdbacks** Include Metal Holdback Stems.


Note: STEMS ARE INCLUDED, AND A PROJECTION OF 2", 4", OR 6" MUST BE SELECTED. Projection indicates distance from wall to back of medallion.

|   |          |               |  |                |                                |
|---|----------|---------------|--|----------------|--------------------------------|
| <br>Blake - Mercury Glass | QSBKHB2  | 2" Projection | METAL AND GLASS<br>3" (7.6 cm) DIA x<br>$\frac{2}{8}$ " (6.0 cm) THICK     | \$120.00 pair* | <i>Must select projection.</i> |
|   | QSBKHB4  | 4" Projection |  |                |                                |
|   | QSBKHB6  | 6" Projection |  |                |                                |
| <br>Jem                  | QSJEHB2  | 2" Projection | METAL<br>$2\frac{1}{2}$ " (6.4 cm) DIA x<br>$\frac{3}{8}$ " (1.0 cm) THICK | \$65.00 pair*  | <i>Must select projection.</i> |
|   | QSJEHB4  | 4" Projection |  |                |                                |
|   | QSJEHB6  | 6" Projection |  |                |                                |
| <br>Mara                 | QSMARHB2 | 2" Projection | METAL<br>3" (7.6 cm) DIA x<br>$\frac{7}{8}$ " (2.2 cm) THICK               | \$95.00 pair*  | <i>Must select projection.</i> |
|   | QSMARHB4 | 4" Projection |  |                |                                |
|   | QSMARHB6 | 6" Projection |  |                |                                |

**Metal Holdback Stems**

Base: 2" DIA  
 Stem:  $\frac{1}{2}$ " DIA  
 Rose Gold

2", 4", or 6" projection  
 must be selected.





\*Sold in pairs only.

Quick Ship Metal 1"

Available in all 5 Quick Ship Metal finishes.

Quick Ship 1" Brackets fit the 1" pole.

Note: Bracket return indicates distance from wall to center of pole. Bracket projection indicates distance from wall to back of pole.

|   |   |  |  |   |
|---|---|--|--|---|
|    |  | <i>Note: Pair includes right and left (set screw located in back when installed)</i>                                 |  |   |
| QS100MCMBK  | QS100MIBK   | QS100LASBK   | QS100LAS6BK  | QS100LADBK  |
| 1" Metal Ceiling Mount  | 1" Metal Inside Mount   | Laurence 3" Single   | Laurence 6" Single   | Laurence 6" Double  |
| 2" (5.1 cm) W x<br>2 1/4" (5.7 cm) H x<br>2" (5.1 cm) D;<br>Base: 2" (5.1 cm) DIA<br>Cradle: 1" (2.5 cm) W x<br>1 1/4" (3.2 cm) OD x<br>1 1/8" (2.9 cm) ID<br>Drop (distance from ceiling to bottom of pole): 2 1/8" (5.4 cm) | 3/4" (1.9 cm) W x<br>1 1/8" (2.9 cm) H x<br>1 5/8" (4.1 cm) D                     | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>4 1/8" (10.5 cm) D;<br>3 1/2" (8.9 cm) RET,<br>3" (7.6 cm) PROJ | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>6 3/4" (17.1 cm) D;<br>6" (15.2 cm) RET,<br>5 1/2" (14.0 cm) PROJ | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>6 3/4" (17.1 cm) D;<br>6" (15.2 cm)<br>FRONT RET,<br>3" (7.6 cm) BACK RET;<br>5 1/2" (14.0 cm) FRONT PROJ,<br>2 1/2" (6.4 cm) BACK PROJ<br>Both Cradles hold 1" pole |
| \$25.00 ea  | \$50.00 pair*   | \$30.00 ea   | \$35.00 ea   | \$35.00 ea  |

Quick Ship 1" Rings fit the 1" pole.

Note: Ring drop indicates distance from bottom of pole to bottom of ring.

|  |
|--|
|            |
| QS100MRI   |
| 1" Metal Ring  |
| METAL<br>3/16" (0.5 cm) W<br>1 1/2" (3.8 cm) ID<br>1 7/8" (4.8 cm) OD,<br>3/4" (1.9 cm) DROP |
| \$5.00 ea  |

\*Sold in pairs only.

## Quick Ship 1" Smooth Metal Poles

Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|            |            |            |            |             |             |
|------------|------------|------------|------------|-------------|-------------|
| QS100SM02  | QS100SM04  | QS100SM06  | QS100SM08  | QS100SM10   | QS100SM12   |
| 2'         | 4'         | 6'         | 8'         | 10'         | 12'         |
| \$22.00 ea | \$44.00 ea | \$66.00 ea | \$88.00 ea | \$110.00 ea | \$132.00 ea |

## Quick Ship 1" Accessories

Note: Hinged Resin Elbow available in all 5 Quick Ship Metal finishes.

|  |  |   |
|--|--|---|
|  <p>QS100REL<br/>1" Hinged Resin Elbow</p> <hr/> <p>1 1/8" (2.9 cm) DIA<br/>3 1/4" (8.3 cm)<br/>TOTAL LENGTH</p> <hr/> <p>1 5/8" (4.1 cm) each side<br/>when bent</p> <p>\$25.00 ea</p> |  <p>QSAC36WAND<br/>36" Clear Acrylic Wand</p> <p>ACRYLIC, CLEAR ONLY<br/>1/2" (1.3 cm) DIA x<br/>36" (91.4 cm) LENGTH</p> <p>\$40.00 ea</p> |  <p>QSAC48WAND<br/>48" Clear Acrylic Wand</p> <p>ACRYLIC, CLEAR ONLY<br/>1/2" (1.3 cm) DIA x<br/>48" (121.9 cm) LENGTH</p> <p>\$45.00 ea</p> |
|--|--|---|

*\*Sold in pairs only.*

Quick Ship 1" Hand Drawn Traverse System

RECOMMENDED FOR LIGHTWEIGHT DRAPERIES

All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

Quick Ship 1" Hand Drawn Traverse System INCLUDES:

- Track(s): Continuous track available up to 8'; spliced lengths available up to 16'.
- Brackets
- Components: Glides and Glide Stop(s)\*
- 48" Clear Acrylic Wand(s)\*

*\*Note: Each Center Draw Track includes 2 Glide Stops and 2 Acrylic Wands. Each One-Way Draw Track includes 1 Glide Stop and 1 Acrylic Wand.*

Finials sold separately.

- Transitional Finials must be ordered with all 1" Hand Drawn Traverse Systems.
- Only 1" Transitional Metal Finials can attach to the track.
- If a Traditional Collar is added to the 1" Transitional Finial, it will still fit the track.





Maximum drapery weight - 2 lbs/ft.

Available in 5 Quick Ship Metal finishes.

Order in 3 Easy Steps:

Step 1: Select your Draw.

Step 2: Select your Bracket.

|  |   |
|--|---|
| <div>Single Center Draw</div> <div>QS100TR01</div>   | <div>Available Brackets</div> <div>3½" Single</div> <div>6" Single</div> <div>Ceiling Mount</div> |
| <div>Single One-Way Draw</div> <div>QS100TR03</div>  | <div>Available Brackets</div> <div>3½" Single</div> <div>6" Single</div> <div>Ceiling Mount</div> |
| <div>Double Center Draw</div> <div>QS100TR05</div>   | <div>Available Brackets</div> <div>Double Bracket</div> <div>Ceiling Mount</div>                  |
| <div>Double One-Way Draw</div> <div>QS100TR07</div>  | <div>Available Brackets</div> <div>Double Bracket</div> <div>Ceiling Mount</div>                  |

Step 3: Purchase your Finials, sold separately.

|   |          |          |          |          |   |           |           |           |
|---|----------|----------|----------|----------|---|-----------|-----------|-----------|
| <div>Single Center Draw</div> <div>Includes: 1 track, single brackets (1 per 3-4 feet), glides (4 per foot), 2 glide stops, and 2 clear acrylic wands.</div> <div>Must specify type of bracket.</div>   |          |          |          |          | <div>Track available in 8 ft continous lengths only. Any track length over 8 ft must be spliced together.</div> |           |           |           |
|   | 2'       | 4'       | 6'       | 8'       | 10'   | 12'       | 14'       | 16'       |
| QS100TR01   | \$100.00 | \$200.00 | \$300.00 | \$400.00 | \$500.00  | \$600.00  | \$700.00  | \$800.00  |
| <div>Single One-way Draw</div> <div>Includes: 1 track, single brackets (1 per 3-4 feet), glides (4 per foot), 1 glide stop, and 1 clear acrylic wand.</div> <div>Must specify type of bracket.</div>    |          |          |          |          |   |           |           |           |
|   | 2'       | 4'       | 6'       | 8'       | 10'   | 12'       | 14'       | 16'       |
| QS100TR03   | \$100.00 | \$200.00 | \$300.00 | \$400.00 | \$500.00  | \$600.00  | \$700.00  | \$800.00  |
| <div>Double Center Draw</div> <div>Includes: 2 tracks, double brackets (1 per 3-4 feet), glides (4 per foot), 4 glide stops, and 4 clear acrylic wands.</div> <div>Must specify type of bracket.</div>  |          |          |          |          |   |           |           |           |
|   | 2'       | 4'       | 6'       | 8'       | 10'   | 12'       | 14'       | 16'       |
| QS100TR05   | \$200.00 | \$400.00 | \$600.00 | \$800.00 | \$1000.00   | \$1200.00 | \$1400.00 | \$1600.00 |
| <div>Double One-way Draw</div> <div>Includes: 2 tracks, double brackets (1 per 3-4 feet), glides (4 per foot), 2 glide stops, and 2 clear acrylic wands.</div> <div>Must specify type of bracket.</div> |          |          |          |          |   |           |           |           |
|   | 2'       | 4'       | 6'       | 8'       | 10'   | 12'       | 14'       | 16'       |
| QS100TR07   | \$200.00 | \$400.00 | \$600.00 | \$800.00 | \$1000.00   | \$1200.00 | \$1400.00 | \$1600.00 |

\*Sold in pairs only.

\*Sold in pairs only.



## Included in System: 1" Hand Drawn Traverse Brackets

Note: Brackets must be installed every 3 - 4 feet. Bracket return indicates distance from wall to center of track. Bracket projection indicates distance from wall to back of track. See System Quantity Chart for quantity of Brackets included with ea system. Additional Brackets may be ordered separately.

Bracket style must be specified on your order.

|  |  |  |  |
|--|--|--|--|
|   |   |   |    |
| QS100TRSBK<br>1" Traverse<br>3 1/2" Single   | QS100TRS6BK<br>1" Traverse<br>6" Single  | QS100TRDBK<br>1" Traverse Double   | QS100TRCMBK<br>1" Traverse Single<br>Ceiling Mount   |
| METAL<br>2 1/8" (5.4 cm) DIA<br>BACK PLATE,<br>1" (2.5 cm) DIA STEM x<br>4 1/8" (10.5 cm) D;<br>3 1/2" (8.9 cm) RET,<br>3" (7.6 cm) PROJ | METAL<br>2 1/8" (5.4 cm) DIA<br>BACK PLATE,<br>1" (2.5 cm) DIA STEM x<br>6 3/4" (17.1 cm) D;<br>6" (15.2 cm) RET,<br>5 1/2" (14.0 cm) PROJ | METAL<br>2 1/8" (5.4 cm) DIA<br>BACK PLATE,<br>1" (2.5 cm) DIA STEM x<br>6 3/4" (17.1 cm) D;<br>6" (15.2 cm) FRONT RET,<br>3" (7.6 cm) BACK RET;<br>5 1/2" (14.0 cm)<br>FRONT PROJ,<br>2 1/2" (6.4 cm)<br>BACK PRO | METAL<br>2 1/8" (5.4 cm) DIA<br>CEILING PLATE,<br>1" (2.5 cm) DIA STEM,<br>2 1/4" (5.7 cm) H x<br>3 1/4" (8.3 cm) D;<br>2 3/4" (7.0 cm) RET,<br>Drop (distance from<br>ceiling to bottom<br>of pole):<br>2 1/2" (6.4 cm) |
| \$25.00 ea   | \$25.00 ea   | \$25.00 ea   | \$25.00 ea   |





## Included in System: 1" Hand Drawn Traverse Components

Components will be provided in the color that best matches the Quick Ship Metal finish, unless otherwise specified. See Component Color Chart See System Quantity Chart for quantity of glides included with ea system. Additional components may be ordered separately.

### Glides

|  |   |   |   |   |
|--|---|---|---|---|
|   |  |  |  |                      |
| 3/8" (1.0 cm) W x<br>1 1/8" (2.9 cm) H x<br>1/4" (0.6 cm) D;<br>5/8" (1.6 cm) DROP<br>(from bottom of track<br>to bottom of eyelet<br>interior when installed)                                 | QS100GLIDE-BZ<br>Standard Wheeled<br>Glide - Bronze                                 | QS100GLIDE-CH<br>Standard<br>Wheeled Glide -<br>Champagne                           | QS100GLIDE-GO<br>Standard Wheeled<br>Glide - Gold                                     | QS100GLIDE-WH<br>Standard Wheeled<br>Glide - White  |
| • White Glide may be substituted. Please specify on order.<br><br><b>Note:</b> White Glide can be useful when installing sheer and translucent fabrics onto the 1" Hand Drawn Traverse System. | \$ .50 ea   | \$ .50 ea   | \$ .50 ea   | \$ .50 ea   |
|  |   |   |   | QSAC48WAND<br>48" Clear Acrylic<br>Wand<br><br>1/2" (1.3 cm) DIA x<br>48" (121.9 cm) LENGTH<br>\$45.00 ea |

**Glide Stops** anchor the drapery panel at the end of the track.

|  |   |   |   |   |
|--|---|---|---|---|
|   |  |  |  |    |
| 3/8" (1.0 cm) W x<br>1/2" (1.3 cm) H x<br>3/16" (0.5 cm) D;<br>1/4" (0.6 cm) DROP<br>(from bottom of track<br>to bottom of eyelet<br>interior when installed)  | QS100GSTOP-BZ<br>Glide Stop - Bronze  | QS100GSTOP-CH<br>Glide Stop -<br>Champagne  | QS100GSTOP-GO<br>Glide Stop - Gold  | QS100GSTOP-WH<br>Glide Stop - White   |
| • White Glide Stop may be substituted. Please specify on order.<br><br><b>Note:</b> White Glide Stop can be useful when installing sheer and translucent fabrics onto the 1" Hand Drawn Traverse System. | \$ .50 ea   | \$ .50 ea   | \$ .50 ea   | \$ .50 ea   |
|  |   |   |   | QS100TRSP<br>Track Splicer<br><br>• connects the ends<br>of two tracks<br>• installs into top<br>channel<br>• included with all<br>systems over 8'<br>\$4.00 ea |

Quick Ship 1" Hand Drawn Traverse System

COMPONENT COLOR CHART

|   | BRUSHED NICKEL<br>QSBN | MIDNIGHT<br>QSMID | ROSE GOLD<br>QSRG | ANTIQUE BRASS<br>QSAB | OIL RUBBED BRONZE<br>QSORB |
|---|------------------------|-------------------|-------------------|-----------------------|----------------------------|
| Component* Color  | Champagne              | Bronze            | Gold              | Gold                  | Bronze                     |
| White may be substituted<br>(Must be specified on order.) | Yes                    | Yes               | Yes               | Yes                   | Yes                        |

\*Components include Standard Wheeled Glide and Glide Stop.

SYSTEM QUANTITY CHART

| Quantity included per set will be based on total system length | Continuous Track Length |    |    |    |    |    |    | Spliced Track Length |     |     |     |     |     |     |     |
|--|-------------------------|----|----|----|----|----|----|----------------------|-----|-----|-----|-----|-----|-----|-----|
|  | 2'                      | 3' | 4' | 5' | 6' | 7' | 8' | 9'                   | 10' | 11' | 12' | 13' | 14' | 15' | 16' |
| Glides (4 per foot, includes Glide Stop)                       | 8                       | 12 | 16 | 20 | 24 | 28 | 32 | 36                   | 40  | 44  | 48  | 52  | 56  | 60  | 64  |
| Brackets (1 per every 3-4 feet)                                | 2                       | 2  | 2  | 3  | 3  | 3  | 4  | 4                    | 4   | 5   | 5   | 5   | 6   | 6   | 6   |

\*Sold in pairs only.

## RECOMMENDED FOR LIGHTWEIGHT DRAPERIES

All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

### Luxe Line Hand Drawn Traverse System INCLUDES:

- Track(s): Continuous track available up to 8'; spliced lengths available up to 16'.
- Brackets
- Components: Glides and Glide Stop(s)\*
- 48" Clear Acrylic Wand(s)\*

*\*Note: Ea Center Draw Track includes 2 Glide Stops and 2 Acrylic Wands. Ea One-Way Draw Track includes 1 Glide Stop and 1 Acrylic Wand.*

### Finials sold separately.

- Luxe Line Finials must be ordered with all Luxe Line Hand Drawn Traverse Systems.
- Only Luxe Line Finials can attach to the track.





Maximum drapery weight - 2 lbs/ft.

Available in 3 Quick Ship Luxe Line finishes.

## Order in 3 Easy Steps:

### Step 1: Select your Draw.

### Step 2: Select your Bracket.

|   |  |
|---|--|
| <b>Single Center Draw</b><br>QSLX01   | <b>Available Brackets</b><br>3½" Single<br>6½" Single<br>Ceiling Mount |
| <b>Single One-Way Draw</b><br>QSLX03  | <b>Available Brackets</b><br>3½" Single<br>6½" Single<br>Ceiling Mount |
| <b>Double Center Draw</b><br>QSLX05   | <b>Available Brackets</b><br>Double Bracket<br>Ceiling Mount           |
| <b>Double One-Way Draw</b><br>QSLX07  | <b>Available Brackets</b><br>Double Bracket<br>Ceiling Mount           |

### Step 3: Purchase your Luxe Line Finials, sold separately.

**Single Center Draw** Includes: 1 track, single brackets (1 per 3-4 feet), glides (4 per foot), 2 glide stops, and 2 clear acrylic wands.  
**Must specify type of bracket.**

Track available in 8 ft continous lengths only. Any track length over 8 ft must be spliced together.

|        | 2'      | 4'       | 6'       | 8'       | 10'      | 12'      | 14'      | 16'      |
|--------|---------|----------|----------|----------|----------|----------|----------|----------|
| QSLX01 | \$80.00 | \$160.00 | \$240.00 | \$320.00 | \$400.00 | \$480.00 | \$560.00 | \$640.00 |

**Single One-way Draw** Includes: 1 track, single brackets (1 per 3-4 feet), glides (4 per foot), 1 glide stop, and 1 clear acrylic wand.  
**Must specify type of bracket.**

|        | 2'      | 4'       | 6'       | 8'       | 10'      | 12'      | 14'      | 16'      |
|--------|---------|----------|----------|----------|----------|----------|----------|----------|
| QSLX03 | \$80.00 | \$160.00 | \$240.00 | \$320.00 | \$400.00 | \$480.00 | \$560.00 | \$640.00 |

**Double Center Draw** Includes: 2 tracks, double brackets (1 per 3-4 feet), glides (4 per foot), 4 glide stops, and 4 clear acrylic wands.  
**Must specify type of bracket.**

|        | 2'       | 4'       | 6'       | 8'       | 10'      | 12'      | 14'       | 16'       |
|--------|----------|----------|----------|----------|----------|----------|-----------|-----------|
| QSLX05 | \$160.00 | \$320.00 | \$480.00 | \$640.00 | \$800.00 | \$960.00 | \$1120.00 | \$1280.00 |

**Double One-way Draw** Includes: 2 tracks, double brackets (1 per 3-4 feet), glides (4 per foot), 2 glide stops, and 2 clear acrylic wands.  
**Must specify type of bracket.**

|        | 2'       | 4'       | 6'       | 8'       | 10'      | 12'      | 14'       | 16'       |
|--------|----------|----------|----------|----------|----------|----------|-----------|-----------|
| QSLX07 | \$160.00 | \$320.00 | \$480.00 | \$640.00 | \$800.00 | \$960.00 | \$1120.00 | \$1280.00 |

*\*Sold in pairs only.*

Quick Ship Luxe Line Hand Drawn Traverse System

Available in 3 Luxe Line Quick Ship finishes.

Quick Ship Luxe Line Finials only fit the Luxe Line Hand Drawn Traverse System.

|   |   |   |   |   |
|---|---|---|---|---|
|  |  |  |  |  |
| QSLXCHFI  | QSLXHTFI  | QSLXEC  | QSLXMOFI  | QSLXVOFI  |
| Chic  | Haute   | Luxe End Cap  | Mode  | Vogue   |
| 2 3⁄8" (6.0 cm) W<br>1 1⁄4" (3.2 cm) H<br>1⁄2" (1.3 cm) D                         | 2 7⁄8" (7.3 cm) W<br>1 1⁄4" (3.2 cm) H<br>1⁄2" (1.3 cm) D                         | 1⁄8" (0.3 cm) W<br>1 1⁄4" (3.2 cm) H<br>1⁄2" (1.3 cm) D                           | 2 7⁄8" (7.3 cm) W<br>1 1⁄4" (3.2 cm) H<br>1⁄2" (1.3 cm) D                         | 1 7⁄8" (4.8 cm) W<br>1 1⁄4" (3.2 cm) H<br>1⁄2" (1.3 cm) D                           |
| \$20.00 pair*   | \$20.00 pair*   | \$20.00 pair*   | \$20.00 pair*   | \$20.00 pair*   |

Quick Ship Luxe Line Traverse Brackets






Note: Available in 3 Luxe Line Quick Ship finishes. Brackets must be installed every 3 - 4 feet. Bracket return indicates distance from wall to center of track. Bracket projection indicates distance from wall to back of track.

|   |   |  |  |
|---|---|--|--|
|                                  |                                    |   |   |
| QSLXTRSBK   | QSLXTRS6BK  | QSLXTRDBK  | QSLXTRCMBK   |
| Luxe 3 1⁄2" Single  | Luxe 6 1⁄2" Single  | Luxe Double  | Luxe Single Ceiling Mount  |
| METAL<br>2 7⁄8" (7.3 cm) H<br>1 1⁄4" (3.2 cm) W<br>4" (10.2 cm) D<br>3 1⁄2" (8.9 cm) RET,<br>3 1⁄4" (8.3 cm) PROJ | METAL<br>2 7⁄8" (7.3 cm) H<br>1 1⁄4" (3.2 cm) W<br>7" (17.8 cm) D<br>6 1⁄2" (16.5 cm) RET,<br>6 1⁄4" (15.9 cm) PROJ | METAL<br>2 7⁄8" (7.3 cm) H<br>1 1⁄4" (3.2 cm) W<br>7" (17.8 cm) D<br>6 1⁄2" (16.5 cm) FRONT RET,<br>3 3⁄8" (8.6 cm) BACK RET;<br>6 1⁄4" (15.9 cm) FRONT PROJ,<br>3 1⁄8" (7.9 cm) BACK PROJ | METAL<br>2 5⁄8" (6.7 cm) H<br>2 7⁄8" (7.3 cm) W<br>2" (5.1 cm) D<br>1 3⁄8" (3.5 cm) RET,<br>1 1⁄8" (2.9 cm) PROJ<br>Drop (distance from ceiling to bottom of track): 3" (7.6 cm) |
| \$25.00 ea  | \$25.00 ea  | \$25.00 ea   | \$25.00 ea   |

\*Sold in pairs only.





**Quick Ship Luxe Line Hand Drawn Traverse Components** Glide drop indicates distance from bottom of track to bottom of eyelet interior. Note: Unless White is specified, glide and glide stop color will coordinate with the Luxe Line Traverse System finish.

**Glides****Wand**

|  |  |   |  |   |   |
|--|--|---|--|---|---|
| <p><math>\frac{3}{8}</math>" (1.0 cm) W x<br/> <math>1\frac{1}{8}</math>" (2.9 cm) H x<br/> <math>\frac{1}{4}</math>" (0.6 cm) D;<br/> <math>\frac{5}{8}</math>" (1.6 cm) DROP<br/>         (from bottom of track<br/>         to bottom of eyelet<br/>         interior when installed)</p> <ul style="list-style-type: none"> <li>White Glide may be substituted; please specify on order.</li> </ul> <p><b>Note:</b> White Glide can be useful when installing sheer and translucent fabrics onto the Luxe Line Hand Drawn Traverse System.</p> |  <p>QSLXGLIDE-BZ<br/>Standard Wheeled Glide - Bronze</p> <p>\$ .50 ea</p> |  <p>QSLXGLIDE-CH<br/>Standard Wheeled Glide - Champagne</p> <p>\$ .50 ea</p> |  <p>QSLXGLIDE-GO<br/>Standard Wheeled Glide - Gold</p> <p>\$ .50 ea</p> |  <p>QSLXGLIDE-WH<br/>Standard Wheeled Glide - White</p> <p>\$ .50 ea</p> |  <p>QSAC48WAND<br/>48" Clear Acrylic Wand</p> <p><math>\frac{1}{2}</math>" (1.3 cm) DIA x<br/>         48" (121.9 cm) LENGTH<br/>         \$45.00 ea</p> |
|--|--|---|--|---|---|

**Glide Stops** anchor the drapery panel at the end of the track.

**Splicer**

|   |  |   |  |   |  |
|---|--|---|--|---|--|
| <p><math>\frac{3}{8}</math>" (1.0 cm) W x<br/> <math>\frac{1}{2}</math>" (1.3 cm) H x<br/> <math>\frac{3}{16}</math>" (0.5 cm) D;<br/> <math>\frac{1}{4}</math>" (0.6 cm) DROP<br/>         (from bottom of track<br/>         to bottom of eyelet<br/>         interior when installed)</p> <ul style="list-style-type: none"> <li>White Glide Stop may be substituted; please specify on order.</li> </ul> <p><b>Note:</b> White Glide Stop can be useful when installing sheer and translucent fabrics onto the 1" Hand Drawn Traverse System.</p> |  <p>QSLXGSTOP-BZ<br/>Glide Stop - Bronze</p> <p>\$ .50 ea</p> |  <p>QSLXGSTOP-CH<br/>Glide Stop - Champagne</p> <p>\$ .50 ea</p> |  <p>QSLXGSTOP-GO<br/>Glide Stop - Gold</p> <p>\$ .50 ea</p> |  <p>QSLXGSTOP-WH<br/>Glide Stop - White</p> <p>\$ .50 ea</p> |  <p>QSLXTRACKSPL<br/>Track Splicer</p> <ul style="list-style-type: none"> <li>connects the ends of two tracks</li> <li>installs into top channel</li> <li>included with all systems over 8'</li> </ul> <p>\$4.00 ea</p> |
|---|--|---|--|---|--|

## Quick Stop Luxe Line Hand Drawn Traverse System

### COMPONENT COLOR CHART

|  | BRUSHED NICKEL<br>QSLXBN | ANTIQUE BRASS<br>QSLXAB | BLACK<br>QSLXBK |
|--|--------------------------|-------------------------|-----------------|
| <b>Component* Color</b>                                    | Champagne                | Gold                    | Bronze          |
| *White may be substituted<br>(Must be specified on order.) | Yes                      | Yes                     | Yes             |

\*Components include Standard Wheeled Glide and Glide Stop.

**SYSTEM QUANTITY CHART**

|  | Continuous Track Length |    |    |    |    |    |    | Spliced Track Length |     |     |     |     |     |     |     |
|--|-------------------------|----|----|----|----|----|----|----------------------|-----|-----|-----|-----|-----|-----|-----|
| Quantity included per set will be based on total system length | 2'                      | 3' | 4' | 5' | 6' | 7' | 8' | 9'                   | 10' | 11' | 12' | 13' | 14' | 15' | 16' |
| Glides (4 per foot, includes Glide Stop)                       | 8                       | 12 | 16 | 20 | 24 | 28 | 32 | 36                   | 40  | 44  | 48  | 52  | 56  | 60  | 64  |
| Brackets (1 per every 3-4 feet)                                | 2                       | 2  | 2  | 3  | 3  | 3  | 4  | 4                    | 4   | 5   | 5   | 5   | 6   | 6   | 6   |

\*Sold in pairs only.

Quick Ship Wood and Resin 1 3/8"

Available in all 5 Quick Ship Wood and Resin finishes.

Quick Ship 1 3/8" Resin Finials fit 1 3/8" smooth or fluted wood poles.

|   |   |   |   |   |   |
|---|---|---|---|---|---|
|  <p>QS138BRFI<br/>Bradford<br/>3 1/4" (8.3 cm) W<br/>2 1/4" (5.7 cm) DIA<br/>\$60.00 pair*</p> |  <p>QS138EAFI<br/>Easton<br/>2 3/8" (6.0 cm) W<br/>3 1/2" (8.9 cm) DIA<br/>\$60.00 pair*</p> |  <p>QS138HAFI<br/>Harper<br/>3" (7.6 cm) W<br/>2 3/4" (7.0 cm) DIA<br/>\$60.00 pair*</p> |  <p>QS138JUFI<br/>June<br/>2 3/4" (7.0 cm) W<br/>2 3/4" (7.0 cm) DIA<br/>\$60.00 pair*</p> |  <p>QS138LAFI<br/>Lane<br/>3 1/2" (8.9 cm) W<br/>3 5/8" (9.2 cm) DIA<br/>\$60.00 pair*</p> |  <p>QS138LIFI<br/>Lillian<br/>4" (10.2 cm) W<br/>3 3/8" (8.6 cm) DIA<br/>\$60.00 pair*</p> |
|---|---|---|---|---|---|


|   |   |  |
|---|---|--|
|  <p>QS138LIFIGL<br/>Lillian - Mercury Glass<br/>4" (10.2 cm) W<br/>3 1/2" (8.9 cm) DIA<br/>\$95.00 pair*</p> |  <p>QS138LOEC<br/>Lowell End Cap<br/>1" (2.5 cm) W<br/>1 3/4" (4.4 cm) DIA<br/>\$25.00 pair*</p> |  <p>QS138ROFI<br/>Rose - Crystal<br/>RESIN AND CRYSTAL<br/>2 3/4" (7.0 cm) W<br/>2 3/4" (7.0 cm) DIA<br/>\$150.00 pair*</p> |
|---|---|--|

\*Sold in pairs only.

## Quick Ship 1 $\frac{3}{8}$ " Holdbacks

### Metal Holdbacks Include Metal Holdback Stems.


Note: STEMS ARE INCLUDED, AND A PROJECTION OF 2", 4", OR 6" MUST BE SELECTED. Projection indicates distance from wall to back of medallion.

|  |         |               |  |                |                                |
|--|---------|---------------|--|----------------|--------------------------------|
| <br>Blake - Mercury Glass | QSBKHB2 | 2" Projection | METAL AND GLASS<br>3" (7.6 cm) DIA x<br>2 $\frac{3}{8}$ " (6.0 cm) THICK | \$120.00 pair* | <i>Must select projection.</i> |
|  | QSBKHB4 | 4" Projection |  |                |                                |
|  | QSBKHB6 | 6" Projection |  |                |                                |

### Metal Holdback Stems





Base: 2" DIA  
Stem:  $\frac{1}{2}$ " DIA  
Rose Gold

2", 4", or 6" projection must be selected.



### Resin Holdbacks Include Resin Holdback Stems.


Note: STEMS ARE INCLUDED, AND A PROJECTION OF 2", 4", OR 6" MUST BE SELECTED. Projection indicates distance from wall to back of medallion.

|  |         |               |  |                |                                |
|--|---------|---------------|--|----------------|--------------------------------|
| <br>Brooks   | QSBRHB2 | 2" Projection | RESIN<br>4" (10.2 cm) W x<br>1 $\frac{1}{4}$ " (3.2 cm) THICK                | \$90.00 pair*  | <i>Must select projection.</i> |
|  | QSBRHB4 | 4" Projection |  |                |                                |
|  | QSBRHB6 | 6" Projection |  |                |                                |
| <br>Clark   | QSCKHB2 | 2" Projection | RESIN<br>3" (7.6 cm) DIA x<br>1" (2.5 cm) THICK                              | \$80.00 pair*  | <i>Must select projection.</i> |
|  | QSCKHB4 | 4" Projection |  |                |                                |
|  | QSCKHB6 | 6" Projection |  |                |                                |
| <br>Miranda | QSMIHB2 | 2" Projection | RESIN<br>5" (12.7 cm) DIA x<br>1 $\frac{1}{2}$ " (3.8 cm) THICK              | \$105.00 pair* | <i>Must select projection.</i> |
|  | QSMIHB4 | 4" Projection |  |                |                                |
|  | QSMIHB6 | 6" Projection |  |                |                                |
| <br>Trudy   | QSTRHB2 | 2" Projection | RESIN<br>4 $\frac{3}{4}$ " (12.1 cm) DIA x<br>$\frac{3}{4}$ " (1.9 cm) THICK | \$85.00 pair*  | <i>Must select projection.</i> |
|  | QSTRHB4 | 4" Projection |  |                |                                |
|  | QSTRHB6 | 6" Projection |  |                |                                |

### Resin Holdback Stems

Base: 3 $\frac{1}{8}$ " DIA  
Stem:  $\frac{3}{4}$ " DIA  
Platinum

2", 4", or 6" projection must be selected.



\*Sold in pairs only.











Quick Ship Wood and Resin 1 3/8"

Available in all 5 Quick Ship Wood and Resin finishes.

Quick Ship 1 3/8" Brackets

Note: Bracket return indicates distance from wall to center of pole. Bracket projection indicates distance from wall to back of pole.

|   |   |  |  |  |  |  |  |
|---|---|--|--|--|--|--|--|
|    |  | <i>Note: Pair includes right and left (set screw located in back when installed)</i> |  |  |                               |                                   |   |
| QS138MCMBK  | QS138MIBK   |  |  |  | QS138WISBK   | QS138WIS6BK  | QS138WIDBK   |
| 1 3/8" Metal Ceiling Mount  | 1 3/8" Metal Inside Mount   |  |  |  | William 3" Single  | William 6" Single  | William 6" Double - Resin  |
| 2" (5.1 cm) W x<br>2 3/4" (7.0 cm) H x<br>2" (5.1 cm) D;<br>Base: 2" (5.1 cm) DIA<br>Cradle: 1" (2.5 cm) W x<br>1 7/8" (4.8 cm) OD x<br>1 1/2" (3.8 cm) ID<br>Drop (distance from ceiling to bottom of pole): 2 5/8" (6.7 cm) | 1" (2.5 cm) W x<br>1 1/4" (3.2 cm) H x<br>2 1/8" (5.4 cm) D                       |  |  |  | RESIN<br>1" (2.5 cm) W x<br>3 1/2" (8.9 cm) H x<br>5" (12.7 cm) D;<br>3 3/4" (9.5 cm) RET,<br>3" (7.6 cm) PROJ | RESIN<br>1" (2.5 cm) W x<br>3 1/2" (8.9 cm) H x<br>7 7/8" (20.0 cm) D;<br>6 3/4" (17.1 cm) RET,<br>6" (15.2 cm) PROJ | RESIN<br>1" (2.5 cm) W x<br>3 3/8" (8.6 cm) H x<br>7 7/8" (20.0 cm) D;<br>6 3/4" (17.1 cm) FRONT RET,<br>3 1/4" (8.3 cm) BACK RET;<br>6" (15.2 cm) FRONT PROJ,<br>2 1/2" (6.4 cm) BACK PROJ<br>Both Cradles hold 1 3/8" pole |
| \$30.00 ea  | \$60.00 pair*   |  |  |  | \$25.00 ea   | \$35.00 ea   | \$35.00 ea   |

|  |  |  |
|--|--|--|
|   |                                       |   |
| QS138WSSBK   | QS138WSS6BK  | QS138WSDBK   |
| Winston 3" Single  | Winston 6" Single  | Winston 6" Double  |
| METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>4 3/8" (11.1 cm) D;<br>3 1/2" (8.9 cm) RET,<br>2 7/8" (7.3 cm) PROJ | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>6 3/4" (17.1 cm) D;<br>6" (15.2 cm) RET,<br>5 3/8" (13.7 cm) PROJ | METAL<br>3/4" (1.9 cm) W x<br>3 3/4" (9.5 cm) H x<br>7" (17.8 cm) D;<br>6" (15.2 cm) FRONT RET,<br>3" (7.6 cm) BACK RET;<br>5 3/8" (13.7 cm) FRONT PROJ,<br>2 3/8" (6.0 cm) BACK PROJ<br>Both Cradles hold 1 3/8" pole |
| \$30.00 ea   | \$35.00 ea   | \$35.00 ea   |

Quick Ship 1 3/8" Rings

Note: Ring drop indicates distance from bottom of pole to bottom of ring.

|   |   |
|---|---|
|          |        |
| QS138MRI  | QS138WRI  |
| 1 3/8" Metal Ring   | 1 3/8" Wood Ring  |
| METAL<br>3/16" (0.5 cm) W<br>1 3/4" (4.4 cm) ID<br>2 1/4" (5.7 cm) OD<br>1/2" (1.3 cm) DROP | WOOD<br>1/2" (1.3 cm) W<br>1 3/4" (4.4 cm) ID<br>2 5/8" (6.7 cm) OD<br>3/4" (1.9 cm) DROP |
| \$5.00 ea   | \$6.00 ea   |

\*Sold in pairs only.

## Quick Ship 1 $\frac{3}{8}$ " Wood Poles

Note: All orders with poles and/or Traverse track will incur a \$10.00 packaging fee per order.

|            |            |            |             |             |             |
|------------|------------|------------|-------------|-------------|-------------|
| QS138FL02  | QS138FL04  | QS138FL06  | QS138FL08   | QS138FL10   | QS138FL12   |
| 2' Fluted  | 4' Fluted  | 6' Fluted  | 8' Fluted   | 10' Fluted  | 12' Fluted  |
| \$30.00 ea | \$60.00 ea | \$90.00 ea | \$120.00 ea | \$150.00 ea | \$180.00 ea |

|            |            |            |             |             |             |
|------------|------------|------------|-------------|-------------|-------------|
| QS138SM02  | QS138SM04  | QS138SM06  | QS138SM08   | QS138SM10   | QS138SM12   |
| 2' Smooth  | 4' Smooth  | 6' Smooth  | 8' Smooth   | 10' Smooth  | 12' Smooth  |
| \$30.00 ea | \$60.00 ea | \$90.00 ea | \$120.00 ea | \$150.00 ea | \$180.00 ea |

## Quick Ship 1 $\frac{3}{8}$ " Accessories

Note: Hinged Resin Elbow available in all Quick Ship Wood and Resin finishes.

|  |   |   |
|--|---|---|
|   |  |  |
| QS138REL   | QSAC36WAND  | QSAC48WAND  |
| 1 $\frac{3}{8}$ " Hinged Resin Elbow   | 36" Clear Acrylic Wand  | 48" Clear Acrylic Wand  |
| 1 $\frac{5}{8}$ " (4.1 cm) DIA x 3 $\frac{7}{8}$ " (9.8 cm) TOTAL LENGTH, 1 $\frac{15}{16}$ " (4.9 cm) each side when bent | ACRYLIC, CLEAR ONLY<br>1/2" (1.3 cm) DIA x 36" (91.4 cm) LENGTH                   | ACRYLIC, CLEAR ONLY<br>1/2" (1.3 cm) DIA x 48" (121.9 cm) LENGTH                  |
| \$35.00 ea   | \$40.00 ea  | \$45.00 ea  |

*\*Sold in pairs only.*

# Quick Ship Wood and Resin 2 1/4"

Available in all 5 Quick Ship Wood and Resin finishes.

## Quick Ship 2 1/4" Resin Finials fit 2 1/4" smooth or fluted wood poles.

|   |   |   |   |   |
|---|---|---|---|---|
|  |  |  |  |  |
| QS214ADFI   | QS214ADFIGL   | QS214BEFI   | QS214BREC   | QS214EDFI   |
| Adelaide  | Adelaide - Mercury Glass  | Beatrice  | Brinley End Cap   | Edward  |
| 5" (12.7 cm) W<br>3 1/2" (8.9 cm) DIA   | 5" (12.7 cm) W<br>3 3/8" (8.6 cm) DIA   | 4 1/4" (10.8 cm) W<br>4" (10.2 cm) DIA  | 1 1/2" (3.8 cm) W<br>2 3/4" (7.0 cm) DIA  | 4 1/4" (10.8 cm) W<br>3 1/4" (8.3 cm) DIA   |
| \$75.00 pair*   | \$110.00 pair*  | \$95.00 pair*   | \$30.00 pair*   | \$75.00 pair*   |


|   |   |   |   |
|---|---|---|---|
|  |  |  |  |
| QS214FIFI   | QS214HZFI   | QS214OLFI   | QS214STFI   |
| Fiona   | Hazel - Crystal   | Oliver  | Stella  |
| 4" (10.2 cm) W<br>5 1/4" (13.3 cm) DIA  | RESIN AND CRYSTAL<br>2 3/4" (7.0 cm) W<br>3 1/4" (8.3 cm) DIA                     | 3 3/4" (9.5 cm) W<br>3 3/4" (9.5 cm) DIA  | 2 1/4" (5.7 cm) W<br>3 1/4" (8.3 cm) DIA  |
| \$95.00 pair*   | \$180.00 pair*  | \$75.00 pair*   | \$75.00 pair*   |

\*Sold in pairs only.

## Quick Ship 2¼" Holdbacks

### Metal Holdbacks Include Metal Holdback Stems.


Note: Metal Holdbacks only fit Metal Holdback Stems. STEMS ARE INCLUDED, AND A PROJECTION OF 2", 4", OR 6" MUST BE SELECTED. Projection indicates distance from wall to back of medallion.

|  |         |               |  |                |                                |
|--|---------|---------------|--|----------------|--------------------------------|
| <br>Blake - Mercury Glass | QSBKHB2 | 2" Projection | METAL AND GLASS<br>3" (7.6 cm) DIA x<br>2⅝" (6.0 cm) THICK | \$120.00 pair* | <i>Must select projection.</i> |
|  | QSBKHB4 | 4" Projection |  |                |                                |
|  | QSBKHB6 | 6" Projection |  |                |                                |

### Metal Holdback Stems





Base: 2" DIA  
Stem: ½" DIA  
Rose Gold

2", 4", or 6" projection must be selected.



### Resin Holdbacks Include Resin Holdback Stems.


Note: Resin Holdbacks only fit Resin Holdback Stems. STEMS ARE INCLUDED, AND A PROJECTION OF 2", 4", OR 6" MUST BE SELECTED. Projection indicates distance from wall to back of medallion.

|  |         |               |   |                |                                |
|--|---------|---------------|---|----------------|--------------------------------|
| <br>Brooks   | QSBRHB2 | 2" Projection | RESIN<br>4" (10.2 cm) W x<br>1 ¼" (3.2 cm) THICK  | \$90.00 pair*  | <i>Must select projection.</i> |
|  | QSBRHB4 | 4" Projection |   |                |                                |
|  | QSBRHB6 | 6" Projection |   |                |                                |
| <br>Clark   | QSCKHB2 | 2" Projection | RESIN<br>3" (7.6 cm) DIA x<br>1" (2.5 cm) THICK   | \$80.00 pair*  | <i>Must select projection.</i> |
|  | QSCKHB4 | 4" Projection |   |                |                                |
|  | QSCKHB6 | 6" Projection |   |                |                                |
| <br>Miranda | QSMIHB2 | 2" Projection | RESIN<br>5" (12.7 cm) DIA x<br>1½" (3.8 cm) THICK | \$105.00 pair* | <i>Must select projection.</i> |
|  | QSMIHB4 | 4" Projection |   |                |                                |
|  | QSMIHB6 | 6" Projection |   |                |                                |
| <br>Trudy   | QSTRHB2 | 2" Projection | RESIN<br>4¾" (12.1 cm) DIA x<br>¾" (1.9 cm) THICK | \$85.00 pair*  | <i>Must select projection.</i> |
|  | QSTRHB4 | 4" Projection |   |                |                                |
|  | QSTRHB6 | 6" Projection |   |                |                                |

### Resin Holdback Stems

Base: 3⅞" DIA  
Stem: ¾" DIA  
Platinum

2", 4", or 6" projection must be selected.



\*Sold in pairs only.





\*Sold in pairs only.

Quick Ship Wood and Resin 2 1/4"

Available in all 5 Quick Ship Wood and Resin finishes.

Quick Ship 2 1/4" Brackets

Note: Return indicates distance from wall to center of pole. Projection indicates distance from wall to back of pole.

|   |  |   |  |  |   |  |
|---|--|---|--|--|---|--|
|    |                                 | <i>Note: Pair includes right and left (set screw located in back when installed).</i> |   |    |    | <i>Note: Front cradle holds 2 1/4" (5.7 cm). Back cradle holds 1 3/8" (3.5 cm) diameter poles.</i> |
| QS214MCMBK<br>2 1/4" Metal Ceiling Mount<br>1" (2.5 cm) W x 3 3/4" (9.5 cm) H x 3 1/4" (8.3 cm) D:<br>Base: 1" (2.5 cm) W x 3 1/4" (8.3 cm) D:<br>Cradle: 1" (2.5 cm) W x 2 7/16" (6.3 cm) ID x 2 3/4" (7.0 cm) OD<br>Drop (distance from ceiling to bottom of pole): 3 5/8" (9.2 cm)<br>\$35.00 ea | QS214MIBK<br>2 1/4" Metal Inside Mount<br>1" (2.5 cm) W x 1 5/8" (4.1 cm) H x 2 7/8" (7.3 cm) D<br>\$70.00 pair* |   | QS214HASBK<br>Harlan 3" Single<br>METAL<br>3/4" (1.9 cm) W x 3 3/4" (9.5 cm) H x 5 1/2" (14.0 cm) D:<br>4 1/8" (10.5 cm) RET, 3" (7.6 cm) PROJ<br>\$35.00 ea | QS214HAS6BK<br>Harlan 6" Single<br>METAL<br>3/4" (1.9 cm) W x 3 3/4" (9.5 cm) H x 7 1/4" (18.4 cm) D:<br>6" (15.2 cm) RET, 5" (12.7 cm) PROJ<br>\$40.00 ea | QS214HADBK<br>Harlan 6" Double<br>METAL<br>3/4" (1.9 cm) W x 3 3/4" (9.5 cm) H x 7 1/4" (18.4 cm) D:<br>6" (15.2 cm) FRONT RET, 2 3/8" (6.0 cm) BACK RET;<br>5" (12.7 cm) FRONT PROJ, 1 7/8" (4.8 cm) BACK PROJ<br>\$40.00 ea |  |

|  |  |  |  |
|--|--|--|--|
|   |   |   | <i>Note: Front cradle holds 2 1/4" (5.7 cm). Back cradle holds 1 3/8" (3.5 cm) diameter poles.</i> |
| QS214WISBK<br>William 3" Single<br>RESIN<br>1" (2.5 cm) W x 4" (10.2 cm) H x 6" (15.2 cm) D:<br>4 1/8" (10.5 cm) RET, 3" (7.6 cm) PROJ<br>\$35.00 ea | QS214WIS6BK<br>William 6" Single<br>RESIN<br>1" (2.5 cm) W x 4" (10.2 cm) H x 9" (22.9 cm) D:<br>7 1/8" (18.1 cm) RET, 6" (15.2 cm) PROJ<br>\$45.00 ea | QS214WIDBK<br>William 6" Double<br>RESIN<br>1" (2.5 cm) W x 3 7/8" (9.8 cm) H x 9" (22.9 cm) D:<br>7 1/8" (18.1 cm) FRONT RET, 3 1/4" (8.3 cm) BACK RET;<br>6" (15.2 cm) FRONT PROJ, 2 5/8" (6.7 cm) BACK PROJ<br>\$45.00 ea |  |

Quick Ship 2 1/4" Rings

Note: Ring drop indicates distance from bottom of pole to bottom of ring.

|  |  |
|--|--|
|   |   |
| QS214MRI<br>2 1/4" Metal Ring<br>METAL<br>1/4" (0.6 cm) W x 2 1/2" (6.4 cm) ID x 3" (7.6 cm) OD<br>1/2" (1.3 cm) DROP<br>\$6.00 ea | QS214WRI<br>2 1/4" Wood Ring<br>WOOD<br>1/2" (1.3 cm) W x 2 5/8" (6.7 cm) ID x 3 5/8" (9.2 cm) OD<br>7/8" (2.2 cm) DROP<br>\$7.00 ea |

\*Sold in pairs only.

## Quick Ship 2 1/4" Wood Poles




Note: All orders with poles and/or traverse track will incur a \$10.00 packaging fee per order.

|            |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|
| QS214FL02  | QS214FL04   | QS214FL06   | QS214FL08   | QS214FL10   | QS214FL12   |
| 2' Fluted  | 4' Fluted   | 6' Fluted   | 8' Fluted   | 10' Fluted  | 12' Fluted  |
| \$52.00 ea | \$104.00 ea | \$156.00 ea | \$208.00 ea | \$260.00 ea | \$312.00 ea |

|            |             |             |             |             |             |
|------------|-------------|-------------|-------------|-------------|-------------|
| QS214SM02  | QS214SM04   | QS214SM06   | QS214SM08   | QS214SM10   | QS214SM12   |
| 2' Smooth  | 4' Smooth   | 6' Smooth   | 8' Smooth   | 10' Smooth  | 12' Smooth  |
| \$52.00 ea | \$104.00 ea | \$156.00 ea | \$208.00 ea | \$260.00 ea | \$312.00 ea |

## Quick Ship 2 1/4" Accessories

Note: Hinged Resin Elbow available in all 5 Quick Ship Wood and Resin finishes.

|  |   |  |
|--|---|--|
|  <p><b>PO214REL</b><br/>2 1/4" Hinged<br/>Resin Elbow</p> <p>2 3/8" (6.0 cm) DIA<br/>5 1/8" (13.0 cm) TOTAL LENGTH<br/>2 9/16" (6.5 cm) each side<br/>when bent</p> <p>\$45.00 ea</p> | <p><i>Note: Elbow has smaller diameter to allow 2 1/4" rings to get closer to the corner.</i></p>  <p><b>POAC36WAND</b><br/>36" Clear Acrylic<br/>Wand</p> <p>ACRYLIC, CLEAR ONLY<br/>1 1/2" (1.3 cm) DIA x<br/>36" (91.4 cm) LENGTH</p> <p>\$40.00 ea</p> |  <p><b>POAC48WAND</b><br/>48" Clear Acrylic<br/>Wand</p> <p>ACRYLIC, CLEAR ONLY<br/>1 1/2" (1.3 cm) DIA x<br/>48" (121.9 cm) LENGTH</p> <p>\$45.00 ea</p> |
|--|---|--|

\*Sold in pairs only.



| <i>PO #</i> | <i>Side Mark</i> | <i>Ship via</i> |
|-------------|------------------|-----------------|
|-------------|------------------|-----------------|

[illegible]

|                                 |                               |  |  |
|---------------------------------|-------------------------------|--|--|
| <div>Special Instructions</div> | <div>PTH Perfect Match™</div> |  |  |
|                                 | Color #                       | Color Name   |  |
|                                 |                               |  |  |
|                                 | Highlights                    | Sheen Level  |  |
|                                 |                               | <div><input type="checkbox"/> High-Gloss <input type="checkbox"/> Eggshell</div> |  |
|                                 | Subtotal                      |  |  |
|                                 | Perfect Match™ Upcharge       |  |  |
|                                 | Total                         |  |  |



# EasyPull™ Traverse Order Form



|      |           |          |
|------|-----------|----------|
| PO # | Side Mark | Ship via |
|------|-----------|----------|

| Company Information |        | Shipping Information |        |
|---------------------|--------|----------------------|--------|
| Company Name        | Acct # | Company Name         | Acct # |
| Contact Person      |        | Contact Person       |        |
| Street Address      |        | Street Address       |        |
| City                | State  | City                 | State  |
| Email               |        | Email                |        |
| Phone               | Fax    | Phone                | Fax    |

## EasyPull™ TRAVERSE SYSTEMS - Consult Price List for detailed specifications.

| Item # | System Length (per 2') | Custom Cut Length | Fascia Pole Diameter | Smooth                   | Fluted                   | Fascia Finish Code | Bracket Preference | Draw Preference Center   | One-way   | Cord Length (if over 72') | Qty | Price per Unit | Subtotal |
|--------|------------------------|-------------------|----------------------|--------------------------|--------------------------|--------------------|--------------------|--------------------------|---|---------------------------|-----|----------------|----------|
|        |                        |                   |                      | <input type="checkbox"/> | <input type="checkbox"/> |                    |                    | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R |                           |     |                |          |
|        |                        |                   |                      | <input type="checkbox"/> | <input type="checkbox"/> |                    |                    | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R |                           |     |                |          |
|        |                        |                   |                      | <input type="checkbox"/> | <input type="checkbox"/> |                    |                    | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R |                           |     |                |          |

## EasyPull™ TRAVERSE COORDINATING ACCESSORIES - Order finials, extra brackets, and accessories here.

| Item # | Finish Code | Description | Qty | Price per Unit | Subtotal |
|--------|-------------|-------------|-----|----------------|----------|
|        |             |             |     |                |          |
|        |             |             |     |                |          |
|        |             |             |     |                |          |

## Additional Information

|  |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |
|--|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Quantity included per set based on cut pole length               | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
| Glides [4 per foot, includes master carriers (2) & end caps (2)] | 24 | 28 | 32 | 36 | 40  | 44  | 48  | 52  | 56  | 60  | 64  | 68  | 72  | 76  | 80  |
| Brackets (1 per every 3-4 feet)                                  | 3  | 3  | 4  | 4  | 4   | 5   | 5   | 5   | 6   | 6   | 6   | 7   | 7   | 7   | 8   |

| PTH Perfect Match™  |             |
|---|-------------|
| Color #   | Color Name  |
| Highlights  | Sheen Level |
| <input type="checkbox"/> High-Gloss <input type="checkbox"/> Eggshell |             |

## SPECIAL INSTRUCTIONS

|  |
|--|
|  |
|--|



PARIS TEXAS  
HARDWARE

# Heavy-Duty Ball Bearing Corded Traverse Order Form

|      |           |          |
|------|-----------|----------|
| PO # | Side Mark | Ship via |
|------|-----------|----------|

| Company Information |        | Shipping Information |        |
|---------------------|--------|----------------------|--------|
| Company Name        | Acct # | Company Name         | Acct # |
| Contact Person      |        | Contact Person       |        |
| Street Address      |        | Street Address       |        |
| City                | State  | City                 | State  |
| Email               | ZIP    | Email                | ZIP    |
| Phone               | Fax    | Phone                | Fax    |

## HEAVY-DUTY BALL BEARING TRAVERSE SYSTEMS - Consult Price List for detailed specifications.

| Item # | System Length (per 2') | Custom Cut Length | Fascia Pole Diameter | Fluted                   | Smooth                   | Fascia Finish Code | Bracket Preference | Draw Preference Center   | Draw Preference One-way                               | Cord Location   | Cord Length (standard: 120') | Carrier pinch pleat OR Ripplefold® style* | Qty | Price per Unit | Subtotal |
|--------|------------------------|-------------------|----------------------|--------------------------|--------------------------|--------------------|--------------------|--------------------------|---|---|------------------------------|---|-----|----------------|----------|
|        |                        |                   |                      | <input type="checkbox"/> | <input type="checkbox"/> |                    |                    | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R |                              |   |     |                |          |
|        |                        |                   |                      | <input type="checkbox"/> | <input type="checkbox"/> |                    |                    | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R |                              |   |     |                |          |
|        |                        |                   |                      | <input type="checkbox"/> | <input type="checkbox"/> |                    |                    | <input type="checkbox"/> | <input type="checkbox"/> L <input type="checkbox"/> R | <input type="checkbox"/> L <input type="checkbox"/> R |                              |   |     |                |          |

## HEAVY-DUTY BALL BEARING TRAVERSE COORDINATING ACCESSORIES - Order finials, extra brackets, and accessories here.

| Item # | Finish Code | Description | Qty | Price per Unit | Subtotal |
|--------|-------------|-------------|-----|----------------|----------|
|        |             |             |     |                |          |
|        |             |             |     |                |          |
|        |             |             |     |                |          |

| Additional Information   |    |    |    |    |    |     |     |     |     |     |     |     |     |     |     |     |
|--|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Quantity included per set based on cut pole length               | 4' | 6' | 7' | 8' | 9' | 10' | 11' | 12' | 13' | 14' | 15' | 16' | 17' | 18' | 19' | 20' |
| Slides [4 per foot, includes master carriers (2) & end caps (2)] | 16 | 24 | 28 | 32 | 36 | 40  | 44  | 48  | 52  | 56  | 60  | 64  | 68  | 72  | 76  | 80  |
| Brackets (1 per every 3-4 feet)                                  | 2  | 3  | 3  | 4  | 4  | 4   | 5   | 5   | 5   | 6   | 6   | 6   | 7   | 7   | 7   | 8   |

## SPECIAL INSTRUCTIONS

|  |  |
|--|--|
| *When ordering Ripplefold® style carriers, answer these questions:   |  |
| 1. Select Ripplefold® style fullness: <input type="checkbox"/> 80% <input type="checkbox"/> 100% <input type="checkbox"/> 120% |  |
| 2. Select Ripplefold® style masters: <input type="checkbox"/> Buttmaster <input type="checkbox"/> Overlap                      |  |

| PTH Perfect Match™ |   |
|--------------------|---|
| Color #            | Color Name  |
|                    |   |
| Highlights         | Sheen Level   |
|                    | <input type="checkbox"/> High-Gloss <input type="checkbox"/> Eggshell |



**BTX<sup>®</sup>**  
HOME MOTION by **somfy<sup>®</sup>**

| Company Information |        | Shipping Information |        |       |
|---------------------|--------|----------------------|--------|-------|
| Company Name        | Acct # | Company Name         | Acct # |       |
| Contact Person      |        | Contact Person       |        |       |
| Street Address      |        |                      |        |       |
| City                | State  | ZIP                  | City   | State |
| Email               | Email  |                      |        |       |
| Phone               | Fax    | Phone                |        |       |
|                     |        | Fax                  |        |       |

Specified custom cut length indicates track length including drive gears; fascia will be 1/4" longer at each end of track (3" total).  
Specified custom cut length indicates track length including drive gears; fascia will be 1/2" longer at each end of track (3" total).

**MOTORIZED TRAVERSE COORDINATING ACCESSORIES - Order finalis, additional motors for tandem applications, and accessories here.**

\* BTX-DC-60 and BTX-DC-120 Systems are available in continuous lengths up to 20' and in spliced lengths up to 40'.

BTX-DCS-45 Systems are available in continuous lengths up to 18'.

Somfy Glydea 35 Systems are available in continuous lengths up to 20' and in spliced lengths up to 32'.

Somfy Glydea 60e Systems are available in continuous lengths up to 20' and in spliced lengths up to 36'.

For a system more than the maximum spliced length, two one-way systems can butt against each other behind fascia. Must be specified.


**\*\* Ripplefold® style carriers incur a 10% upcharge per track. Must specify carrier fullness.**

## SPECIAL INSTRUCTIONS

**\*\*When ordering Ripplefold® style carriers, answer these questions:**

1. Select Ripplefold® style fullness: ☐ 80% ☐ 100% ☐ 120%

2. Select Ripplefold® style masters: ☐ Buttmaster ☐ Overlap



**PARIS TEXAS  
HARDWARE**  
[www.paristexashardware.com](http://www.paristexashardware.com)