



VERTICAL

BLINDS

Effective February 1, 2017 (Revised 6/16/17)

design simplified™

TABLE OF CONTENTS

Product Overview

- Features & Benefits 2
- Collection Information 3

Pricing Information

- Vinyl Price Charts: Group A & B Free Hang Only 4
- Vinyl Price Charts: Group C & D Free Hang Only 5
- Vinyl Price Charts: Group E Free Hang Only 6
- Fabric Price Charts: Group 1 Free Hang & Inserted 7
- Fabric Price Charts: Group 2 Free Hang & Inserted 8
- Fabric Price Charts: Group 3 Free Hang & Inserted 9
- Fabric Price Charts: Group 4 Free Hang & Inserted 10
- Option Charges. 5-10
- Headrail Price Chart 5-10

Product Specifications

- Size Standards & Finished Dimensions. 11
- Inserted Materials 11
- Safety Wand Control System. 11
- Valances 11
- Headrail System Specifications 12
- Tile Cut-Outs 12
- Replacement Vanes. 12
- Bottom Treatments 12
- Vane Count & Stacking Space Chart. 13
- Product Components 14
- S-Curve Vane View 15-16

Oversize Common Carrier Delivery

All orders with any quantity of blinds over 102" in width or height or with valances more than 102" in width are considered oversize and require common carrier delivery. Therefore, a net charge of \$75 per order will be assessed.

FEATURES & BENEFITS



- A gorgeous array of vinyl patterns, from basic curved to deeply embossed styles, in hundreds of colors; includes many S-Curve styles.
- Beautiful fabrics ranging from simple stitchbonds to high-fashion weaves and jacquards.
- Insert Groovers combine the softness and fashion advantage of fabrics with the functional benefits of vinyl.
- Durable, heavy-duty headrail system keeps vanes permanently aligned and offers smooth traversing and quiet operation.
- Optional safety wand control provides an easy-to-use alternative to the traditional control chain and cord and helps protect children and pets from injury.
- Standard full valance adds elegance and a more tailored look. Valance corners are gently rounded to provide a smooth appearance.
- Limited Lifetime warranty ensures your customers' satisfaction.

COLLECTION INFORMATION

Fabric Family Name	Price Group	Flame Resistant Passes the NFPA #701 Small Scale Test	Fabric Content	Free Hang or Inserted	Care Code	Light Control
Bayshore	2	NO	100% Polyester (Coastal Inlet, Everglades, Beach Shack - 58% Polyester, 42% Polypropylene)	Free Hang & Inserted	1 & 3	B
Bellhaven	2	NO	55% Cotton, 29% Polyester, 16% Polypropylene	Free Hang & Inserted	1 & 3	B
Cantina Romana	1	YES	100% Polyester	Free Hang & Inserted	1 & 3	B
Carleton	2	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Chinese Garden	4	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Coronado	2	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Enchanting	3	NO	54% PVC coated Polyester, 46% Polyester	Free Hang & Inserted	1 & 3	B
Firenze	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Fitzgerald	1	NO	91% Polypropylene, 9% Polyester	Free Hang & Inserted	1 & 3	B
Kanaha	2	NO	46% Cotton, 31% Polyester, 23% Polypropylene	Free Hang & Inserted	1 & 3	B
Miramar	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Raleigh	2	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
Rumbada	4	NO	100% Polyester (Coconut Shell - 60% Polyester, 40% Olefin)	Free Hang Only	1 & 3	C
Tranquil Weave	3	NO	100% Polyester	Free Hang & Inserted	1 & 3	B
PVC Family Name	Price Group	Flame Resistant Passes the NFPA #701 Small Scale Test	Content	Free Hang or Inserted	Care Code	Light Control
Antiquities	B	YES	PVC	Free Hang	1 & 2	E
Apollo	C	YES	PVC	Free Hang	1 & 2	E
Belize Bay S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Curved	A	YES	PVC	Free Hang	1 & 2	E
Doheny	B	YES	PVC	Free Hang	1 & 2	E
Elesian Horizons	B	YES	PVC	Free Hang	1 & 2	E
Environs	B	YES	PVC	Free Hang	1 & 2	E
Flora	C	YES	PVC	Free Hang	1 & 2	E
Griffith	B	YES	PVC	Free Hang	1 & 2	E
Impressions S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Integral S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Island Haven	D	YES	PVC	Free Hang	1 & 2	E
Majestic	B	YES	PVC	Free Hang	1 & 2	E
Mystique	E	YES	PVC	Free Hang	1 & 2	E
Natural Wonders	C	YES	PVC	Free Hang	1 & 2	E
Nuptials	E	YES	PVC	Free Hang	1 & 2	E
Origins S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Plume	D	YES	PVC	Free Hang	1 & 2	E
Prairie	B	YES	PVC	Free Hang	1 & 2	E
Prose	C	YES	PVC	Free Hang	1 & 2	E
Reverie S-Curve	E	YES	PVC	Free Hang	1 & 2	E
Ribbed Curved	A	YES	PVC	Free Hang	1 & 2	E
Summer Day	E	YES	PVC	Free Hang	1 & 2	E
Sutton S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Terra Bella	B	YES	PVC	Free Hang	1 & 2	E
Windfall S-Curve	C	YES	PVC	Free Hang	1 & 2	E
Wood Textures	A	YES	PVC	Free Hang	1 & 2	E
Zephyr	C	YES	PVC	Free Hang	1 & 2	E

Care Method 1

Dusting with a feather, or synthetic, non-abrasive, material duster is recommended for all vertical vane surfaces which are lightly soiled.

Care Method 2

Wiping with a soft, damp sponge or cloth, of non-abrasive material, with lukewarm water is recommended for all vinyl vertical vane surfaces.

Care Method 3

Vacuuming with a soft bristle vacuum cleaner brush attachment is recommended for all fabric vertical vane surfaces.



A. Glare Reducing

Softly filters light and reduces glare. Images, shapes and people can be seen clearly. Provides the least amount of light and shape screening.



B. Filtering

Filters strong light. Images, shapes and people can be seen with some clarity. Provides a modest degree of light and shape screening.



C. Shading

Significantly reduces light. Images, shapes and people cannot be seen clearly. Provides a moderate to strong degree of light and shape screening. Darker colored materials tend to provide stronger screening than lighter colored materials in this category.



D. Blocking

Dramatically reduces light. Images, shapes and people are not distinguishable. Provides privacy against most all direct light and shape screening (except minimal light that may seep through closed or overlapping opaque/blackout slats and vanes).



E. Blackout

Blocks out virtually all light (except light that may enter on the sides of the blind and between vanes)) for maximum privacy and darkness.

GROUP A – Vinyl (Free Hang Only – Valance Included)

• Curved • Ribbed Curved • Wood Textures

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$104	135	160	188	216	227	246	275	306	340	369	402	437	465	496	551	6
60"	108	139	169	200	230	240	262	295	327	363	392	430	465	497	531	584	6
72"	112	148	179	211	245	256	277	311	347	384	417	455	494	526	561	622	6
84"	117	155	188	222	256	269	294	327	366	407	441	480	521	556	595	659	7
96"	123	161	196	232	270	284	307	346	382	427	466	508	551	587	627	694	7
108"	126	167	206	245	284	297	321	365	403	450	489	533	580	617	660	730	8
120"	130	175	214	255	297	311	339	381	425	472	512	559	608	648	694	768	8
132"	134	179	222	267	310	325	355	398	445	492	538	586	637	678	725	805	8
144"	140	187	232	276	321	338	369	416	461	516	561	611	664	708	758	840	9
Replacement Valance	19	25	29	35	38	42	46	49	56	62	65	73	79	82	89	95	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

Wood Textures valance will feature square-wrap corners, not available with round wrap corners.

GROUP B – Vinyl

(Free Hang Only – Valance Included)

 • Antiquities • Environs • Prairie
 • Doheny • Griffith • Terra Bella
 • Elesian Horizons • Majestic

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$117	152	181	213	250	262	283	316	350	390	425	460	496	533	567	633	6
60"	125	160	192	225	269	280	302	338	376	418	456	499	536	573	611	679	6
72"	131	169	208	243	283	298	325	365	404	450	491	535	578	619	658	737	8
84"	135	178	218	260	303	318	345	387	430	482	523	571	617	660	703	785	10
96"	143	191	233	274	320	336	364	409	456	508	554	604	651	697	742	829	12
108"	146	196	241	286	334	351	382	430	480	533	582	632	686	733	783	874	15
120"	151	202	247	296	350	368	402	452	504	559	611	667	720	769	822	918	16
132"	155	206	260	309	366	383	419	474	527	586	641	697	753	808	862	962	18
144"	159	214	269	321	381	401	439	493	550	614	668	728	788	845	900	994	19
Replacement Valance	21	25	31	35	42	44	48	52	58	63	70	77	81	87	91	103	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$14** (see page 12 for details)

SIZE SPECIFICATIONS**VINYL STYLES**

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

GROUP C – Vinyl

(Free Hang Only – Valance Included)

- Apollo
- Belize Bay S-Curve
- Flora
- Impressions S-Curve

- Integral S-Curve
- Natural Wonders
- Origins S-Curve
- Prose

- Sutton S-Curve
- Windfall S-Curve
- Zephyr

Note: Groover Insert (see p. 11)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$129	166	199	231	276	289	313	352	391	433	473	512	554	593	631	705	6
60"	136	176	215	252	301	315	342	384	424	474	516	559	605	648	690	771	7
72"	143	188	235	275	324	341	373	419	465	519	564	613	664	711	757	847	10
84"	151	199	247	295	346	365	401	450	501	558	609	662	717	766	815	913	11
96"	163	217	268	315	367	385	423	476	527	589	642	697	756	811	861	963	14
108"	170	229	279	331	390	409	447	500	556	620	678	735	796	853	908	1016	18
120"	176	233	291	345	407	426	466	527	585	651	712	773	836	896	955	1068	19
132"	180	242	302	359	424	446	487	550	612	682	745	811	878	939	1001	1122	20
144"	184	248	314	375	445	466	511	577	641	715	780	847	919	985	1048	1159	21
Replacement Valance	22	27	34	37	44	46	50	54	60	66	73	79	84	90	96	107	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

GROUP D – Vinyl (Free Hang Only – Valance Included)

- Island Haven
- Plume

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$148	191	233	269	323	340	372	420	466	515	561	610	661	705	752	840	8
60"	160	204	255	301	359	379	416	467	516	572	624	678	734	786	835	934	9
72"	169	222	280	334	396	419	461	517	575	641	696	756	819	877	933	1043	12
84"	179	238	298	357	423	449	497	560	622	693	757	821	887	952	1015	1133	14
96"	197	266	329	385	447	475	526	591	660	730	798	866	939	1008	1073	1200	18
108"	212	283	350	409	482	507	554	622	693	773	843	914	992	1062	1133	1267	20
120"	217	289	359	428	506	531	582	658	731	811	886	963	1042	1115	1190	1330	22
132"	224	299	375	449	527	555	610	687	766	851	928	1009	1094	1173	1252	1396	23
144"	230	311	391	470	552	581	637	717	800	889	971	1056	1145	1228	1309	1442	24
Replacement Valance	24	29	38	43	48	52	57	62	69	74	80	88	95	100	107	119	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
• Control Position – both cord and chain must be grouped – left or right • Stack Position – choose from left, right, split stack, or center draw • Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified • Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) • Bottom Chains & Keyhole Punch – available upon request	• Replacement Vanes – see pricing to the right of each price grid • Replacement Valance – See pricing at the bottom of each grid • Tile Cut-out Surcharge – add \$14 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

- Mystique
- Nuptials
- Reverie S-Curve
- Summer Day

GROUP E – Vinyl

(Free Hang Only – Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$159	204	249	287	346	364	398	450	499	551	600	652	708	754	804	899	9
60"	171	218	273	321	384	406	445	500	552	612	667	725	786	840	894	999	10
72"	180	238	300	357	423	448	493	553	615	686	745	809	877	938	998	1117	13
84"	192	254	318	382	453	481	533	599	665	742	810	879	949	1019	1086	1212	15
96"	210	284	351	412	478	508	563	632	707	782	854	927	1005	1079	1148	1284	19
108"	227	303	375	438	516	542	593	665	742	827	901	977	1061	1136	1212	1355	21
120"	233	310	384	458	541	569	623	705	783	867	948	1030	1115	1194	1273	1422	23
132"	239	319	401	481	564	594	652	735	820	911	993	1080	1170	1256	1340	1494	25
144"	246	333	419	503	591	621	681	767	856	951	1039	1130	1226	1313	1401	1543	26
Replacement Valance	26	31	41	46	52	56	61	66	74	79	85	94	101	107	114	128	

NOTE: Vane view must be specified when ordering S-Curves. See pages 15-16.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
• Control Position – both cord and chain must be grouped – left or right • Stack Position – choose from left, right, split stack, or center draw • Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified • Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) • Bottom Chains & Keyhole Punch – available upon request	• Replacement Vanes – see pricing to the right of each price grid • Replacement Valance – See pricing at the bottom of each grid • Tile Cut-out Surcharge – add \$14 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

GROUP 1 – Fabric (Free Hang Only – Valance Included)

• Cantina Romana • Fitzgerald

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$131	170	209	240	285	298	322	363	403	452	485	531	569	615	652	722	6
60"	138	181	224	263	309	323	351	398	438	488	533	581	625	672	717	795	6
72"	145	190	237	281	330	344	373	422	467	523	567	618	666	716	763	843	7
84"	151	200	249	297	344	360	392	443	492	547	595	650	702	752	802	891	9
96"	156	210	263	309	363	381	414	466	517	579	630	688	739	794	847	941	13
108"	162	217	271	320	377	394	427	485	539	603	656	715	771	828	884	983	16
120"	167	227	280	334	394	413	449	508	564	630	687	749	807	869	925	1029	17
132"	172	233	293	350	411	432	470	529	590	657	718	782	843	908	967	1076	18
144"	176	239	301	359	421	442	484	549	609	679	740	809	872	936	1001	1113	19
Replacement Valance	18	22	29	33	39	42	45	50	55	61	65	74	77	83	88	93	

GROUP 1 – Fabric (Inserted into Clear Magic – Valance Included)

• Cantina Romana • Fitzgerald

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$137	182	226	268	315	329	357	405	446	501	544	593	638	688	732	815	7
60"	152	203	255	305	360	378	412	468	518	579	630	687	739	796	849	945	8
72"	165	226	285	342	404	424	462	522	581	647	706	769	830	893	952	1058	11
84"	179	247	312	376	441	463	506	572	637	710	776	846	914	983	1052	1169	15
96"	192	267	338	407	481	504	551	627	697	777	849	927	1000	1075	1151	1279	16
108"	207	284	361	438	518	544	596	676	755	840	919	1003	1084	1163	1246	1385	18
120"	217	305	390	470	559	586	641	729	815	905	991	1082	1169	1258	1343	1495	20
132"	231	324	415	503	597	628	687	782	873	972	1061	1159	1255	1347	1442	1607	22
144"	243	338	437	533	634	667	731	828	926	1032	1129	1231	1330	1432	1513	1703	24
Replacement Valance	18	22	29	33	39	42	45	50	55	61	65	74	77	83	88	93	

Clear Magic Insert Groover is available in both white and ivory.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
- Control Position – both cord and chain must be grouped – left or right - Stack Position – choose from left, right, split stack, or center draw - Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified - Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) - Bottom Chains & Keyhole Punch – available upon request	- Replacement Vanes – see pricing to the right of each price grid - Replacement Valance – See pricing at the bottom of each grid - Tile Cut-out Surcharge – add \$14 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

• Bayshore • Coronado
 • Bellhaven • Kanaha
 • Carleton • Raleigh

GROUP 2 – Fabric (Free Hang Only – Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$155	203	249	290	344	358	386	438	486	543	590	641	693	747	795	886	7
60"	162	213	267	313	364	382	417	474	524	584	637	691	750	802	855	956	8
72"	166	222	279	330	387	404	436	497	551	615	670	728	789	846	901	1008	9
84"	174	233	293	344	401	419	456	515	572	638	695	757	820	880	936	1048	12
96"	180	242	301	356	417	437	474	537	600	668	729	792	857	919	980	1096	16
108"	185	247	311	368	431	452	490	557	618	690	752	817	884	950	1015	1131	18
120"	190	255	322	380	446	468	509	576	644	719	780	851	921	989	1056	1178	19
132"	194	264	331	392	463	484	525	600	664	744	810	882	953	1025	1093	1223	21
144"	197	268	339	404	474	496	540	613	681	761	832	904	980	1050	1122	1254	22
Replacement Valance	20	25	35	37	44	47	49	57	61	70	75	82	87	95	102	113	

 • Bayshore • Coronado
 • Bellhaven • Kanaha
 • Carleton • Raleigh

GROUP 2 – Fabric (Inserted into Groover – Valance Included)

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$164	218	274	322	382	400	434	490	545	609	665	721	781	841	897	1003	9
60"	180	242	307	366	429	452	492	558	623	692	756	823	889	956	1020	1139	13
72"	193	265	336	404	475	498	544	617	686	764	836	909	985	1059	1130	1262	16
84"	209	286	368	442	516	542	590	670	747	834	909	989	1073	1152	1231	1374	18
96"	222	308	394	470	557	585	641	728	810	903	988	1077	1163	1253	1339	1495	19
108"	237	327	420	504	597	627	686	780	869	972	1061	1154	1251	1342	1437	1604	21
120"	250	349	447	539	638	671	733	835	931	1038	1138	1239	1341	1443	1540	1722	24
132"	264	371	475	572	680	715	784	891	995	1110	1210	1323	1430	1540	1646	1839	26
144"	274	385	499	605	719	756	827	940	1052	1172	1282	1395	1513	1628	1722	1943	28
Replacement Valance	20	25	35	37	44	47	49	57	61	70	75	82	87	95	102	113	

NOTE: Clear Magic Insert Groover is available in both white and ivory.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$14** (see page 12 for details)

SIZE SPECIFICATIONS
VINYL STYLES

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

GROUP 3 – Fabric (Free Hang Only – Valance Included)
 • Enchanting • Miramar
 • Firenze • Tranquil Weave

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$159	214	266	317	371	390	424	477	529	593	647	702	758	816	872	979	7
60"	169	228	291	350	410	431	469	530	591	659	721	781	844	908	969	1088	8
72"	180	246	312	377	443	465	506	573	637	710	777	844	911	982	1049	1178	9
84"	191	264	334	404	469	492	538	611	678	755	828	899	971	1045	1117	1253	13
96"	202	276	354	425	500	524	572	648	723	806	882	960	1036	1116	1190	1336	16
108"	208	290	366	446	524	550	602	681	759	847	929	1008	1090	1172	1253	1406	17
120"	218	305	387	469	553	582	636	720	802	895	979	1065	1151	1239	1325	1485	19
132"	227	315	405	492	578	609	667	757	843	940	1031	1121	1212	1303	1392	1562	20
144"	236	328	420	511	601	632	690	786	877	978	1072	1164	1259	1352	1448	1624	21
Replacement Valance	21	26	35	42	46	48	53	59	64	71	80	85	89	97	105	124	

GROUP 3 – Fabric (Inserted into Groover – Valance Included)
 • Enchanting • Miramar
 • Firenze • Tranquil Weave

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$182	247	310	374	437	459	501	568	631	705	770	834	901	970	1035	1164	14
60"	201	276	351	426	500	526	578	655	730	814	889	966	1043	1126	1200	1347	16
72"	219	307	392	477	560	590	646	732	816	908	993	1080	1167	1257	1344	1509	17
84"	239	335	432	524	613	645	708	802	894	996	1094	1187	1283	1381	1478	1654	19
96"	257	361	466	567	669	705	772	876	979	1088	1194	1298	1403	1509	1615	1811	21
108"	278	390	500	609	720	757	832	945	1055	1173	1287	1402	1514	1629	1743	1953	23
120"	292	416	536	655	774	814	894	1016	1136	1264	1386	1508	1632	1757	1880	2103	25
132"	311	440	569	698	827	872	958	1087	1216	1351	1483	1614	1747	1881	2012	2254	27
144"	324	463	601	736	876	922	1011	1149	1287	1432	1571	1712	1852	1992	2115	2388	28
Replacement Valance	21	26	35	42	46	48	53	59	64	71	80	85	89	97	105	124	

NOTE: Insert Groover is available in both white and ivory

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE

- Control Position – both cord and chain must be grouped – left or right
- Stack Position – choose from left, right, split stack, or center draw
- Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified
- Safety Wand Control – optional for one-way left or right draw (must specify length when ordering)
- Bottom Chains & Keyhole Punch – available upon request

OPTIONS: EXTRA CHARGE

- Replacement Vanes – see pricing to the right of each price grid
- Replacement Valance – See pricing at the bottom of each grid
- Tile Cut-out Surcharge – **add \$14** (see page 12 for details)

SIZE SPECIFICATIONS**VINYL STYLES**

Minimum Width	12"
Maximum Width	192"
Minimum Height	12"
Maximum Height	144"
Maximum Area (sq. ft.)	192

GROUP 4 – Fabric (Free Hang Only – Valance Included)

• Chinese Garden • Rumbada

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$181	246	308	371	438	458	498	565	630	700	764	830	901	968	1033	1166	7
60"	193	268	343	416	489	515	563	636	713	792	866	943	1023	1096	1170	1316	9
72"	211	294	375	457	537	564	616	695	777	866	948	1030	1119	1200	1281	1440	12
84"	228	317	401	489	574	604	660	749	839	931	1021	1110	1202	1290	1380	1550	17
96"	240	337	432	522	617	650	711	803	902	1002	1096	1194	1294	1392	1484	1666	18
108"	254	356	454	551	654	687	752	854	957	1062	1161	1266	1371	1474	1574	1768	19
120"	268	374	481	585	694	730	798	906	1015	1128	1236	1345	1462	1568	1674	1881	21
132"	279	392	506	617	732	770	845	959	1074	1194	1309	1423	1545	1661	1775	1991	22
144"	291	410	526	644	765	804	882	1001	1121	1248	1368	1489	1613	1735	1855	2080	23
Replacement Valance	23	29	37	45	53	55	60	64	74	80	87	93	104	111	116	140	

GROUP 4 – Fabric (Inserted into Groover – Valance Included)

• Chinese Garden

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"	Replacement Vanes
HEIGHT TO:																	
48"	\$214	295	368	447	527	554	606	688	765	851	933	1010	1099	1180	1258	1419	17
60"	237	331	422	517	612	644	706	800	898	994	1090	1183	1283	1381	1604	1739	19
72"	265	371	476	583	689	725	793	899	1007	1117	1225	1330	1445	1554	1660	1864	21
84"	290	408	526	644	758	797	873	990	1110	1233	1352	1470	1593	1714	1831	2054	23
96"	313	443	573	701	827	873	959	1087	1218	1350	1484	1612	1748	1882	2010	2255	25
108"	336	476	613	754	895	941	1033	1175	1317	1462	1603	1745	1893	2035	2175	2438	28
120"	359	510	663	815	964	1015	1116	1266	1420	1579	1730	1884	2044	2200	2350	2632	29
132"	382	546	707	868	1034	1088	1196	1360	1524	1693	1856	2022	2192	2358	2522	2829	30
144"	401	575	748	920	1094	1152	1267	1440	1617	1796	1970	2148	2326	2502	2658	2996	32
Replacement Valance	23	29	37	45	53	55	60	64	74	80	87	93	104	111	116	140	

NOTE: Insert Groover is available in both white and ivory.

HEADRAIL ONLY

WIDTH TO:	26"	38"	51"	63"	76"	84"	88"	101"	113"	126"	138"	151"	163"	176"	188"	192"
	\$52	74	98	121	144	152	167	192	214	240	261	286	309	335	356	363

OPTIONS: NO EXTRA CHARGE	OPTIONS: EXTRA CHARGE	SIZE SPECIFICATIONS	VINYL STYLES
- Control Position – both cord and chain must be grouped – left or right - Stack Position – choose from left, right, split stack, or center draw - Length of Controls – cord and chain are 3/4" of blind height unless otherwise specified - Safety Wand Control – optional for one-way left or right draw (must specify length when ordering) - Bottom Chains & Keyhole Punch – available upon request	- Replacement Vanes – see pricing to the right of each price grid - Replacement Valance – See pricing at the bottom of each grid - Tile Cut-out Surcharge – add \$14 (see page 12 for details)	Minimum Width Maximum Width Minimum Height Maximum Height Maximum Area (sq. ft.)	12" 192" 12" 144" 192

PRODUCT SPECIFICATIONS

BASIC SIZE STANDARDS & MOUNTING REQUIREMENTS

FINISHED DIMENSIONS

Width and height may vary $\pm 1/8$ "

Headrail size 1-3/4" x 1-3/8"

INSIDE MOUNT

Headrail unit: 1/4" less than ordered width

Vane length: 2" less than ordered height

Overall height deduction: 3/8" less than ordered height

Minimum mounting depth: 1-3/4"

Minimum mounting depth, flush mount, vanes closed: 3-1/2"

Minimum mounting depth, flush mount, with full valance: 4-3/4"

OUTSIDE MOUNT

Headrail unit: ordered width

OB Valance is 2-1/2" wider than ordered width (1-1/4" on each side)

Vane length: 1-5/8" less than ordered height

Minimum mounting surface height: 1-1/2"

CEILING MOUNT

Headrail unit: ordered width

Vane length: 1-5/8" less than ordered height

Brackets provided: inside mount brackets

OB Valance is 2-1/2" wider than ordered width (1-1/4" on each side)

STANDARD CONTROLS

Traverse Cord and Bead Chain Rotation Controls:

- Length of Controls – both the traversing cord and vane rotation control chain are 3/4 of the height of the vertical blind. Longer lengths are available upon request.
- Control Positions – both the traversing cord and vane rotation control chain must be on the same side of the blind. Select left or right.
- Stacking Position – vertical vanes may be stacked

left  , right  , split  or center 

VALANCE RETURNS



Inside Mount –
No Returns




Inside Mount –
Standard



Outside Mount –
Standard

SAFETY WAND CONTROL SYSTEM

- The safety wand is a convenient alternative to the traditional control chain and cord, and helps protect children from injury.
- Twist the wand to rotate vanes open and closed. Pull the wand across the blind to draw vanes back and forth.
- Built-in magnets on the headrail and wand control unit provide a firm lock when blinds are drawn to their fully closed position.
- The wand operates on left or right sides (no split or center draws) up to 144" in height. The safety wand is ivory in color and is available in four different lengths: 38", 48" & 60" drops.



You must specify desired wand length when ordering.

Ordered Height of Blind	Recommended Wand Length
12" to 70"	38" Wand
70-1/8" to 90"	48" Wand
90-1/8" to 144"	60" Wand

VALANCE

FULL 3-1/2" VALANCE – STANDARD ON EVERY BLIND

A 3-1/2" fabric or vinyl vane is inserted into the valance and mounts to the headrail. Valance corners are gently rounded and have a continuous material insert that provides a soft look. Standard returns, measuring 5-3/4", will be included on all outside mount valances. These may be trimmed down at the time of installation if necessary. Longer returns are available upon request at no additional charge.



Note: Wood Textures only available with square-wrap corner returns.


* The 5-3/4" total return length includes a valance return cut measuring 4-1/2" which is attached to a rounded corner measuring 1-1/4". The total return length from the back of the valance to the end of the attached return equals 5-3/4".

INSERTED MATERIALS

- Insert vertical blinds let you combine the fashion advantages of decorator fabrics – a spectrum of colors and a variety of soft textures – with the functional benefits of vinyl – energy efficiency, privacy, light control and a uniform look from the outside. The Insert Groover is available in both white and ivory.
- The Insert Groover, provided on all insert style verticals, is guaranteed to remain beautifully clear for the lifetime of your vertical blind because state-of-the-art plastics are used to formulate the clear edges. Edges won't yellow or crack...even with prolonged exposure to harsh sunlight!

- All materials inserted into Groovers will be secured into position with a small button at the top of each vane. Most fabrics can be inserted. Each fabric deck indicates "Free Hang" and/or "Insert Groover". The "Collection Information" page also indicates if the fabric can be inserted.

- You may also purchase an Insert blind without fabric inserted. These blinds are provided with an adhesive back laminating insert material so that you may bond and insert your own fabric or wallpaper. (See price Group C).



FEATURES AND OPTIONS

HEADRAIL SYSTEM


- Smooth traversing and quiet operation
- Heavy-duty aluminum channel
- 100% Celcon carriers and hooks
- Durable graphlite wheel system
- Vanes never go out of synchronization
- Reversible track – left or right control
- Snap-in brackets make installation fast and easy

Installation Brackets								
Width Up to:	32"	56"	80"	104"	128"	152"	176"	192"
	2	3	4	5	6	7	8	9


TILE CUT-OUT

A Tile Cut-Out allows a vertical blind to hang straight and not catch on an obstruction.

Bottom Center Cut-Out



Bottom Side Cut-Out



- Some blinds have operating restrictions
- Bottom Center Cut-Out must be split stack
- Bottom Side Cut-Out must stack to center or longest side

Note: For cut-outs, the vane will be cut across the entire width of the vane. We are unable to cut notches within individual vanes during production.

REPLACEMENT VANES

When ordering, specify whether you are providing "exact height of vane" as opposed to Inside or Outside mount.

Fabric: Finished with a top vane hanger, finished bottom hem, and sewn-in weight (chains available upon request.)

Insert Finished with attachment hole punched at top

Groover: of vane. Buttons to secure inserted fabrics at top of vane also included.

All Others: Finished with attachment hole punched at top of vane (keyhole punch at bottom and chain available upon request.)

BOTTOM TREATMENTS

- **Fabrics:** Patented ultrasonically sealed-in weights are included standard on all free-hang fabric vertical blinds at no additional charge. A small section will be left open on the back side of the vane for bottom chain attachment. Bottom chains available upon request only.
- **Vinyl:** Bottom chains and keyhole punch available upon request only at no additional charge.
- **All Other:** Bottom chains not available for Insert Verticals.

PRODUCT SPECIFICATIONS

VANE COUNT & STACKING SPACE CHART

VANE COUNT CHART Use "Number of Vanes" column to order the correct number of vanes.

STACKING SPACE CHART Use "Stack Width" column to determine how much of the wall/window will be covered when the blind is fully open.

CLEAR OPENING Use "Clear Opening" column to determine how much of the window will be showing when the blind is fully open.







ONE-WAY DRAW

Actual Track Width	# of Vanes	Stack Width	Clear Opening	Actual Track Width	# of Vanes	Stack Width	Clear Opening
13-1/2"	4	3-3/4"	9-3/4"	104-3/4"	33	18-1/4"	86-1/2"
16-1/2"	5	4-1/8"	12-1/4"	107-3/4"	34	18-3/4"	89"
19-3/4"	6	4-3/4"	15"	111"	35	19-1/4"	91-3/4"
22-3/4"	7	5-1/4"	17-1/2"	114-1/4"	36	19-3/4"	94-1/2"
26"	8	5-3/4"	20-1/4"	117-1/4"	37	20-1/4"	97"
29"	9	6-1/4"	22-3/4"	120-1/2"	38	20-3/4"	99-3/4"
32-1/4"	10	6-3/4"	25-1/2"	123-1/2"	39	21-1/4"	102-1/4"
35-1/2"	11	7-1/4"	28-1/4"	126-3/4"	40	21-3/4"	105"
38-1/2"	12	7-3/4"	30-3/4"	130"	41	22-1/4"	107-3/4"
41-3/4"	13	8-1/4"	33-1/2"	133"	42	22-3/4"	110-1/4"
44-3/4"	14	8-3/4"	36"	136-1/4"	43	23-1/4"	113"
48"	15	9-1/4"	38-3/4"	139-1/4"	44	23-3/4"	115-1/2"
51-1/4"	16	9-3/4"	41-1/2"	142-1/2"	45	24-1/4"	118-1/4"
54-1/4"	17	10-1/4"	44"	145-3/4"	46	24-3/4"	121"
57-1/2"	18	10-3/4"	46-3/4"	148-3/4"	47	25-1/4"	123-1/2"
60-1/2"	19	11-1/4"	49-1/4"	152"	48	25-3/4"	126-1/4"
63-3/4"	20	11-3/4"	52"	155"	49	26-1/4"	128-3/4"
67"	21	12-1/8"	54-3/4"	158-1/4"	50	26-3/4"	131-1/2"
70"	22	12-3/4"	57-1/8"	161-1/2"	51	27-1/4"	134-1/4"
73-1/4"	23	13-1/8"	60"	164-1/2"	52	27-3/4"	136-1/4"
76-1/4"	24	13-3/4"	62-1/2"	167-3/4"	53	28-1/4"	139-1/2"
79-1/2"	25	14-1/4"	65-1/4"	170-3/4"	54	28-3/4"	142"
82-3/4"	26	14-3/4"	68"	174"	55	29-1/4"	144-3/4"
85-3/4"	27	15-1/4"	70-1/2"	177-1/4"	56	29-3/4"	147-1/2"
89"	28	15-3/4"	73-1/4"	180-1/4"	57	30-1/4"	150"
92"	29	16-1/4"	75-3/4"	183-1/2"	58	30-3/4"	152-3/4"
95-1/4"	30	16-3/4"	78-1/2"	186-1/2"	59	31-1/4"	155-1/4"
98-1/2"	31	17-1/4"	81-1/4"	189-3/4"	60	31-3/4"	158"
101-1/2"	32	17-3/4"	83-3/4"	192"	61	32-1/4"	159-3/4"

SPLIT DRAW

Actual Track Width	# of Vanes	Stack Width		Clear Opening
		Control Side	End Side	
12-3/4"	4	2-3/4"	2-1/2"	7-1/2"
19"	6	2-1/4"	3"	13-3/4"
25-1/2"	8	3-3/4"	3-1/2"	18-1/4"
31-3/4"	10	4-1/4"	4"	23-1/2"
38"	12	4-3/4"	4-1/2"	28-3/4"
44-1/2"	14	5-1/4"	5"	34"
50-3/4"	16	5-3/4"	5-1/2"	39-1/2"
57"	18	6-1/4"	6"	44-3/4"
63-1/4"	20	6-3/4"	6-1/2"	50"
69-1/2"	22	7-1/4"	7"	55-1/4"
75-3/4"	24	7-3/4"	7-1/2"	60-1/2"
82-1/4"	26	8-1/4"	8"	66"
88-1/2"	28	8-3/4"	8-1/2"	71-1/4"
94-3/4"	30	9-1/4"	9"	76-1/2"
101"	32	9-3/4"	9-1/2"	81-3/4"
107-1/4"	34	10-1/4"	10"	87"
113-3/4"	36	10-3/4"	10-1/2"	92-1/2"
120"	38	11-1/4"	11"	97-3/4"
126-1/4"	40	11-3/4"	11-1/2"	103"
132-1/2"	42	12-1/4"	12"	108-1/4"
138-3/4"	44	12-3/4"	12-1/2"	113-1/2"
145-1/4"	46	13-1/4"	13"	119"
151-1/2"	48	13-3/4"	13-1/2"	124-1/4"
157-3/4"	50	14-1/4"	14"	129-1/2"
164"	52	14-3/4"	14-1/2"	134-3/4"
170-1/4"	54	15-1/4"	15"	140"
176-3/4"	56	15-3/4"	15-1/2"	145-1/2"
183"	58	16-1/4"	16"	150-3/4"
189-1/4"	60	16-3/4"	16-1/2"	156"
192"	62	17-1/4"	17"	157-3/4"

PRODUCT COMPONENTS




Assembled Valance Corner (Round)

Valance & Return Components


VANE VIEW FOR S-CURVE VERTICALS

When placing an order for "S" shaped vertical styles, you must specify a stack position (right, left, split, or center), control position (right or left), and vane view (right or left). See illustration below for examples and descriptions. Ordering these correctly is important since S-shaped vanes cannot be flipped during installation like curved vanes.




Left stack with vane view right

The front side of the vane (the side with the pattern and color) will face to the **right** when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the left side or in the center of the wall and left stack is desired. Control position can be either left or right. With a left control position, the controls will be partially hidden by the vane stack.




Left stack with vane view Left

The front side of the vane (the side with the pattern and color) will face to the **left** when the vanes are in the open position or stacked. Ideal when the sliding glass door is on the right side or in the center of the wall and left stack is desired. The control position can be either left or right. With a left control position, the controls will be partially hidden by the vane stack.



Split stack with vane view right

When ordering a split stack, vane view right is standard. The front side of the vane (the side with the pattern and color) will face to the **right** when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the left side or in the center of the wall and a split stack is desired. The control position can be either left or right.




Split stack with vane view left

When ordering a split stack, vane view left is optional. The front side of the vane (the side with the pattern and color) will face to the **left** when the vanes are in the open position or stacked. Ideal for when the sliding glass door is on the right side of the wall and a split stack is desired. The control position can be either left or right.


VANE VIEW FOR S-CURVE VERTICALS

When placing an order for "S" shaped vertical styles, you must specify a stack position (right, left, split, or center), control position (right or left), and vane view (right or left). See illustration below for examples and descriptions. Ordering these correctly is important since S-shaped vanes cannot be flipped during installation like curved vanes.




Right stack with vane view right

The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open or stacked position. Ideal for when the sliding glass door is on the left side of the wall and right stack is desired. The control position can be either left or right. With a right control position the controls will be partially hidden by the vane stack.




Right stack with vane view left

The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open or stacked position. Ideal when the sliding glass door is on the right side or in the center of the wall and right stack is desired. The control position can be either left or right. With a right control position the controls will be partially hidden by the vane stack.



Center stack with vane view right

When ordering center stack, vane view right is standard. The front side of the vane (the side with the pattern and color) will face to the right when the vanes are in the open position or stacked in the center. The back side of the vane will show to the left. Ideal for when the sliding glass door is on the left side or in the center of the wall and center stack is desired. The control position can be either left or right. Center stack is a good option when access to a right door opening and a left door opening is needed and stacking off the window is not possible.



Center stack with vane view left

When ordering center stack vane view left is optional. The front side of the vane (the side with the pattern and color) will face to the left when the vanes are in the open position or stacked in the center. The back side of the vane will show to the left. Ideal for when the sliding glass door is on the right side or in the center of the wall and center stack is desired. The control position can be either left or right. Center stack is a good option when access to a right door opening and a left door opening is needed and stacking off the window is not possible.