

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Moler Ave. Subway	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 260-0322	
Facility Address 1100 Shepherdstown Rd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/14/2019	Total Time Spent 1.97

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Turbo cooler	37
Walk in cooler	37
Subway cooler	40
Soda cooler	41
Sandwich case left	40
Sandwich case right	41

Food Temperatures	
Description	Temperature (Fahrenheit)
Soup	139
Meatballs	137

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3baysinkSandwic hsanitizerwater	chemchem		300-400		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 1</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Cuttingboard baseneeds cleaned for slicer</p>

ObservedNon-CriticalViolations

Total # 3

Repeated # 1

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Grey bustubs and lids need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Top of the oven and fresh bread holder needs dusted

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

REPEAT OBSERVATION Clean pans are being stored or stacked without being air-dried first..

Inspection Outcome

Comments

Disclaimer

Person in Charge



Amanda Rice

Sanitarian



Glenn GCO Ondick