
HOW TO SPOT VACCINE INJURY



REAL © RGANIC TRUTH #RealOrganicTruth @realorganicT

Recognizing Vaccine Reaction Symptoms

If you or your child experiences **any** of the symptoms listed below in the hours, days, or weeks following vaccination, it should be reported to VAERS. Some vaccine reaction symptoms include:

- Pronounced swelling, redness, heat or hardness at the site of the injection
- High fever (over 103 F)Vision or hearing loss

· Body rash or hives

vision or ricaring loss

· Shock/collapse

 Restlessness, hyperactivity or inability to concentrate

 High pitched screaming or persistent crying for hours

- Sleep disturbances that change wake/sleep pattern
- Extreme sleepiness or long periods of unresponsiveness
- Joint pain or muscle weakness
- Twitching or jerking of the body, arm, leg, or head
- Disabling fatigue

· Crossing of eyes

- Loss of memory
- Weakness or paralysis of any part of the body
- Onset of chronic ear or respiratory infections
- Loss of ability to roll over, sit up or stand up
- Violent or persistent diarrhea or chronic constipation
- Loss of eye contact or awareness or social withdrawal
- Breathing problems (asthma)

- Head banging or onset of repetitive movements (Flapping, rubbing, rocking, spinning)
- Excessive bleeding (thrombocytopenia) or anemia
- Drooping of the eye/mouth on one side consistent with brain injury

Go to **REALORGANICTRUTH**.com for references.

Stamp Here