

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Aldi Food Market	Facility Type Retail Food Store	
Licensee Name Aldi Food Market	Facility Telephone # 304 267-3884	
Facility Address 32 Triamigas Drive Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/04/2018	Total Time Spent 1.75

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Dairy walk in cooler	22
freezer(new)	10
produce case	37
deli meat/cheese	32
meat locker(new)	32
beef/pork case	*43(scan of 38-41)
poultry case	*42.6(scan of 38-41)
freezer spot cases	13.5-18
on the go case	33

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b>
<b>Repeated # 1</b>
<b>7-102.11 - COMMON NAME</b>
<b>This is a critical violation</b>
<b>OBSERVATION:</b> chemical spray bottles need to be labeled

**ObservedNon-CriticalViolations**

**Total # 10**

**Repeated # 1**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** front inside vents on open cases need cleaned (May cleaning)

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** dairy roller shelving needs cleaned

**5-501.115 - MAINTAINING REFUSE AREAS AND ENCLOSURES**

**OBSERVATION:** mop sink needs cleaned

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** mens restroom-faucet needs tightened

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** broken door in dairy case needs replaced(on order)

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** dairy walkin-fan covers need cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Restrooms-ceiling grids need cleaned

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

**OBSERVATION:** floor needs cleaned in freezer-debris and items fallen on floor

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

REPEAT OBSERVATION dairy walkin-floor needs cleaned(spill and debris)

**6-501.13 - CLEANING FLOORS, DUSTLESS METHODS**

**OBSERVATION:** floor in meat locker needs cleaned

**Inspection Outcome**

**Comments**

Watch for damaged boxes

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards