

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

<b>Establishment Information</b>	
Facility Name Spring Mills High School	Facility Type Food Service Establishment
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 274-5141
Facility Address 499 Campus Drive Martinsburg, WV	Licensee Address ,

<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 04/03/2017	Total Time Spent 1.92

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk in cooler	34
Hot box 1	171
Hot box 2	170
Hotbox 3	171
Traulsen cooler	36
Milk case 1-right	36
Milk case 2-left	36
Salad Case 1-Right	
Salad Case 2- Left	

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine	heat	160		Heat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 0</b>
<b>Repeated # 1</b>

<b>Observed Non-Critical Violations</b>
<b>Total # 3</b>
<b>Repeated # 1</b>
<b>4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION</b> <i>REPEAT OBSERVATION Ice build up on condenser piping in walk-in freezer (spreading to shelving now)</i>
<b>6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS</b> <i>OBSERVATION: Square ceiling vents throughout kitchen needs cleaned</i>
<b>6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION</b> <i>OBSERVATION: Hood vents above ovens need cleaned.</i>


<b>Inspection Outcome</b>

**Comments**

Discussed complaint with head cook. Difference between use by dates and best by dates. Told to make sure to date items when pulled from freezer.

Disclaimer

Person in Charge



**Dreama Smith**

Sanitarian



**Keith Allison**