

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

<i>Establishment Information</i>		
Facility Name Route 9 Shell/Subway ROCS	Facility Type Retail Food Store	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 296-2472	
Facility Address 1171 Hedgesville Rd Martinsburg , WV	Licensee Address ,	
<i>Inspection Information</i>		
Inspection Type Routine	Inspection Date 07/12/2018	Total Time Spent 1.78

<i>Equipment Temperatures</i>	
Description	Temperature (Fahrenheit)
Walk in cooler	39
Retail cooler	39

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<i>Observed Critical Violations</i>
<p>Total # 1</p> <p>Repeated # 1</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION</p> <p>This is a critical violation</p> <p>OBSERVATION: (CORRECTED DURING INSPECTION): Milk found to be out of date on 7-6-18.</p>

Observed Non-Critical Violations

Total # 6

Repeated # 1

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Reddy ice needs cleaned around the door area and gasket

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION:

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION:

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Chemical shelves need repaired, rust

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Area behind the drugs/ babyfood shelves need cleaned.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Walk in cooler shelves in the large cooler and freezer needs cleaned under and behind shelves

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



joanne bell



Glenn GCO Ondick