

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

| Establishment Information | | |
|--|--|---------------------------------|
| Facility Name Starbuck's Martins | Facility Type Food Service Establishment | |
| Licensee Name Martin's Food Market 6107 | Facility Telephone # 304 267-8448 | |
| Facility Address 901 Foxcroft Ave Martinsburg , WV | Licensee Address , | |
| Inspection Information | | |
| Inspection Type Routine | Inspection Date 06/19/2019 | Total Time Spent 1.00 |

| Equipment Temperatures | |
|-------------------------------|--------------------------|
| Description | Temperature (Fahrenheit) |
| Espresso cooler | 39 |
| Outside display cooler | 40 |
| back cooler | 39 |

| Warewashing Info | | | | | |
|-------------------------|---------------------|--------------|-----|----------------|----------------|
| Machine Name | Sanitization Method | Thermo Label | PPM | Sanitizer Name | Sanitizer Type |
| 3baysink | chemical | | 300 | | |

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

| Observed Critical Violations |
|---|
| <p>Total # 1 Repeated # 1</p> <p>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS This is a critical violation OBSERVATION: Shelves in the beverage air machine under coffee grinder needs shelves cleaned</p> |

ObservedNon-CriticalViolations

Total # 4

Repeated # 1

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Inside clear containers for sugars and syrup packets need cleaned inside

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Counters behind equipment needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: High shelves and equipment need dusted

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned behind and under equipment

Inspection Outcome

Comments

Disclaimer

Person in Charge

On file

Sanitarian

Glenn GCO Ondick