

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 4
CORE: 18

PRIORITY FOUNDATION: 1
TOTAL: 23

ESTABLISHMENT: 7-Eleven #25306A PERMIT NO.: _____ DATE: 12/4/2019.
 ADDRESS: 201 Winchester Ave CITY: Martinsburg STATE: WV ZIP: 25401
 PERSON IN CHARGE/TITLE: X MARK Fedder TELEPHONE: _____
 RECEIVED BY (SIGNATURE): [Signature] SANITARIAN (SIGNATURE): [Signature] RS.
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: Opening, Rehil/Food TIME: 1:30 pm.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
			6-501.12	Floor under isles needs cleaned
			4-602.13	Water Storage Shelving needs cleaned.
			6-501.12	Floor in Walk-In Refrigerator needs cleaned
			4-501.11	Gasket on Old English/Steel Reserve cooler door needs replaced (torn)
	✓		5-202.13	Air Gap needed for drain for walk-in.
✓	✓		4-602.11	Nozzles for coffee dispensers need cleaned.
			4-602.13	Inside of Hot Chocolate machine needs cleaned.
			4-602.13	Cup storage needs cleaned.
			6-501.11	Storage cabinet under soda machine needs repaired (shelf collapsed)
			4-602.13	Upper ledge of soda machine needs cleaned.
			4-602.13	Shelving in Ice Cream Freezer needs cleaned.
✓	✓		3-501.14	Turbo Air Condiment Refrigerator holding at 59°. (Trays removed/Placed back in to see if holding temp) Product removed + discarded.
			4-602.13	Inside of Chili/Cheese machine needs cleaned.
			6-501.11	Faucet handles need re-labeled at handsink → As marked Cold is hot, Hot is cold.
			6-501.11	Cabinet doors under handsink need repaired/replaced.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
Grab-N-Go	38.5°	M3 Pizza	39°				
Walk-In	39°						
Half-N-Half	40°						
Chili/Cheese	137°						

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 4
CORE: 18

PRIORITY FOUNDATION: 1
TOTAL: 23

ESTABLISHMENT: <u>7-Eleven #25306A</u>		PERMIT NO.:		DATE: <u>12/4/2019</u>	
ADDRESS: <u>201 Winchester Ave</u>		CITY: <u>Martinsburg</u>		STATE: <u>WV</u> ZIP: <u>25401</u>	
PERSON IN CHARGE/TITLE: <u>MARK FLEDER</u>		TELEPHONE:			
RECEIVED BY (SIGNATURE): <u>[Signature]</u>		SANITARIAN (SIGNATURE): <u>Keith Allison RS</u>			
INSPECTION TYPE: ROUTINE <input type="checkbox"/>		FOLLOW-UP <input type="checkbox"/>		COMPLAINT <input type="checkbox"/>	
		OTHER: <u>Opening Retail/Food</u>		TIME: <u>1:30 pm.</u>	
Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections	
			<u>6-501.12</u>	<u>Inside of Walk-In needs cleaned and organized</u>	
			<u>6-301.12^{PF}</u>	<u>Paper-towel dispensers needed at handsinks.</u>	
				<u>By 3-Bay Sink and Front Counter.</u>	
			<u>4-501.11</u>	<u>Wall Above 3-Bay sink needs repaired/repainted.</u>	
	<input checked="" type="checkbox"/>		<u>5-202.13</u>	<u>Air Gap Needed at 3-Bay Sink.</u>	
			<u>6-501.11</u>	<u>Shelf Above 3-Bay Sink needs repaired (collapsed). Right Side.</u>	
			<u>4-602.13</u>	<u>Inside of Beverage Air Freezer needs cleaned.</u>	
			<u>6-501.11</u>	<u>Shelf Above 3-Bay sink (handsink) needs repaired.</u>	
			<u>6-501.12</u>	<u>Vent Covers throughout establishment need cleaned (ceiling)</u>	
				<u>Food Code <input checked="" type="checkbox"/> Serv Safe <input checked="" type="checkbox"/> Pest Control <input checked="" type="checkbox"/></u>	
				<u>Documentation for Air Gaps needs emailed Keith.R.Allison@wv.gov</u>	
				<u>30 Days to correct above violations. Non-Priority.</u>	

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM