

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Route 9 Shell/Subway ROCS	Facility Type Food Service Establishment	
Licensee Name R.M. Roach and Sons Inc.	Facility Telephone # 304 596-2472	
Facility Address 1171 Hedgesville Rd Martinsburg, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 01/03/2017	Total Time Spent 1.15

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk in cooler	41.5
Sandwich case left	38
Sandwich case right	39
Front subway case	40
Hot dog roller	135
Hot holder food	152
Half and half machine	40
Large walk in cooler	135
Hot cheese machine	41
Back sandwich case	39
Subway walk in	

Food Temperatures	
Description	Temperature (Fahrenheit)
Soup	141
Meatballs	147
Hot dogs ect front	86

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Sanitizerbucket3baysinkSubwaybucket	chemCHEMchem		300300		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 7 7-102.11 - COMMON NAME This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Chemical bottle not labeled in the subway area</p>

Observed Non-Critical Violations

Total # 12

Repeated # 7

4-501.12 - CUTTING SURFACES

REPEAT OBSERVATION Cutting board needs bleached or resurfaced in the sandwich prep area

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Back sandwich prep cooler leaking water inside

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

OBSERVATION: Top of the oven and baked bread holder needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Top of the freezer needs cleaned in the back sandwich area

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Pizza oven stand needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Clean lid containers in the subway area needs cleaned

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

REPEAT OBSERVATION Clean black containers are being stored or stacked without being air-dried first..

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor in the walk in cooler needs repaired, ice on the floor and rust

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Back sandwich area walls need holes repaired

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floors need cleaned in back area under equipment and along the walls

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Floor drain under the ice machine needs cleaned, mold.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

REPEAT OBSERVATION Air vents need cleaned in the unit

Inspection Outcome

Comments

Disclaimer

Person in Charge



Justin Gess

Sanitarian



Glenn GCO Ondick