

West Virginia Department of Health & Human Resources Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name St. Leo's Catholic Church	Facility Type Food Service Establishment
Licensee Name St. Leo's Catholic Church	Facility Telephone # 304 229-8945
Facility Address 2109 Sulphur Springs Rd Inwood, WV	Licensee Address 2109 Sulphur Springs Rd Inwood, WV 25428

Inspection Information		
Inspection Type Routine	Inspection Date May 23, 2019	Total Time Spent 0.50


Equipment Temperatures	
Description	Temperature (Fahrenheit)
Delfield refrig walkin hot box	28 36 not in use today

Warewashing Info						
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type	
dishmachine	heat	160		heat		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 0

Observed Non-Critical Violations
Total # 1 Repeated # 0
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS OBSERVATION: walls need dusted



Inspection Outcome

Comments

Grease trap cleaned-May 11
Pest control quarterly
Ice machine cleaned quarterly

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards