

**West Virginia Department of Health &  
Human Resources  
Berkeley County Health Department**

No image found with name:  
Berkeley.png. Image files  
needed to be generated.

**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Sheetz West King Street	Facility Type Food Service Establishment	
Licensee Name Sheetz Inc.	Facility Telephone # 304 263-0516	
Facility Address 1617 West King St Martinsburg , WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date 01/29/2019	Total Time Spent 1.53

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Walk-In	37
French Vanilla Creamer	41
Hot Dog cooker	156
Beverage Air Left	
Ice Cream Base Refrigerator	
Half & Half	41
Breakfast case	39
Breakfast sandwich case	40
Sandwich case	39
Beverage cooler	39
Fried food warmer	159

<b>Food Temperatures</b>	
Description	Temperature (Fahrenheit)
Hotdogs	138
Meatballs	138

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-BaySinkBucket	ChemicalChemical		300-4003 00-400		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<p><b>Total # 1</b> <b>Repeated # 0</b></p> <p><b>4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS</b> <b>This is a critical violation</b> <b>OBSERVATION: (CORRECTED DURING INSPECTION):</b> WHite dressing containers need recleaned</p>

**Observed Non-Critical Violations**

**Total # 5**

**Repeated # 0**

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Plastic condiment holders need cleaned inside

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Tops of beverage equipment need dusted in the customer area

**4-602.13 - NONFOOD CONTACT SURFACES**

**OBSERVATION:** Oven stand needs cleaned

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Floors in the 3 bay area, walk in and soda rooms need cleaned under and behind equipment.

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

**OBSERVATION:** Wall between bulk head and left side of fryer hood needs cleaned, dust

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

Sanitarian



**Kristen Mason**



**Glenn GCO Ondick**