



**Toyota LC200 2015-Present Runflat  
Specifications  
Assembly PN# LC200HDRF-DT**

Web: [www.dimensiontek.com](http://www.dimensiontek.com)

Tel.: 614-638-2854

E-mail : [info@dimensiontek.com](mailto:info@dimensiontek.com)

955 Caniff Rd. Columbus, OH 43221

Cage: 7HX48

## Runflat Assembly Components HD

- ❑ 18" Runflat, FINABEL 20.A.5
- ❑ 18"x 8", One Piece Steel Wheel, ISO/DOT
- ❑ LT275/65R18 123Q All-Terrain Tire , DOT
- ❑ Assembly rated to 3307 lb/1500kg
- ❑ Optional wheel/rim rated to 4630 lb/2100kg

# *Runflat Assembly Specifications HD*

## **Runflat Specification Met: 18"**

- FINABEL 20.A.5, travel a total distance of 31mi/50km on the road (desirable: 46mi/75km), without tires coming off rims or starting to burn, and without its properties of steering maneuverability, stability or speed being seriously affected under the following conditions:
  - 2mi/3km at maximum speed (escape speed),
  - 6mi/10km at uniform speed of 31mph/50km/h,
  - The rest of the distance at a uniform speed of 16mph/25km/h
  - Runflat rated: 3307 lb/1500kg



# *Runflat Assembly Specifications HD*

## **Wheel Specifications:**

- 18"x8" Five Lug One Piece OEM Style Upgraded Steel Wheel.
- DOT Approved, Conforming to ISO MFG. standards.
- Rated to 3528 lb/1600kg



# *Runflat Assembly Specifications HD*

## **Wheel Specifications:** Optional Wheel Upgrade

- 18"x8.5" Five Lug OEM Style Forged Alloy Wheel.
- DOT Approved, Conforming to ISO MFG. standards.
- Rated to 4409 lb/2000kg



# *Runflat Assembly Specifications HD*

## **Tire Specifications:**

- Kenda Klever All-Terrain Tire - LT275/65R18 E 1223Q
- Approval: DOT
- Ply: 10
- Load Rating: 123 3417 lb/1550kg
- Speed Rating: Q 99mph/159km/h



# *Runflat Assembly Specifications HD*

## **Assembly Estimated Size/Weight Each**

- Size: 32.1"x 11" / 815mm x 279.4mm
- Weight: 98 lb/44kg



# Dimension**tek**

Web: [www.dimensiontek.com](http://www.dimensiontek.com)

Tel.: 614-638-2854

E-mail: [info@dimensiontek.com](mailto:info@dimensiontek.com)

955 Caniff Rd.

Columbus, OH 43221

Cage: 7HX48