

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Broad Lane Station	Facility Type Food Service Establishment	
Licensee Name Broad Lane Station	Facility Telephone # 304 271-8700	
Facility Address 9741 Williamsport Pike Falling Waters , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/07/2018	Total Time Spent 0.75

Equipment Temperatures	
Description Refrigerator	Temperature (Fahrenheit) 38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay	Chemical		100	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0 Repeated # 1

Observed Non-Critical Violations
Total # 2 Repeated # 1
4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION REPEAT OBSERVATION Gasket on Whirlpool refrigerator needs replaced (torn)
6-301.12 - HAND DRYING PROVISION OBSERVATION: (CORRECTED DURING INSPECTION): No paper towels available at handsink for hand drying.

Inspection Outcome

Comments

Disclaimer

Person in Charge

A handwritten signature in black ink, appearing to be 'V Lewis', with a long horizontal flourish extending to the right.

Victoria Lewis

Sanitarian

A handwritten signature in black ink, appearing to be 'Keith Allison', written in a cursive style.

Keith Allison