

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name The Copper Still Pub & Grill	Facility Type Food Service Establishment	
Licensee Name The Copper Still Pub & Grill	Facility Telephone # 304 260-5566	
Facility Address 1911 Winchester Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/12/2019	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Whirlpool 1	38
Whirlpool 2	38
Beer Cooler 1	37
Maytag	37
Continental Prep Unit	39
Beer Cooler 2	40
Whirlpool Back Storage	40
Aquafina	40
Dessert Refrigerator	40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-BaySinkBucket3-BayBar	ChemicalChemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 4</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Soda nozzles need cleaned</p> <p>4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: Utensil storage bins need cleaned</p>

Observed Non-Critical Violations
Total # 13

Repeated # 4

3-304.14 - WIPING CLOTHS AND WORKING CONTAINERS, USE LIMITATION

OBSERVATION: Wiping cloths need to be stored in sanitizer solution/bucket

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Gaskets on True freezer/Continental/small Delfield refrigerators need replaced (torn)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

REPEAT OBSERVATION Inside of GE upright freezer needs defrosted

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Shelving in Continental refrigerator needs repaired (sanded and painted) or replaced

4-501.12 - CUTTING SURFACES

OBSERVATION: Cutting board needs re-surfaced/cleaned/bleached

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Inside of chest freezer needs cleaned (at bar)

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Inside of Maytag/Whirlpool refrigerators need cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Faucet at 3-Bay sink needs repaired (leaking)

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Floor in kitchen needs repaired

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION Floor around bar needs repaired/replaced (behind)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor behind equipment at bar needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor perimeters in kitchen need cleaned (along wall/behind equipment)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Dry storage room needs cleaned/organized

Inspection Outcome

Comments

Disclaimer

Person in Charge



Alexa Silver

Sanitarian



Keith Allison