

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Weis Market-Bakery	Facility Type Food Service Establishment	
Licensee Name Weis Markets Inc.	Facility Telephone # 304 263-1515	
Facility Address 1102 N Queen Square Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 02/14/2017	Total Time Spent 1.37

Equipment Temperatures	
Description Walk-in Cooler Cake cooler	Temperature (Fahrenheit) 40

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Sink	Chemical				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 2 Repeated # 1 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE <i>This is a critical violation</i> OBSERVATION: <i>Need to clean inside mixer bowl and floor mixer. (floor around mixer needs cleaned also).</i></p> <p>6-501.111 - CONTROLLING PESTS <i>This is a critical violation</i> OBSERVATION: <i>Mouse droppings found</i></p>

Observed Non-Critical Violations

Total # 11

Repeated # 1

4-202.16 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Do not use milk crates as storage racks (not easily cleanable or off the floor).

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Need to replace broken mirror in back of donut case.

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Cake decorating table in poor repair

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Ice build up in walk-in freezer (also around door.)

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Need a second stopper for the three bay sink.

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION Need to clean speed rack/carts

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Need to clean floor in walk-in refrigerator

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Need to clean cake decorating table shelving.

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Need to clean cart cover

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Gap between floor and wall along outside wall behind water heater and proofer.

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: Need to clean floor drain under three bay sink.

Inspection Outcome

Comments

Discussed hand washing in abnormal circumstances and glove usage with management.
Need to see invoices from pest control visits until the mouse issue is resolved. If invoice is not received by 2/17/17 a reinspection will occur.

Disclaimer

Person in Charge



Stan Mallow

Sanitarian



Jennifer Beamer