



Patient name _____ DOB _____ DOS _____

- Sites prepped with alcohol swab(s) for use with 1/2-1.5 inch, 27-30 gauge needle(s)
- Tendon and/or trigger point injections(TPI) with _____cc of Lidocaine Toradol 30mg IM
- Ultrasound guidance for tendon injections (20550/20551) utilized to decrease possibility of complication (i.e., pneumothorax, hematoma, intravascular injection of local anesthetic, etc.) **Ultrasound guidance is NOT used for trigger point injections.**
- Discussed possible complications with patient including S.O.B., infection, bruising, numbness
- Patient advised to apply heat/cold and ischemic pressure for relief. Instructed to call the provider if not relieved

Cv sdv	Muscle	New prob?	LT	RT	Sheath/ lig/apon	Tend orig/ins.	TPI #
Cervical	occipitalis						
Cervical	semispinalis capitus						
Cervical	splenius capitus						
Cervical	sternocleidomastoid						
Cervical	scalenes						
Cervical	scalene anterior						
Cervical	scalene medius						
Cervical	scalene posterior						
Cervical	levator scapulae						
T-spine	trapezius						
T-spine	rhomboid minor						
T-spine	rhomboid major						
T-spine	supraspinatus						
T-spine	infraspinatus						
T-spine	spinalis thoracis						
T-spine	longismus thoracis						
T-spine	teres major						
T-spine	teres minor						
T.anterior	pectoralis major						
T.anterior	pectoralis minor						
T.anterior	serratus superior						
T.anterior	serratus inferior						
L-Spine	quadratus lumborum						
L-Spine	external abd. oblique						
L-Spine	iliocostalis lumbor.						
L-Spine	internal abd. oblique						
Pelvis	gluteus medius						
Pelvis	gluteus maximus						
Pelvis	gluteus minimus						
Pelvis	iliopsoas						
Pelvis	oburator internus						
Pelvis	piriformis						
Pelvis	quadratis femoris						
Pelvis	superior gemellus						
Pelvis	tensor fasciae latae						



Provider signature _____ MD DO PA Printed name _____