

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name A.C. & T. Falling Waters	Facility Type Food Service Establishment	
Licensee Name A.C. & T. Co., Inc	Facility Telephone # 304 274-1312	
Facility Address 18 Darla Ave Falling Waters, WV	Licensee Address RR 11535 Hopewell Rd. BOX 4217 Hagerstown, MD 21741	
Inspection Information		
Inspection Type Routine	Inspection Date 10/04/2017	Total Time Spent 1.42

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Chicken Walk-In	36
AC+T Walk-In	34
Norlake	40
True Prep Unit	39
Alto-Sham	139
Subway Refrigerator	39
Subway Case 1	36
Subway Case 2	35
AC+T Chicken Case	139
NuVu Hot Hold	36
Creamer cooler	38
2 walk in cooler	136
Hot dog roller	135
cHEESE WARMER	
Proofer	

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay Bucket	Chemical		300	Quat	
Subway bucket	chem		30	Quat	
em			0	at	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 4
Repeated # 2
3-101.11 - SAFE, UNADULTERATED & HONESTLY PRESENTED
This is a critical violation
OBSERVATION: Dented Cans.
4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE
This is a critical violation
OBSERVATION: Inside of F'real milkshake machine needs cleaned (mold)
4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE
This is a critical violation
REPEAT OBSERVATION Slicer needs cleaned
4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE
This is a critical violation
OBSERVATION: (CORRECTED DURING INSPECTION): Can opener blade needs cleaned

Observed Non-Critical Violations

Total # 6

Repeated # 2

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Merrychef oven needs repaired/ parts ordered

4-501.12 - CUTTING SURFACES

REPEAT OBSERVATION Cutting boards need replaced/re-surfaced

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Vent cover in Norlake refrigerator need cleaned

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

REPEAT OBSERVATION Clean pans/storage bins are being stored or stacked without being air-dried first..

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: Plastic piece on chicken upright needs repaired (by gasket)

6-501.16 - DRYING MOPS


OBSERVATION: Mops need to air dry

Inspection Outcome

Comments

Disclaimer

Person in Charge



Jessica Norris

Sanitarian



Keith Allison