

West Virginia Department of Health & Human  
Resources  
Morgan County Health Department



**FOOD ESTABLISHMENT INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Country Inn	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 110 South Washington St. Berkeley Springs, WV	Licensee Address	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date June 26, 2018	Total Time Spent 2.00

<b>Equipment Temperatures</b>	
Description	Temperature (Fahrenheit)
Cooler	38
Freezer	13.5
Condiment Cooler	35
Freezer	5
Condiment Cooler	38
Cooler	36
Chest Freezer	0.5
Chest Freezer	1.0
Walk In Cooler	34
Walk In Freezer	-5
Bar Cooler	27

<b>Warewashing Info</b>					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishwasher			400		

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

<b>Observed Critical Violations</b>
<b>Total # 1</b> <b>Repeated # 10</b>  4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE Observation: Food residue on utensils Corrective Action(s):

<b>Observed Non-Critical Violations</b>
<b>Total # 19</b> <b>Repeated # 10</b>

**3-305.11 - FOOD STORAGE**

Observation: Food stored on floor in walk-in freezer.

Corrective Action(s):

**3-305.11 - FOOD STORAGE**

Observation: Food stored on floor in dry food storage.

Corrective Action(s):

**4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED**

REPEAT OBSERVATION Fryer needs cleaned.

Corrective Action(s):

**4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED**

REPEAT OBSERVATION Front and back microwaves need cleaned.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION Food residue in front condiment cooler.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

REPEAT OBSERVATION Food residue in cooler near cooking equipment.

Corrective Action(s):

**4-602.13 - NONFOOD CONTACT SURFACES**

Observation: Shelves; floors; and vents need cleaned in walk-in cooler.

Corrective Action(s):

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

Observation: Walk-in freezer needs defrosted and repaired.

Corrective Action(s):

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

Observation: Front condiment cooler needs repaired.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Walls behind cooking equipment need cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Dishwashing equipment underneath needs cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: Fans in back storage room need cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: Vent above 3-bay sink in back kitchen needs cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Pull cart needs cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: 3-Bay sink in back kitchen needs cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Food residue underneath sink near cooking equipment.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

Observation: A/C in dishwashing room needs cleaned.

Corrective Action(s):

**6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS**

REPEAT OBSERVATION Front kitchen floors need cleaned. Especially underneath cooking equipment.

Corrective Action(s):

**6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION**

REPEAT OBSERVATION Hood vents need cleaned.

Corrective Action(s):

***Inspection Outcome***

***Comments***

Disclaimer

Person in Charge

Sanitarian

**Tim Zeigler**