

Dear Unit Owners,

Insurance companies offer many discounts to homeowners.

In this section of our WEBSITE, we have provided documentation that your insurance agent may request in order for you to receive those discounts.

Letter from the Manager to the Insurance Company Confirmation of Life Safety Inspection Services Certificate of Compliance of Sprinklers from Lee County Certificate of Compliance of Fire Alarms from Lee County Flood Insurance Policy Wind Mitigation Affidavit

Thank you,

Lyn Haars, CAM Community Association Manager



To Whom It May Concern:

This letter serves to inform you that the Florencia at the Colony building is fully sprinklered with a central station fire alarm.

Enclosed you will find supporting documentation.

If you have any questions or need any additional information, please do not hesitate to contact me at 239.949.3114.

Thank you

Lyn Haars, CAM Community Association Manager

Encl: Confirmation of Life Safety Inspection Services
Certificate of Compliance for Sprinklers from Lee County
Certificate of Compliance for Fire Alarms from Lee County





Lee County, Florida Division of Development Services Certificate of Compliance Sprinklers

Date:

08/03/2007

PERMIT NUMBER:

FIR2008-01364

Owner Name:

WCI COMMUNITIES INC

Job Address:

23850 VIA ITALIA ÇIR

Contractor FSC001137 WAYNE AUTOMATICIFIRE SPRINKLERS INC IAddress: 2321 BRUNER LANE

FORT MYERS FL 33912-1904

Description:

SPRINKLERS - 4039 HEADS - STANDPIPE - 4 RISERS

Project Name:

FLORENCIA

Strap:

17-47-25-B2-00001,0000

This certificate should not be construed as a certificate of occupancy. Additional permitting and/or a certificate of occupancy may be required prior to occupancy.

BUILDING OFFICIAL





Lee County, Florida Division of Development Services Certificate of Compliance

Fire Alarms

Date:

08/03/2007

PERMIT NUMBER:

FIR2006-01594

Owner Name:

WCI COMMUNITIES INC

Job Address:

23850 VIA ITALIA CIR

Gentractor EFC000551 SIMPLEX GRINNELL LP

8450 METROPLEX DRIVE

FORT MYERS FL 33912

Description:

FIRE ALARMS WITH 799 DEVICES/monloring

Project Name:

FLORENCIA

Strap:

17-47-25-B2-00001.0000

This certificate should not be construed as a certificate of occupancy. Additional permitting and/or a certificate of occupancy may be required prior to occupancy.

BUILDING OFFICIAL



Assurance Letter Request Form

Resident Name			_
Association Name			_
Street Address	h	 	_
Unit Number		 	_
City, State, Zip			-
Phone Number			· -
Email Address			-
Insurance Company	Name _	 	
Insurance Company	Contact		
Insurance Company	Fax/Email _	 	
Printed Name:			
Signature:			

Please send completed forms to Donna Keaton via fax at (239) 433-3263 or email to djkeaton@waynefire.com. Please note it takes **72 to 96 hrs** to process.

If you have any questions I can be reached at (239) 433-3030 X 1226



Policy Number: 99040563342017

FLOOD POLICY DECLARATIONS Hartford Insurance Company of the Midwest



010101

Type: Renewal

Policy Period: 08/16/2017 08/16/2018

Original New Business Effective Date: 08/16/2007

Reinstatement Date:

Form: RCBAP

Standard Policy

For payment status, call: (888) 245-7274

These Declarations are effective

as of: 08/16/2017 at 12:01 AM

Producer Name and Mailing Address:

BROWN & BROWN INC
DBA BROWN & BROWN OF FLORIDA INC
1421 PINE RIDGE RD STE 200
NAPLES, FL 34109-2116

Insured Name and Mailing Address: FLORENCIA AT THE COLONY

CONDO ASSOC INC

23850 VIA ITALIA CIR APT 101 BONITA SPRINGS, FL 34134-7123

NFIP Policy Number: 9904056334

Agent/Agency #: 10334-21221-958

Reference #:

Type

Phone #: (239) 262-5143

NAIC Number: 19682

Processed by:

Flood Insurance Processing Center P.O. Box 2057 Kalispell MT 59903-2057

Property Location:

23850 VIA ITALIA CIR BONITA SPRINGS, FL 34134-7122

Daimen Beridenes u

Primary Residence: N Premium Payor: Insured

Flood Risk/Rated Zone: AE Current Zone:

Rates

Community Number: 12 5124 0589 F Community Name: LEE COUNTY*

Coverage

Grandfathered: No
Post-Firm Construction
Program Type: Regular

Other Residential Three or More Floors Elevated With Enclosure

Building Description:

High Rise

Newly Mapped into SFHA:

Elev Diff: 2-

Elevated Building: Y

Includes Addition(s) and Extension(s)
Replacement Cost: \$69,488,615

Number of Units: 116

Deduct | Discount | Sub Total | Premium Calculation

Coverage & Rating

Mortgage Info

Address Info

Property Info

Building:	29,000,000	1.890 /	.045	1,250	14	16,265.00	Premium Subtotal:	16,450.00
Contents:	100,000	.380 /	.120	1,250		185.00	Multiplier:	
Contents	Basement	or Encl	osure	and	<u> </u>		ICC Premium:	9.00
Location:							CRS Discount:	.00
							Reserve Fund Assmt:	2,469.00
	ELEVATED BUILDI ATED FLOOR. SE	NG. COVERAG E PROPERTY N		ITED BELOW ED IN STAND			HFIAA Surcharge:	250.00
FLOOD INSUR	ANCE POLICY.						Federal Policy Fee:	2,000.00
							Probation Surcharge:	.00
							Endorsement Amount:	.00
Coverag	ge Limitations N	lay Apply. S	ee Your	Policy Fon	m for Details	3.	Total Premium Paid:	21,178.00

First Mortgage:

Loss Payee:

Second Mortgage:

Disaster Agency:

Douglas Elliott, President

Terence Shields Secretary



CERTIFICATE OF PROPERTY INSURANCE

DATE (MM/DD/YYYY) 8/8/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

If this certificate is being prepared for a party who has an insurable interest in the property, do not use this form. Use ACORD 27 or ACORD 28. CONTACT NAME: PRODUCER
PRO Brown & Brown Of Florida, Inc. (A/C, No):239-261-8265 1421 Pine Ridge Road, Suite 200 Naples FL 34109 CUSTOMER ID: FLORE-1 INSURER(S) AFFORDING COVERAGE NAIC# INSURED INSURER A: Lloyds of London 85202 Florencia at The Colony INSURER B: Great American Ins. Co. 16691 Condominium Association, Inc. INSURER C: Travelers Indemnity Co of Conn 25658 23850 Via Italia Circle Bonita Springs FL 34134 INSURER D: Safety Specialty Insurance Com 13815 INSURER E: Rockhill Ins Co. 28053 INSURER F: Hartford Ins Co of Midwest 37478

COVERAGES CERTIFICATE NUMBER: 2121009535 RE
LOCATION OF PREMISES / DESCRIPTION OF PROPERTY (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

23850 Via Italia Circle, Bonita Spring, Florida 34134

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR		TYPE OF IN	SURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YYYY)			COVERED PROPERTY	LIMITS
A	Х	PROPERTY		LWH000802	5/1/2017	5/1/2018	х	BUILDING	\$57,480,585
D E	CAUSES OF LOSS DEDUCTIBLES		DEDUCTIBLES	SSW000227 RHS000061	5/1/2017 5/1/2017	5/1/2018 5/1/2018		PERSONAL PROPERTY	\$
_		BASIC	BUILDING		-, -,	, , , , , , , ,		BUSINESS INCOME	\$
		BROAD	CONTENTS					EXTRA EXPENSE	\$
	х	SPECIAL						RENTAL VALUE	\$
		EARTHQUAKE						BLANKET BUILDING	\$
	Х	WIND	INCLUDED					BLANKET PERS PROP	\$
		FLOOD						BLANKET BLDG & PP	\$
	Х	UNITS: 116				- The state of the			\$
]	\$
		INLAND MARINE		TYPE OF POLICY					\$
	CAL	JSES OF LOSS							\$
		NAMED PERILS		POLICY NUMBER]	\$
									\$
В	Х	CRIME		SSA39256740570300	5/1/2017	5/1/2018	Х	EMPL DISHONESTY	\$2,500,000
	TYF	PE OF POLICY							\$
	CR.	IME							\$
С	Х	BOILER & MACH		3Н566223	5/1/2017	5/1/2018	Х	EQUIP BKDOWN	\$59,755,117
		EGOILMEN I RKE	EMADOVVIV						\$
F		OOD- RCBAP		99040563342017	8/16/2017	8/16/2018	х	BUILDING	\$29,000,000
	ZON	IE: AE							\$

SPECIAL CONDITIONS / OTHER COVERAGES (Attach ACORD 101, Additional Remarks Schedule, if more space is required)

PROPERTY: REPLACEMENT COST; COINSURANCE N/A - AGREED VALUE; DEDUCTIBLES: ALL OTHER PERILS \$5,000 PER OCCURRENCE, EXCEPT CALENDAR YEAR NAMED HURRICANE: 2% PER BUILDING PER OCCURRENCE, SUBJECT TO A \$25,000 MINIMUM PER OCCURRENCE; ALL OTHER WINDSTORM/HAIL: \$25,000 PER OCCURRENCE See Attached...

CERTIFICATE HOLDER	CANCELLATION
Florencia at the Colony Condominium Association Inc. 23850 Via Italia Circle	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.
Bonita Springs FL 34134	AUTHORIZED REPRESENTATIVE
	Deha R. Honzally

CANCELLATION

OFFICIOATE USI DED

٨	CENCY	CUSTOMER	ID:	FT.OPF-	٦
м	CIENCI	CUSTOWER	117:	LTOVE-	-1

LOC #:



ADDITIONAL REMARKS SCHEDULE

Page 1 of 1

Brown & Brown Of Florida, Inc. POLICY NUMBER		NAMED INSURED Florencia at The Colony
		Condominium Association, Inc. 23850 Via Italia Circle Bonita Springs FL 34134
CARRIER NAIC CODE		
		EFFECTIVE DATE:

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,					
FORM NUMBER: 24 FORM TITLE: CERTIFICATE OF PROPERTY INSURANCE					
Special Conditions ORDINANCE OR LAW: FULL COVERAGE A, B&C COMBINED LIMIT \$2,500,000 FLOOD: VALUATION: REPLACEMENT COST; DEDUCTIBLE: \$1,250 PER OCCURRENCE *** MAXIMUM LIMIT AVAILABLE THROUGH NATIONAL FLOOD INSURANCE PROGRAM (NFIP)*** CRIME: INCLUDES DSSINATED AGENTS AS EMPLOYEES COVERED FOR EMPLOYEE DISHONESTY ONLY - PROPERTY MANAGER; INCLUDES ALL NON-COMPENSATED OFFICERS AND MEMBERS OF THE BOARD OF DIRECTORS AS EMPLOYEES; INCLUDES VOLUNTEER WORKERS OTHER THAN FUND SOLICITORS AS EMPLOYEES					



CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 5/25/2017

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s). CONTACT NAME: PRODUCER Brown & Brown Of Florida, Inc. PHONE (A/C, No, Ext): 239-262-5143 FAX (A/C, No): 239-261-8265 1421 Pine Ridge Road, Suite 200 E-MAIL ADDRESS: certs@bbnaples.com Naples FL 34109 INSURER(S) AFFORDING COVERAGE NAIC# INSURER A: Philadelphia Indemnity Insuran 18058 INSURED FLORE-1 INSURER B: Florencia at The Colony INSURER C: Condominium Association, Inc. INSURER D : 23850 Via Italia Circle Bonita Springs FL 34134 INSURER E: INSURER F: CERTIFICATE NUMBER: 228498944 **COVERAGES REVISION NUMBER:** THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS. ADDL SUBR INSD WVD POLICY EFF POLICY EXP (MM/DD/YYYY) TYPE OF INSURANCE POLICY NUMBER LIMITS X COMMERCIAL GENERAL LIABILITY PHPK1645194 5/1/2017 5/1/2018 EACH OCCURRENCE DAMAGE TO RENTED \$1,000,000 CLAIMS-MADE X OCCUR \$50,000 PREMISES (Ea occurrence) MED EXP (Any one person) \$5,000 PERSONAL & ADV INJURY \$1,000,000 GEN'L AGGREGATE LIMIT APPLIES PER: GENERAL AGGREGATE \$2,000,000 PRO-JECT POLICY LOC PRODUCTS - COMP/OP AGG \$2,000,000 OTHER: \$ COMBINED SINGLE LIMIT (Ea accident) AUTOMOBILE LIABILITY \$ ANY AUTO BODILY INJURY (Per person) \$ SCHEDULED AUTOS NON-OWNED ALL OWNED AUTOS BODILY INJURY (Per accident) ŝ PROPERTY DAMAGE (Per accident) HIRED AUTOS \$ AUTOS \$ UMBRELLA LIAB OCCUR **EACH OCCURRENCE** \$ EXCESS LIAB CLAIMS-MADE AGGREGATE \$ DED RETENTION \$ WORKERS COMPENSATION STATUTE AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) E.L. EACH ACCIDENT \$ E.L. DISEASE - FA EMPLOYEE \$ If yes, describe under DESCRIPTION OF OPERATIONS below E.L. DISEASE - POLICY LIMIT DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required) 23850 Via Italia Circle, Bonita Springs, Florida 34134 CERTIFICATE HOLDER CANCELLATION SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE Florencia at the Colony Condominium Association Inc. THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN 23850 Via Italia Circle Bonita Springs FL 34134 ACCORDANCE WITH THE POLICY PROVISIONS. AUTHORIZED REPRESENTATIVE Detra R. Hongally

CITIZENS PROPERTY INSURANCE CORPORATION FLORIDA BUILDING CODE COMMERCIAL MITIGATION VERIFICATION AFFIDAVIT

WIND LOSS MITIGATION INFORMATION

MIT-5 (7/2005)

PREMISES #:	SUBJECT OF INSURANCE: PLOKENCIA LUNDOMINIUM POLICY #:
BUILDING #:	STREET ADDRESS: 23850 VIA ITALIA CIRCLE, BONTTA SPRINGS, FL, 34134
# STORIES:	BLDG DESCRIPTION: HIGH RISE KESIDENTIAL BUILDING
BUILDING T	
Ĺ	
l hereby certify Florida Building	sure Category must be provided for each insured location. Ihat the building or unit at the address indicated above TERRAIN EXPOSURE CATEGORY as defined under the Code is (Check One): **DEXposure C** or **DEXposure B** ow for purposes of TERRAIN EXPOSURE CATEGORY above does not require personal inspection of the premises.
Built On or After I hereby certi	of Wind Speed is required to establish the basic wind speed of the location (Complete for Terrain 8 only if Year Jan.1, 2002). fy that the basic WIND SPEED of the building or unit at the address indicated above based upon county wind ed under the Florida Building Code (FBC) is (Check One): □ ≥100 or □ ≥110 or □ ≥120
	f Wind Design is required when the buildings is constructed in a manner to exceed the basic wind speed design a structure location (Complete for Terrain B only if Year Built On or After Jan.1, 2002).
I hereby certif	y that the building or unit at the address indicated above is designed and miligated to the Florida Building Code SIGN of (Check One): ☐ ≿100 or ☐ ≿110 or ☐ ≥120
Cedification for the parties of the	ne purpose of establishing the basic WIND SPEED or WIND SPEED DESIGN above does not require personal premises.
Specify the type of	mitigation device(s) installed;
Roof Coverin	gs
L_I '	ivalent Type I only of coverings installed in accordance with ASTM D 3161 (modified for 110 mph) or Miami Dade County PA 107-95.
1 1	Equivalent - Type I only fshingles not meeting requirements listed above for FBC Equivalent and all other roof covering types.
⇔f Reinforce	d Concrete Roof Type I, II or III
170	ture composed of cast-in-place or pre-cast structural concrete designed to be self-supporting and integrally attached
Level A -	Type II or III
	r types and configurations that do not meet Level B below.
	Type II or III gs that satisfy all of the following conditions and are one of the following types:
1 Buill-Up	j
. Modifie	d Bitumen
3. Spraye	d Polyurethane foam
4. Liquid n	nembrane applied over concrete
5 Asphalt	roll roofing
6. Wood s	hakes in good condition, attached with allieast two mechanical fusteners
7. Ballaste	d raal designed to mad the design wind speed requirements
8. Asphalt	roof coverings installed in accordance ASTMID 3161 (modified for 110 mph) or Miami Cade County PA 107-95
with flash	inical equipment must be adequately lied to the root deck to nests overturning and siding during high winds. Any flat root covering ing or coping must be mechanically attached to the structure with face fosteners (no clipteleat systems); and root coverings on that the 10 years old or less.

CITIZENS PROPERTY INSURANCE CORPORATION FLORIDA BUILDING CODE COMMERCIAL MITIGATION VERIFICATION AFFIDAVIT

Page 2 of 4

⊠ Roc	of Shape
ľ	Hip - Type I only
	Roof having sloping ends and sloping sides down to the eaves line.
	Gable Type I only
	The portion of the roof above eaves line of a double-sloped roof; the end section appears as an inverted V.
	Flat - Type I only
L	A horizontal roof with a pitch less than 10 degrees.
Noo!	l Deck Attachment
	Level A – Type I only Plywood/OSB roof sheathing attached to roof trusses/rafters by 6 penny nails (2* x 0.131* diameter) or greater which are properly spaced at a maximum of 6* along the edge and 12* in the field on 24* fruss/rafter spacking.
L./ E	Or Balten decking of Skipped decking (typically used on roof decks supporting wood shakes or wood shingles).
	Or vrly system of screws, neits, adhesives, other roof dock festening systems or trusstrafter spacing that has an equivalent mean plift resistance of 56 pounds per square loot or more as evidenced by laboratory uplift tests on full size sheets of plywood/OSB.
l is	evel B ~ Type I only lywood/OSB roof sheathing with a minimum thickness of W attached to roof trusses/rafters by 8 penny (2.5" x 0.131" diameter) are properly spaced at a maximum of 6" along the edge and 12" in the field on 24" truss/rafter spacing.
A	ry system of screws, nails, adhesives, other roof deck fastening systems or truss/rafter spacing that has an equivalent mean offit realstance of 103 pounds per square foot or more as evidenced by laboratory upliff leats on full size sheets of ywood/OSB.
Di	evel C — Type I only ywood/OSB sheathing with a minimum thickness of ½" attached to roof trusses/rafters by 8d (2.5" x 0.131" diameter) naits nich ere property spaced at a maximum of 6" along the edge and 6" in the field on 24" truss/rafter spacing.
	r mensional Eumber or Tongue' & Groove deck roof composed of 3/4" thick boards with nominel widths of 4" or more.
ир	y system of screws, nalls, adhesives, other roof deck fastening systems or truss/rafter spacing that has an equivalent mean lift resistance of 182 pounds per square foot or more as evidenced by laboratory uplift lests on full size sheets of wood/OSB.
[] Le	vel A – Wood or Other Deck Type II only
۵r	
Or	chilectural (non-structural) metal panels that require a solid decking to support weight and loads.
Olf	er roof decks that do not meet Levels S or C below.
Le Me	vel B Metal Deck Type II or III lal roof deck made of structural panels that span from joist to joist.
y A ro	rel C ~ Reinforced Concrete Roof Deck Type I, If or III of structure composed of cast-in-place or pre-cast structural concrete designed to be self-supporting and integrally attached rak/support system.
Second	ary Water Resistance
☐ Und	derlayment
A se bene insta per t	elf-adhering polymer modified bitumen roofing binderlayment (thin rubber sheets with peel and stick underside located teath the roof covering and normal felt underlayment) with a minimum width of 6° meeting the requirements of ASTM D 1970 (fied over all plywood/CSB joints to protect from water intrusion. All secondary water resistance products must be installed the manufacturer's recommendations. Roofing felt or similar paper based products are not acceptable for secondary water fance.
∏ Foa A foa	med Adhesive med polyurelhane shealhing adhesive applied over all joints in the root sheathing to protect interior from water intrusion.

CITIZENS PROPERTY INSURANCE CORPORATION FLORIDA BUILDING CODE COMMERCIAL MITIGATION VERIFICATION AFFIDAVIT

Page 3 of 4

R	oof-Wall Connection
	Toe-Nail Type I only Rafter/truss anchored to top plate of wall using nails driven at an angle through the rafter/truss and attached to the top plate of the wall.
	Clips - Type I only Metal clips installed on each truss/rafter that attach to the side only of the truss/rafter member and to the wall frame. Metal clip should be free of severe corrosion, have a minimum of 3 naits into the truss/rafter and 3 naits into the wall.
	Single Wraps - Type I only Metal straps installed on each truss/rafter that wrap over the top of the truss/rafter and attach to the well frame in one location. Metal strap should be free of severe corrosion, have a minimum of 3 nails into the truss/rafter and 3 nails into the wall.
	Double Wraps - Type I only Metal straps installed on each truss/rafter that wrap over the top of the truss/rafter and attach to the wall frame in two locations. Metal strap should be free of severe corrosion, have a minimum of 3 nails into the truss/rafter and 3 nails into the wall at each location.
NA .	
Oper Oper	ning Protection
, ,	Class A (Hurricane impact) — All glazed openings (windows, skylights, skiding glass doors, doors with windows, etc) less than 60 leet above grade must be protected with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact esistant glazing that meet the requirements of one of:
	☐SSTD12; ☐ASTM E 1886 and ASTM E 1996 (MissHe Level C - 9 lb);
	Miami-Dade PA 201, 202, and 203; or Florida Building Code TAS 201, 202 and 203.
A	Il glazed openings between 30 and 60 feet above grade must maet the Small Missile Test of the respective standard. All glazed penings less than 30 feet above grade shall meet the Large Missile Test of the respective standard.
D C pr re sr	Jass B (Basic Impact) - All glazed openings (windows, skykints, sliding glass doors, doors with windows, etc) must be obtacled with impact resistant coverings (e.g. shutters), impact resistant doors, and/or impact resistant glazing that meet the quirements of ASTM E 1886 and ASTM E 1998. All glazed openings between 30 and 60 feet above grade must meet the nail Missile Test of the standard. All glazed openings less than 30 feet above grade shall pass testing for the Missile Level B - 5 lb.)
CÍ cí	ass C (Non-Impact Type I only) - All glazed openings (windows, skylights, sliding glass doors, doors with windows, etc) let be protected with shuffer devices or wood structural panels that have the following characteristics.
a.	Compated storm panels made of Steel, Aluminum, or Polycarbonate in which individual panels are no wider than 14" and have a nominal profile of 2" or greater.
b.	Roll-Up shutters with aluminum stats
C,	Accordion shutters with aluminum slats.
ď.	Colonial or Baharna shutters with the all the following features:
	i Heavy gauge metal frames ii. Extruded aluminum slats, that are anchored to both sides of frame, or solid metal backing plate in place behind slats iii. Sinuctural hinges
	iv. Mechanism to lock shutters closed during a storm
şirən glaze 1606	d Structural Panels – (One or two story buildings) All glazed openings must be protected by plywood or OSB (oriented diporally with a minimum thickness of 7/16 finch and maximum panel span of 8 feet. Panels must be precul to cover the diporally with attachment hardware provided. Panels must be fastened according to the Florida Building Code Table 1.4 for locations where design wind speed is 130mph or less. For locations with design wind speed greater than 130 mph, aments shall be designed to resist component and cladding loads of the FBC.

CITIZENS PROPERTY INSURANCE CORPORATION FLORIDA BUILDING CODE COMMERCIAL MITIGATION VERIFICATION AFFIDAVIT

Page 4 of 4

CERTIFICATION	•
I certify that I am (CHECK ONE OF THE FOLLOWING):	
☐ a resident Licensed General, Residential, or Building Contractor, ☐ Registered Architect or ☑ an Engineer in the State of Florida, or ☐ a authorized by the State of Florida or its county's municipalities to verify building	Building Code Official (who is duly
l also centry that I personary inspected the premises at the Location Address listed professional opinion, based on my knowledge, information and belief, I certify that the abo	above on the date of this Affidavit. In my ove statements are true and correct.
This Affidavit and the Information set forth in it are provided solely for the purpose of characteristics exist at the Location Address listed above and for the purpose of permitit insurance premium discount on insurance provided by Clitzens Property Insurance C undersigned does not make a health or safety certification or warranty, express or implicit shall be construed to impose on the undersigned or on any entity to which the undersigned or on any entity to which the undersigned or the named insured or to any other person or entity.	ng the Named Insured to receive a property corporation and for no other purpose. The ed. of any kind, and nothing in this Affidavit
Name of Company: BOB RUDE STRUCTORES, INC. Date: 6/27/07 -7 Signature: Park Company: R. 1945	License # 44553 Phone: (239) 277-7771
Applicant's Signature:	Date:

"Any person who knowingly and with intent to injure, defraud, or deceive any insurer files a statement of claim or an application containing any false, incomplete, or misleading information is guilty of a fellony of the third degree."

M1T-5 (7 2005)