

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Pownall's Bistro	Facility Type Food Service Establishment	
Licensee Name Don Pownall	Facility Telephone # 304	
Facility Address 1591 Winchester Ave Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 10/23/2017	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Sandwich cooler	37
Beverage Air Cooler	39
Walk in cooler	36
Front hot case	137
Soda case Large	38
Soda case small	38
Pizza Prep	36
Hot Hold	137

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Santizerbucketkitchen3-Bay	ChemicalChemic al		300	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 1 4-602.11 - EQUIPMENT FOOD-CONTACT SURFACE This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): Slicer needs cleaned

ObservedNon-CriticalViolations
Total # 3 Repeated # 1 4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION OBSERVATION: Gaskets on Beverage Air freezer/Drawers need replaced (torn) 4-602.13 - NONFOOD CONTACT SURFACES OBSERVATION: 2-Door freezer beside Mixer needs cleaned 6-501.14 - CLEANING VENTILATION SYSTEMS, NUISANCE, AND DISCHARGE PROHIBITION REPEAT OBSERVATION Grill hood vents need cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge



Alvin Chrisman

Sanitarian



Keith Allison