

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Sheetz Springmills	Facility Type Food Service Establishment	
Licensee Name Sheetz Inc.	Facility Telephone # 304 271-8712	
Facility Address 5175 Hammonds Mill Rd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 07/25/2018	Total Time Spent 1.47

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Fried food warmer	
Grill food cooler	39
Hot dog roller	
Drink cooler	39
Walk in cooler	37
Sandwich cooler	40
Breakfast cooler	39
Hot cheese machine	136
Half and half machine	37
Half and Half 2	39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dishmachine3bay sink	chemchem				

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 3

Repeated # 0

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Walk in cooler racks need cleaned, old food stuffs on racks

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: (CORRECTED DURING INSPECTION): Sandwich case needs racks cleaned

4-601.11(A) - FOOD CONTACT SURFACES AND UTENSILS

This is a critical violation

OBSERVATION: Inside the ice machine needs cleaned, mold

Observed Non-Critical Violations

Total # 4

Repeated # 0

4-502.11 - GOOD REPAIR AND CALIBRATION

OBSERVATION: Drink cooler gasket needs repaired, torn

4-601.11(B) - COOKING EQUIPMENT AND UTENSILS

OBSERVATION: Hot fry food keeper needs grate cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Salt and spice holders (stainless steel) need cleaned in the dry storage area

4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED

OBSERVATION: Clean plastic pans are being stored or stacked without being air-dried first..

Inspection Outcome

Comments

Disclaimer

Person in Charge

Sanitarian



dolly wetzel



Glenn GCO Ondick