

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Berkeley County Meals on Wheels Inc	Facility Type Food Service Establishment	
Licensee Name Berkeley County Meals on Wheels Inc	Facility Telephone # 304	
Facility Address 116 E King St Martinsburg , WV	Licensee Address 116 E King St Martinsburg , WV 25401	
Inspection Information		
Inspection Type Opening	Inspection Date 01/17/2019	Total Time Spent 1.25

Equipment Temperatures	
Description	Temperature (Fahrenheit)
3 door stainless refrigerator	39 scan
3 door refrigerator by window	36
KD 3 door refrigerator	34

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 0</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: slicer needs to be cleaned around blade guard</p>

ObservedNon-CriticalViolations

Total # 5

Repeated # 0

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: (CORRECTED DURING INSPECTION): Thermometer used in 3 door refrigerator not accurate-reading 20-scan of 39

4-302.12 - TEMPERATURE MEASURING DEVICES

OBSERVATION: probe thermometer needs to be calibrated(demonstrated)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: shelving needs cleaned in 3 door stainless refrigerator near dishmachine

6-202.11 - LIGHT BULBS, PROTECTIVE SHIELDING

OBSERVATION: canned goods room-shatterproof ceiling light bulb or globe needed

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: sanitizing sink-pipe beneath sink leaking

Inspection Outcome

Comments

Email temperature chart to Dianne

Have chlorine test strips, bleach, gloves, hairnets, Grease Trap letter, Pest control, 2005 Food Code on laptop, Hood inspection

*Currently the dishmachine is not "feeding chlorine"and must be serviced or use 3 bay sink-KD Court

Permit given to operate

Disclaimer

Person in Charge

Sanitarian



Amy ARE Edwards