

West Virginia Department of Health & Human
Resources
Morgan County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Berkeley Springs Brewing Company	Facility Type Food Service Establishment	
Licensee Name (Owner Not Set)	Facility Telephone #	
Facility Address 91 Sugar Hollow Rd. Suite D Berkeley Springs, WV	Licensee Address	
Inspection Information		
Inspection Type Routine	Inspection Date June 29, 2018	Total Time Spent 1.00

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Condiment Unit	41
Cooler	35
Freezer	16
Walk-In Cooler	36
Bar Cooler	34
Bar Cooler	40.5

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 0

Observed Non-Critical Violations
Total # 4
Repeated # 0
2-301.16 - HAND SANITIZERS Observation: No soap in restrooms. Corrective Action(s):
4-602.12 - COOKING AND BAKING EQUIPMENT - NOT CLEANED Observation: Kitchen cooking equipment needs cleaned. Corrective Action(s):
4-602.13 - NONFOOD CONTACT SURFACES Observation: Condiment cooler needs cleaned. Corrective Action(s):
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR Observation: Hand washing sink needs repaired.

Corrective Action(s):

Inspection Outcome

Comments

Hand washing sink needs repaired. Part was ordered. Will be fixed by tomorrow (6/30/18).

Disclaimer

Person in Charge

Sanitarian

Tim Zeigler

A handwritten signature in blue ink, appearing to be 'K. Zeigler', is written over the 'Person in Charge' label.