

**West Virginia Department of Health
& Human Resources
Berkeley County Health Department**

No image found with name: Berkeley.png. Image files needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name The Food Shack	Facility Type Food Service Establishment
Licensee Name Gina Butts	Facility Telephone # 304 260-5801
Facility Address 1193 Winchester Ave Martinsburg, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 10/31/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Pepsi Refrigerator	40
Sandwich Prep	38
Walk-In	36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Baysink	Chemical		100	Quat	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 0
Repeated # 5

Observed Non-Critical Violations
Total # 6
Repeated # 5
4-602.13 - NONFOOD CONTACT SURFACES
REPEAT OBSERVATION Inside of microwave needs cleaned (top)
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
REPEAT OBSERVATION Cracked/damaged floor tiles around establishment need repaired/replaced.
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
REPEAT OBSERVATION Hot water faucet on 3-Bay sink leaking and needs repaired.
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
REPEAT OBSERVATION Wall at mop sink needs repaired/replaced
6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR
REPEAT OBSERVATION Hole around A/C unit needs sealed (Possibly could fall out) Possible rodent entrance
6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS
OBSERVATION: Wind Machine floor fan needs cleaned

Inspection Outcome

Comments

Disclaimer

Person in Charge


Lisa Rickard

Sanitarian


Keith Allison