INSPECTION CERTIFICATE

Name:

Elevator

Type: SLX 8 1/150

Dispatch No. 81147

The elevator is designed and manufactured in according to API spec 8A/8C. It has been qualified

through inspection and allowed to dispatch.

Inspector:

Date:

Song Jian Hua



JIANGSU RUDONG GENERAL MACHINERY CO., LTD

JIANGSU RUDONG GENERAL MACHINERY CO., LTD Low Temperature Test Report

No.: QR-

Sample Name	Casing Elevator	g Elevator Type		
Serial No.	81147	Qty	1 (Pcs)	
Material	Alloy Steel	Sample Size	10X10X55	
Gap Types	V-type	Test Temperature	-40°C	
Tester Model	JB30B	Tester Against Energy	150J	
Validity Of The Verification Test	2009.09.19	Test Method	GB/T229-1994	
Acceptance Standards	API Spec 8C PSL-2	Akv (J) Shock Absorption Power	39、39、40	

Test Results:

OK

Inspector: Wu Zeng Yi

Audit: Ge Wei Bing

Date: 11/22/2008


DEDICATED STAMP FOR

JIANGSU RUDONG GENERAL MACHINERY CO.,LTD MAGNETIC PARTICLE INSPECTION CERTIFICATE

NO.: QR049-

110.1 (10.1)			
Туре	SLX8.5/8/150		
Qty.	1 (Pcs)		
Face estate	12.5		
rea thickness	See below		
Method of agnetization	Continuum		
Sensitivity	A 15/100		
eceptance Std	GB9444 ASTM E709		
	eceptance Std		

Test extent and place of assess casing:



Find type of disfigurement and dimension(give clear indication of position in up map):

Nonexistence

Quality grade of assess and/or conclusion:

OK

Inspector	Wu Zeng Yi	Auditing	Ge Wei Bing	Date(Badge of department) DEDICATED STANFORM PROPRIET INSPECTION	137
-----------	------------	----------	-------------	--	-----

JIANGSU RUDONG GENERAL MACHINERY CO.LTD

LOAD TEST REPORT

SI.NO.: QR350-

	The second second			31.11O QI		
Sample so	ource	Set up at plant				
Descript	otion Elevator		Туре	SLX8.5/8/150	Qty.	1Pcs
Method of s	sample 100%		Sample Qty.	1	Sample No	81147
Test std A		API Spec 8C	Character	Leave factory	Condition	20℃
	Name	Test-bed of compute control	Type	YEW-10000F	Equipment No.	301
Test equipment	Precision	±1.0%	Period of validity	09.08.07	Test Date	07.08.08
Load rati	ing	150ton	Test load	225ton	Load time	5 mins
		R	ESULT			
Actual test	load	225ton(2025kN) Load-Time			ne	
Test	Load (kN) 1	400 600 0.00 100.0 200.0 Time (s	300.0 400.0 5	Handracha		
TEST RESULT:						