

West Virginia Department of Health & Human Resources

Berkeley County Health Department



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Green House road home	Facility Type Food Service Establishment
Licensee Name Stonebrook	Facility Telephone # 304
Facility Address 244 Pitzer Chapel Rd Kearneysville, WV	Licensee Address ,

Inspection Information		
Inspection Type Routine	Inspection Date 04/05/2017	Total Time Spent 0.97

Equipment Temperatures	
Description Refrigerator	Temperature (Fahrenheit) 39

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bleachbottle	chem		+200ppm	bleach	

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
Total # 1 Repeated # 0 4-501.114 - MANUAL AND MECHANICAL WAREWASHING EQUIPMENT - SANITIZER NOT BEING USED PER MANUFACTURER <i>This is a critical violation</i> OBSERVATION: (CORRECTED DURING INSPECTION): +200 ppm bleach in the bottle

Observed Non-Critical Violations
Total # 0 Repeated # 0

Inspection Outcome

Comments

Disclaimer

Person in Charge

Michele Kammerdiener

Sanitarian

Glenn GCO Ondick