



FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

NUMBER OF VIOLATIONS: CRITICAL 0 NONCRITICAL 12 TOTAL 12

ESTABLISHMENT: Camp Krome PERMIT NO.: 1362 DATE: June 4, 2019
 ADDRESS: 1362 Camp Krome Rd CITY: Hedgesville STATE: WV ZIP: 26042
 PERSON IN CHARGE/TITLE: Jessica Smalley TELEPHONE: 304 754 7468
 RECEIVED BY (SIGNATURE): Jessica Smalley SANITARIAN (SIGNATURE): Omeg Edwards
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: TIME: 10:10

Corrected	Critical	Repeat	Code Reference	Violation Description/Remarks/Corrections
<input checked="" type="checkbox"/>			6501.12	Hand sink needs cleaned
		<input checked="" type="checkbox"/>	6501.11	Ceiling needs repaired above dish machine + wall
			6501.12	Walkin fan covers need cleaned
<input checked="" type="checkbox"/>			6501.12	Walkin - outside of door needs cleaned
		<input checked="" type="checkbox"/>	4501.11	can opener - new blade needed
			4602.13	clean unused white refrigerator before using
			4302.12	thermometer needed for white refrigerator
		<input checked="" type="checkbox"/>	6501.12	locks need cleaned
			4203.11	calibrate probe thermometer + battery for digital
			6501.12	clean restrooms (floor - light covers eye)
			6501.11	walls water damaged by ice machine + in restrooms hallway
			4501.11	Walk-in needs checked for no. to keep good temperature - Temp 40.5 but took a period of time
				gloves
				bleach
				chlorine test strips

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
<u>Dish Machine</u>	<u>120ppm</u>	<u>Walkin</u>	<u>40.5</u>				