



West Virginia Department of Health & Human Resources
Berkeley County Health Department

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of **Priority** items and 10 calendar days for **Priority Foundation** items or **HACCP** Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS: _____ PRIORITY: 0 PRIORITY FOUNDATION: 0
CORE: 0 TOTAL: 0

ESTABLISHMENT: F+G PERMIT NO.: _____ DATE: 11/4/2019
 ADDRESS: 394 Development Ave. CITY: Martinsburg STATE: WV ZIP: _____
 PERSON IN CHARGE/TITLE: X JUSTIN MEYER TELEPHONE: _____
 RECEIVED BY (SIGNATURE): X [Signature] SANITARIAN (SIGNATURE): [Signature]
 INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: 1:30 pm.

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
				- Report of no hot water in building.
				- Kitchen is closed. Water heaters are being worked on at this time.
				Resume normal operation once water heater is repaired.

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM