

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name CVS #1429	Facility Type Retail Food Store	
Licensee Name CVS of West Virginia, Inc,	Facility Telephone # 304 267-0541	
Facility Address 1200 Edwin Miller Blvd Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 12/13/2017	Total Time Spent 1.50

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Walk-In/milk freezers	40 -4--9

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 4 Repeated # 1</p> <p>3-202.15 - PACKAGE INTEGRITY This is a critical violation OBSERVATION: several dented cans found on shelves</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: Gold Peak cold brew coffee(almond toffee) drink for sale past Nov 2017 date and also Green Tea citrus with Nov 2017 date</p> <p>4-601.11 - EQUIPMENT, FOOD CONTACT SURFACES, AND UTENSILS This is a critical violation OBSERVATION: walkin shelving needs a thorough cleaning(mold observed in several areas)</p> <p>6-501.111 - CONTROLLING PESTS This is a critical violation OBSERVATION: mouse droppings observed in storeroom on both food and beauty supply shelving (bait boxes and glue boards seen) All shelving needs cleaned</p>

ObservedNon-CriticalViolations

Total # 10

Repeated # 1

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: left fan inside bagged ice unit not working

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: inside bottom of freezers and white ice cream novelty bins need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: front vents on refrigerator/freezer units need cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: inside bottom of left beer cooler needs cleaned

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: restrooms-paper towel holders need replaced

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

REPEAT OBSERVATION mens restroom-hole in wall

6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR

OBSERVATION: 2 ceiling lights out in walkin cooler(check on reason for standing water in light globe)

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: walkin-floor and walls need cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: both restrooms need cleaned-ceiling vents, floor, toilet and walls

6-501.13 - CLEANING FLOORS, DUSTLESS METHODS

OBSERVATION: floor needs cleaned in storeroom

Inspection Outcome

Comments

*Watch Best by dates on : candy located in Premium Chocolate endcap Aisle 11; frozen food(fish stix and DiGiorno pizza); items in Protein supplement aisle; LaraBar(front counter); Kind Oats and honey clusters(9/17); Cascadian farm fruit and nut cereal(11/17); Kind peanut butter/chocolate bars(10/17); Organic Bunny fruit snacks(10/17)

**Will perform a reinspection in 2 months for violation corrections-Will need pest control invoice

Disclaimer

A re-inspection to assess your correction of these violations will be conducted on, or about,
02/13/2018

Person in Charge



Sanitarian



Amy ARE Edwards