

Berkley Co

FOOD ESTABLISHMENT INSPECTION REPORT

Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 72 hours of Priority items and 10 calendar days for Priority Foundation items or HACCP Plan deviations. (§ 64 C.S.R. 17-3.1.j.)

OBSERVATION TOTALS

PRIORITY: 5

PRIORITY FOUNDATION: 5

CORE: 5

TOTAL: 5

ESTABLISHMENT: *Martinsburg Little League* PERMIT NO.: _____ DATE: *June 26, 2020*
 ADDRESS: *(107 Daniel St)* CITY: *Martinsburg* STATE: *WV* ZIP: *25401*
 PERSON IN CHARGE/TITLE: *X Joel Henderson BOD* TELEPHONE: _____
 RECEIVED BY (SIGNATURE): *X [Signature]* SANITARIAN (SIGNATURE): *Amey Edwards RS*

INSPECTION TYPE: ROUTINE FOLLOW-UP COMPLAINT OTHER: _____ TIME: *10AM*

Corrected	Priority	Repeat	Code Reference	Violation Description/Remarks/Corrections
				<i>Orderable Part</i>
			<i>4602.13</i>	<i>shelves in Gastroc refrig need cleaned</i>
			<i>4602.13</i>	<i>clean outside of quen cooler (stored in cabinet)</i>
			<i>4501.11</i>	<i>100 freezer needs defrosted</i>
			<i>6501.11</i>	<i>ceiling lights in 3 bay sink area need replaced</i>
			<i>6501.11</i>	<i>replaced stained ceiling tile / damaged tile replaced</i>
				<i>masks for COVID</i>
				<i>gloves</i>
				<i>steromine tablets / test strips</i>

Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM	Unit/Location/Item	Temp/PPM
<i>Gastroc Trig</i>	<i>35</i>	<i>Wife Refrig</i>	<i>37</i>	<i>empty frige</i>	<i>8</i>	<i>uprights</i>	<i>0, 1</i>
				<i>empty frige</i>	<i>-2</i>	<i>frigs</i>	
				<i>by date way</i>			

Noe Hyl
Recy 1