

**West Virginia Department of  
Health & Human Resources  
Berkeley County Health  
Department**



**FOOD ESTABLISHMENT INSPECTION REPORT**

**Establishment Information**


Facility Name	Facility Type
Quad Graphics	Food Service Establishment
Licensee Name	Facility Telephone #
Quad Graphics	304 260-7322
Facility Address	Licensee Address
855 Caperton Blvd	
Martinsburg, WV	

**Inspection Information**

Inspection Type	Inspection Date	Total Time Spent
Routine	March 28, 2019	1.75

**Equipment Temperatures**

Description	Temperature (Fahrenheit)
Cart Cold	39
Cart Hot	150
Coca-Cola	39
Pepsi	39
True	38
Victory 1	38
Traulsen	40
Wittco	143
Hoshizaki	40
Victory 2	38
Walk-In	35
Dr Pepper	40
Victory 2-Door	38
Soup	147



**Warewashing Info**

Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Bucket	Chemical				
Dishwasher	Heat	160		Heat	

**OPERATOR** - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

**Observed Critical Violations**

**Total # 0**  
**Repeated # 0**

**Observed Non-Critical Violations**

**Total # 4**  
**Repeated # 2**

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Upright Frigidaire freezer needs defrosted

**4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION**

REPEAT OBSERVATION Gasket on Dr. Pepper refrigerator/2-Victory Prep units need replaced (torn)

**4-901.11 - EQUIPMENT AND UTENSILS, AIR DRYING REQUIRED**

**OBSERVATION:** Clean pans are being stored or stacked without being air-dried first..

**6-501.11 - PHYSICAL FACILITIES - GOOD REPAIR**

**OBSERVATION:** Wall in lobby by keypads for gates needs repaired/repainted.

**Inspection Outcome**

**Comments**

Disclaimer

Person in Charge

  
**Vincent Trezza**

Sanitarian

  
**Keith Allison**