

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name Spring Mills Concession-Indoor	Facility Type Food Service Establishment	
Licensee Name Berkeley County Board of Education	Facility Telephone # 304	
Facility Address 499 Campus Drive Martinsburg , WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 08/03/2018	Total Time Spent 0.48

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Refrigerator-left	40
Refrigerator -right	could not take temp

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 4 Repeated # 0</p> <p>3-304.11 - FOOD CONTACT WITH EQUIPMENT AND UTENSILS This is a critical violation OBSERVATION: product found in ice machine-contamination of ice-Not approved</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: box of moldy bread on shelf</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: right refrigerator-whole pack of hotdogs expired March 2018</p> <p>3-501.18 - READY-TO-EAT, POTENTIALLY HAZARDOUS FOOD, DISPOSITION This is a critical violation OBSERVATION: left refrigerator-moldy and expired food in unit</p>

Observed Non-Critical Violations

Total # 6

Repeated # 0

3-305.11 - FOOD STORAGE

OBSERVATION: cases of water on floor-should be stored 6" off floor

4-302.14 - SANITIZING SOLUTIONS, TESTING DEVICES

OBSERVATION: chlorine test strips needed

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: hot hold box needs cleaned before using

6-501.114 - MAINTAINING PREMISES, UNNECESSARY ITEMS AND LITTER

OBSERVATION: popcorn machine-not clean-is it working? If not working, then remove

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: floor drain needs cleaned

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: back room needs cleaned and organized

Inspection Outcome

Comments

Concession should be cleaned before completing season
-Right refrigerator locked-could not see temperature(thermometer)

Have gloves, bleach, thermometer

*Excessive violations-Reinspection once school year begins *Head coach/manager needs to call Health Dept
304-267-7130

Disclaimer

A re-inspection to assess your correction of these violations will be conducted on, or about,
09/28/2018

Person in Charge

On file

Sanitarian

Amy Edwards

Amy ARE Edwards