

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information		
Facility Name RESA 8 Inwood Family Worship Center	Facility Type Food Service Establishment	
Licensee Name RESA VIII Head Start	Facility Telephone # 304 267-3595	
Facility Address 28 Lafayette Lane Inwood, WV	Licensee Address ,	
Inspection Information		
Inspection Type Routine	Inspection Date 03/07/2019	Total Time Spent 0.65

Equipment Temperatures	
Description Milk cooler	Temperature (Fahrenheit) 36

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
Dayconbottle	chemical		400		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations
<p>Total # 1 Repeated # 0</p> <p>5-202.13 - BACKFLOW PREVENTION, AIR GAP This is a critical violation OBSERVATION: (CORRECTED DURING INSPECTION): mop sink-hose found stored down in sink-should be stored up over faucet</p>

Observed Non-Critical Violations

Total # 3

Repeated # 0

4-203.11 - TEMPERATURE MEASURING DEVICES, FOOD - ACCURACY

OBSERVATION: probe thermometer should be calibrated

4-904.11 - KITCHEN AND TABLEWARE

OBSERVATION: plastic ware for lunch should be inverted(classroom containers)

6-501.16 - DRYING MOPS

OBSERVATION: Mop stored in mop bucket needs to air dry

Inspection Outcome

Comments

Watch best by dates on apple slices-March 4

Disclaimer

Person in Charge



Sanitarian



Amy ARE Edwards