

**West Virginia Department of  
Health & Human Resources  
Berkeley County Health  
Department**



**GENERAL SANITATION INSPECTION REPORT**

<b>Establishment Information</b>		
Facility Name Orchard View Intermediate	Facility Type School	
Licensee Name Berkeley Co. Board of Education	Facility Telephone # 304 263-4143	
Facility Address 1455 Delmar Orchard Rd Martinsburg, WV	Licensee Address ,	
<b>Inspection Information</b>		
Inspection Type Routine	Inspection Date April 18, 2019	Total Time Spent 2.00

**OPERATOR** - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

<b>Observed Violations</b>
<p><b>Total # 3</b> <b>Repeated # 2</b></p> <p><b>64-18-10.1 - The entire premises and its contents shall be maintained in good repair and in a clean and sanitary condition. Facilities and equipment shall be provided for this purpose.</b> <b>OBSERVATION:</b> 5th grade hallway water fountain needs repaired</p> <p><b>64-18-10.1 - The entire premises and its contents shall be maintained in good repair and in a clean and sanitary condition. Facilities and equipment shall be provided for this purpose.</b> <b>REPEAT OBSERVATION</b> Multiple bathroom hand sinks automatic not working</p> <p><b>64-18-10.1 - The entire premises and its contents shall be maintained in good repair and in a clean and sanitary condition. Facilities and equipment shall be provided for this purpose.</b> <b>REPEAT OBSERVATION</b> Leaking faucets,517,519,520,502,402,404,422,421,419,415,405</p>

<b>Inspection Outcome</b>

<b>Comments</b>

Disclaimer

COPY