

**West Virginia Department of Health &
Human Resources
Berkeley County Health Department**

No image found with name:
Berkeley.png. Image files
needed to be generated.

CHILD CARE CENTER INSPECTION REPORT

Establishment Information	
Facility Name Ms. Cindy's Daycare	Facility Type Family Day Care
Licensee Name Cindy Stonebraker	Facility Telephone # 304
Facility Address 330 Discovery Rd Martinsburg , WV	Licensee Address ,

Establishment Details		
Adult to Child Ratio	1 under 1; 2 1-2; 2 over 2=1 adult to 5 children	
Inspection Information		
Inspection Type Routine	Inspection Date 12/05/2017	Total Time Spent 1.00

OPERATOR - The violations in operating procedure or physical arrangement indicated below must be corrected by the next routine inspection or by a date specified in this report.

Observed Violations
<p>Total # 3 Repeated # 0</p> <p>16.1 - All necessary precautions shall be taken to insure an accident-free environment for the children. OBSERVATION: (CORRECTED DURING INSPECTION): 2 outlet covers needed</p> <p>5.3.F - All rooms used by children shall have a thermometer which shall be located approximately thirty (30) inches above floor level. Thermostats are not acceptable in lieu of thermometers. OBSERVATION: wall thermometers should be located 30" from floor(need to be lowered)</p> <p>6.1 - All activity equipment shall be free of safety hazards, shall be of smooth construction and, where applicable, easily cleanable. Activity equipment shall include, but not be limited to: toys, furnishings, tables, chairs, cots and similar equipment. OBSERVATION: playground-near large slide-few nails need to be secured into wood</p>

Inspection Outcome

Comments
bleach bottle-50ppm; Refrigerator-38; New dishwasher with sanitizer rinse Chlorine residual-1.4 ppm-No sample taken today

Disclaimer

Person in Charge

Sanitarian

Cindy Stoneaker

Amy ARE Edwards

Amy ARE Edwards