

CERTIFICATE OF COMPLIANCE

Certificate Number 20191122-E477452
Report Reference E477452-20191119
Issue Date 2019-NOVEMBER-22

Issued to: Trident Product, LLC
835 Julia Street 6
New Orleans LA 70113

This certificate confirms that representative samples of LUMINAIRES, RECESSED, MARINE
See Addendum Page

Have been investigated by UL in accordance with the Standard(s) indicated on this Certificate.

Standard(s) for Safety: UL 1598, Luminaires
UL 1598A, Supplemental Requirements for Luminaires for Installation on Marine Vessels

Additional Information: See the UL Online Certifications Directory at <https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



CERTIFICATE OF COMPLIANCE

Certificate Number 20191122-E477452
Report Reference E477452-20191119
Issue Date 2019-NOVEMBER-22

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

- Inside Type, Marine LED Recessed Luminaires, Inherently Protected Type IC, Models LRD-2-4, LRD-2-4-BB, LRD-4-4, and LRD-4-4-BB. Models with optional battery pack are indicated by having a "BB" suffix at the end of the model number.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



File E477452

Project 4789124455

November 19, 2019

REPORT

ON

LUMINAIRES, MARINE TYPE, RECESSED

TRIDENT PRODUCT, LLC
New Orleans, Louisiana

Copyright © 2019 UL LLC

UL LLC authorizes the above named company to reproduce this Report only for purposes as described in the Conclusion, provided it is reproduced in its entirety.

PRODUCTS COVERED:

USL - Inside Type, Marine LED Recessed Luminaires, Inherently Protected Type IC, Models LRD-2-4, LRD-2-4-BB, LRD-4-4, and LRD-4-4-BB. Models with optional battery pack are indicated by having a "BB" suffix at the end of the model number.

GENERAL CONSTRUCTION:

This product complies with the Standard of UL LLC for Luminaires (UL 1598), the UL Standard for Safety for Supplemental Requirements for Luminaires for Installation on Marine Vessels, UL 1598A, the Section General, and the description on the following pages.

TECHNICAL CONSIDERATIONS (NOT FOR FIELD REPRESENTATIVE'S USE):

USL indicates these products comply with the applicable requirements in the UL Standard for Luminaires, UL 1598, and the Supplemental Requirements for Luminaires for Installation on Marine Vessels, UL 1598A, and with the Sec. Gen., and with the description on the following pages.

All dimensions are nominal, within engineering tolerances, except where specifically indicated as a minimum or a maximum.

ELECTRICAL RATINGS

MODEL	INPUT VOLTAGE, FREQUENCY	INPUT WATTAGE	INSTALLATION
LRD-2-4, LRD-2-4-BB	120-277 V, 50/60 Hz	25.3 W	RECESSED, INHERENTLY PROTECTED TYPE IC
LRD-4-4, LRD-4-4-BB	120-277 V, 50/60 Hz	41.8 W	RECESSED, INHERENTLY PROTECTED TYPE IC

CONSTRUCTION DETAILS:

Corrosion Protection - All metal enclosure parts shall be painted or plated to protect against corrosion.

INSTALLATION INSTRUCTIONS:

In accordance with the Standard. Shall also include the proper method of mounting, grounding and wiring of luminaires.