

**West Virginia Department of
Health & Human Resources
Berkeley County Health
Department**



FOOD ESTABLISHMENT INSPECTION REPORT

Establishment Information	
Facility Name Target Pizza Hut/Starbucks	Facility Type Food Service Establishment
Licensee Name Target	Facility Telephone # 304
Facility Address Retail Commons Parkway Martinsburg, WV	Licensee Address The Commons Retail Commons Parkway Martinsburg, WV 25401

Inspection Information		
Inspection Type Routine	Inspection Date March 06, 2019	Total Time Spent 1.75

Equipment Temperatures	
Description	Temperature (Fahrenheit)
Bev Air-Under Oven	30
Walk-In proofer	34
Norlake	95
Beverage-Air-one door	36
True refrigerator	38
Traulsen	36
Beverage Air Starbucks	34
Beverage Air 2-Door (Starbucks)	30
Front Case	30
reach in freezer	32
Bev Air-front	8
pizza warmer	40
grab and go	188
	32

Food Temperatures	
Description	Temperature (Fahrenheit)
pizza sauce	38

Warewashing Info					
Machine Name	Sanitization Method	Thermo Label	PPM	Sanitizer Name	Sanitizer Type
3-Bay Sink Dishwasher	Chemical				
3 bay sink dishwasher	chem heat	160	300		

OPERATOR - Violations cited in this report shall be corrected within the time frames specified below, but

within a period not to exceed 10 calendar days for critical items (§ 8-405.11) or 90 days for non-critical items (§ 8-406.11).

Observed Critical Violations

Total # 0

Repeated # 0

Observed Non Critical Violations

Total # 17

Repeated # 1

4-202.16 - NONFOOD CONTACT SURFACES

OBSERVATION: Milk crates not approved for storage

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Caulk needs replaced at handsink in Starbucks and in back kitchen area

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Dishwasher racks need replaced

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Need to re-caulk table at 3 bay sink-away from wall currently

4-501.11 - GOOD REPAIR, PROPER ADJUSTMENT, AND OPERATION

OBSERVATION: Leak at soda CO2 needs repair (part on order)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Gaskets need cleaned on reach-in refrigerator

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Cart holding chemicals needs cleaned (at 3 bay)

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Green racks need cleaned in walk in

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Nozzle needs cleaned in dish area

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Cart next to pizza oven needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: (CORRECTED DURING INSPECTION): Knife holder needs cleaned

4-602.13 - NONFOOD CONTACT SURFACES

OBSERVATION: Pepsi Soda machine needs detailed cleaning and tray

4-602.13 - NONFOOD CONTACT SURFACES

REPEAT OBSERVATION (CORRECTED DURING INSPECTION): Bottom of cabinets need cleaned

6-301.11 - HANDWASHING CLEANSER, AVAILABILITY

OBSERVATION: (CORRECTED DURING INSPECTION): Soap not available at food employee handwash sink.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Ceiling vent needs cleaned above mop sink

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Fan covers need cleaned in cooler.

6-501.12 - CLEANING, FREQUENCY AND RESTRICTIONS

OBSERVATION: Floor next to walls needs detailed cleaning

Inspection Outcome

Facility will be re-evaluated at the next routine inspection.

Comments

Disclaimer

Person in Charge



Sanitarian



Cara N Harding

